












FAAC
Simply automatic.

GENIUS



Максипринт Компјутери ЛТД ДОО
Бул. Туристичка бр.4, Охрид
Охридска банка Жиро сметка:
530000100483931
Контакт: 046-262 500 / 070-249 724
070-212 929
e-mail:
prodazba@maksiprint.com.mk











МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<p>FAAC J200 Bollard Series Diameter: 200mm; Cylinder Stroke: 600mm; Rise time: 5sec; Descent Time: 7sec; Suitable for residential applications, providing intelligent control, but preserving the aesthetic impact; Product design streamlined, configurable by selecting the desired installation accessories; Ease of transport, storage and installation, thanks to the weight and content of the product; Simplified maintenance (possible by one person); Hydraulic lock in high position (in case of power failure) with special release key; Emergency release with pressostat; Led lights kit; Movement buzzer;</p>	2307€
	<p>FAAC Remote Control Frequency 433.92MHz; Number of Channels; 2-4;</p>	35€
Sliding Gate Kits – Мотори за лизгачки врати		
МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<p>BLIZZARD 500 C ENC -230V SLIDE GATE KIT / 500kg Irreversible electro-mechanical Gear motor for moving heavy sliding gates, with control board SPRINT382 and 433MHz Receiver with antenna ,foundation plate for Blizzard , 4 channel transmitter Echo TX4 , Pair IR Photocells Vega-Genius , Flashing Lamp , Lock With Key Switc , Power supply 230V 50Hz , Working Temp -20°C - +55°C Sturdy inner kinematic mechanism Magnetic Limit Switches Electronic Control Board with</p>	375€
	<p>BLIZZARD 900 C ENC -230V SLIDE GATE KIT / 900kg Irreversible electro-mechanical Gear motor for moving heavy sliding gates, with control board SPRINT382 and 433MHz Receiver with antenna ,foundation plate for Blizzard , 4 channel transmitter Echo TX4 , Pair IR Photocells Vega-Genius , Flashing Lamp , Lock With Key Switc , Power supply 230V 50Hz , Working Temp -20°C - +55° Sturdy inner kinematic mechanism Magnetic Limit Switches Electronic Control Board with</p>	435€
	<p>FALCON M14C -230V SLIDE GATE KIT / 1400kg Irreversible electro-mechanical Gear motor for moving heavy sliding gates, with control board SPRINT382 and 433MHz Receiver with antenna ,foundation plate for Blizzard , 4 channel transmitter Echo TX4 , Pair IR Photocells Vega-Genius , Flashing Lamp , Lock With Key Switc , Power supply 230V 50Hz , Working Temp -20°C - +55° Optional Encoder installation for obstacle detection Rotating Panel for easer programming</p>	640€
	<p>FALCON M20C -230V SLIDE GATE KIT / 2000kg Irreversible electro-mechanical Gear motor for moving heavy sliding gates, with, foundation plate for Blizzard , 4 channel transmitter Echo TX4 , Pair IR Photocells Vega-Genius , Flashing Lamp , Lock With Key Switc , Power supply 230V 50Hz , Working Temp -20°C - +55° Optional Encoder installation for obstacle detection. Rotating Panel for easer programming</p>	710€
	<p>Echo TX4 RC 433 MHz Remote Control Transmitter This remote control of the gate GENIUS ECHO TX4 as a frequency of 433.92 MHz and have 4 button(s). It comes with an instruction and batteries. The Programming of the remote is easy and requires no special equipment.</p>	24€
	<p>Single-channel receiver GENIUS Single-channel receiver plug FAAC original GENIUS 433 RC . Works on 433 Mhz frequency and FAAC 433 Mhz transmitters manages ECHO'S GENIUS."</p>	40€






	<u>Genius nylon gear rack 30x20</u> 1 meter – 6100344 + welding accessories for 1meter 30x20 6100345	14.5€
	<u>Genius galvanized iron gear rack 30x12,</u> galvanized iron gear rack + welding accessories for 1meter 30x12 - 1 meter - JA146	16€
	<u>Genius – Pair of 1-SB-VEGA</u> Self Aligning Photocells , range 20m, 24V DC 6100147	40€
	<u>Genius Vega WIRELESS Photocells</u> Power Supply 12-24 V- 12 – 24 Vdc; Absorbed current RX: 30 mA; Maximum range: 15m; Transmission of signal: automatic;	56€
	<u>Genius intermittent flashing lamp Guard 230V AC 40W</u>	40€
	<u>Genius – Outdoor key</u> Operated selector switch ,one contact in NA/NC exchange ,Anti Break - in	23€
	<u>M-ST-DC1</u> WIFI Smart Door Opener Relay; APP name:TuyaSmart; Work with Amazon Alexa/Google Assistance/IFTTT; Work Voltage: DC7-32V; Wifi Frequency: 2.4GHz; Relay Load: 250V/10A; Work alone, not work with alarm panel together	45€
	<u>RTU5024 GSM Door Opener</u> GSM Frequency,Quad-band 850/900/1800/1900MHz, Digital Output, NC/NO dry contact 3A/240VAC, DC Power supply 9~24VDC/2A , 12V input Max. 50m A/Average 25mA, SIM Card Supporting 3V SIM Card, Humidity range Relative humidity 90% , Backup battery 3.7V/900mAH, Exterior dimension 102mm*D76mm*H27mm	65€

Swing Gate Kits - МОТОРИ ЗА КРИЛНИ ПОРТИ

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<u>GENIUS G-BAT400 - 230V AC SWING GATE KIT 4 meter</u> Kit for gates with two Swing leaves , up to 4 meter of width ,complete with accessories , with control board BRAIN 17 / 230V and 433MHz Receiver with antenna ,Ecobox with Brand , 4 channel transmitter Echo TX4 , Pair IR Photocells Vega-Genius , Flashing Lamp , Power supply 230V 50Hz , Working Temp -20°C - +55°C Easy release through a user friendly lever . Opening and closing slow down available in both versions	525€
	<u>GENIUS MISTRAL 400 - 230V AC SWING GATE KIT 4 meter</u> Kit for gates with two Swing leaves , up to 4 meter of width ,complete with accessories , with control board BRAIN 17 / 230V and 433MHz Receiver with antenna ,Ecobox with Brand , 4 channel transmitter Echo TX4 , Pair IR Photocells Vega-Genius , Flashing Lamp , Power supply 230V 50Hz , Working Temp -20°C - +55°C Release through a user friendly accessory lever Opening and closing slow down available in both versions	650€

Genius Barriers - БАРИЕРИ ЗА ПАРКИНЗИ

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<p><u>BARRIER 24V ELECTROMECHANICAL B614</u> Power supply 220-240V ~ 50/60; Hz Electric motor 24V brushed; Max. power 165 W; Max. torque 300 Nm; Back-up batteries Yes (optional); Material Steel; Surface treatment Pre-hot dip galvanized, 20µm thick + polyester powder coated; Encoder Incremental, integrated in the motor; Deceleration type Electronic + mechanical; Beam type Rectangular and rounded; Ambient operating temperature -20°C to +55°C; Protection class IP55 (Electronic control unit) - IP44; Weight 40 Kg Use frequency Continuous use; Electronic equipment E614</p>	1057€
	<p><u>Foundation plate for barrier B614</u></p>	32€
	<p><u>B614 Automatic Barrier</u></p>	222€
	<p><u>SPIN 4C ENC - 230V AC BARRIER GATE</u> SPIN 4C ENC - AUTOMATIC BARRIER for motor vehicle Barrier body with incorporated control board LYNX 06 , and 433MHz Receiver with antenna ,springs for SPIN 4 , Power supply 230V 50Hz , Working Temp -20°C - +55°C Integrated control board with separate opening and closing inputs Elektrical and mechanical limit-switches supplied standard Version 230V is supplied with the Encoder to ensure reversing of movement</p>	823€
	<p><u>Foundation Plate with Accessories for SPIN Barrier</u></p>	32€
	<p><u>GENIUS frequency moule</u> FAAC original GENIUS 433 RC . Workson 433 Mhz frequency and FAAC 433 Mhz transmitters manages ECHO'S GENIUS."</p>	38€
	<p><u>Echo TX4 RC 433 MHz Remote Control Transmitter</u> This remote control of the gate GENIUS ECHO TX4 as a frequency of 433.92 MHz and have 4 button(s). It comes with an instruction and batteries. The Programming of the remote is easy and requires no special equipment</p>	24€
	<p><u>Genius – Pair of 1-SB-VEGA</u> self Aligning Photocells , range 20m, 24V DC 6100147</p>	40€
	<p><u>Genius Vega WIRELESS Photocells</u> Power Supply 12-24 V- 12 – 24 Vdc; Absorbed current RX: 30 mA; Maximum range: 15m; Transmission of signal: automatic;</p>	56€
	<p><u>Genius intermittent flashing lamp Guard 230V AC 40W</u> Guard is a new flashing designed to be installed in multiple configurations, allowing maximum flexibility of vertical/horizontal positioning, on pillars or walls. Available in various versions 230V. 6100052</p>	34€

	<p><u>M-ST-DC1</u> WIFI Smart Door Opener Relay; APP name:TuyaSmart; Work with Amazon Alexa/Google Assistance/IFTTT; Work Voltage: DC7-32V; Wifi Frequency: 2.4GHz; Relay Load: 250V/10A; Work alone, not work with alarm panel together</p>	<p>45€</p>
	<p><u>RTU5024 GSM Door Opener</u> GSM Frequency, Quad-band 850/900/1800/1900MHz, Digital Output, NC/NO dry contact 3A/240VAC, DC Power supply 9~24VDC/2A, Power consumption, 12V input Max. 50m A/Average 25mA, SIM Card Supporting 3V SIM Card, Temperature range -20~+60 °C, Humidity range Relative humidity 90%, Backup battery 3.7V/900mAH Exterior dimension W102mm*D76mm*H27mm</p>	<p>65€</p>
	<p><u>BEAM 3m FOR SPIN 4</u> Alluminium beam painted with white epoxy powders , complete with retro-reflecting stickers and rubber profile . Dimensions 90x25mm. Beam 4 meter . 58P1803</p>	<p>132€</p>
	<p><u>BEAM 5m FOR SPIN 4</u> Alluminium beam painted with white epoxy powders , complete with retro-reflecting stickers. Dimensions 100x50mm. Beam 6 meter . 58P1805</p>	<p>158€</p>
	<p><u>BEAM L6000 6m FOR SPIN 6</u> Alluminium beam painted with white epoxy powders , complete with retro-reflecting stickers. Dimensions 100x50mm. Beam 6 meter . 58P1805</p>	<p>182€</p>

Цените се END USER и истите важат за крајни корисници.

Цените се претставени со пресметан ДДВ 18% .

Гаранција на производите е од 1-12 месеци.

МАКСИПРИНТ го задржува правото на промена на цените без претходна најава.



**We confirm that
the Company**

Maksiprint Kompjuteri LTD
Bul.Turisticka br.4, OHRID
*is our authorized Distributor for FAAC &
Genius equipment in the territory of :*

Macedonia



MAKSIPRINT
DISTRIBUTION & SECURITY



FAAC
FAAC S.p.A. Soc. Unipersonale
Via Caleri, 10 - 40099 Zola Predosa (BO) Italy
TEL. +39 051 61724 - FAX +39 051 096782
C. F. e P. IVA 03820731200



FAAC
Simply automatic.