



Максипринт Компјутери ЛТД ДОО
Бул. Туристичка бр.4, Охрид
Охридска банка Жиро сметка:
530000100483931
Контакт: 046-262 500 / 070-249 724 / 070-212 929
e-mail: prodazba@maksiprint.com.mk














DAHUA Cable

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	PFM920I-5EUN – 305m UTP CAT5E Cable 305m UTP CAT5E, Max.160m long distance PoE supply, 99.99% OFC (oxygen free copper) Excelent material, Environmentally friendly PVC	27ден
	PFM920I-6UN-C – 305m UTP CAT6E Cable 305 m (1000 ft)/carton UTP CAT6, power over Ethernet, compatible with one cable; High-purity oxygen-free copper conductor	40ден

CABLE


МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	RG6 Coaxial Braiding 80*0.12 +Bonded AL-foil+PVC 100m. White Color 100m/roll, 6 rolls/carton	20ден
	RG6 Coaxial so sajla Braiding 80*0.12 +Bonded AL-foil+PVC 100m. White Color 100m/roll, 6 rolls/carton	22ден
	RG59 Coaxial Braiding 112 +Bonded AL-foil+PVC 100/200m Black COLOR	25ден
	RG59 Coaxial 100% COOPER Braiding 112 +Bonded AL-foil+PVC 100/200m Black COLOR	35ден
	RG59+2x0.75 COMBO Braiding 112 +Bonded AL-foil+PVC + 2x0.75mm power. Black and White COLOR 100M/Roll ; 200M/Roll ; 200M/Drum ; 300M/Drum	40ден
	RG59+2x0.75 COMBO so sajla Braiding 112 +Bonded AL-foil+PVC + 2x0.75mm power. Black and White COLOR 100M/Roll ; 200M/Roll ; 200M/Drum ; 300M/Drum	45ден
	RG59+2x0.50 COMBO COPPER Braiding 112 +Bonded AL-foil+PVC + 2x0.50mm power COPPER. White Color, 100M/Roll ; 200M/Roll ; 200M/Drum ; 300M/Drum	55ден
	Power Cable PPL 2x0,75 CCA (for power supply) 100m Black Color	20ден
	Power Cable PPL 2x0,75 COOPER (for power supply) 100m Black Color	

	FTP Cat5E - 24AWG Network Cable , with aluminium foil , and transparent PET film, Conductor 0.51mm - 305m Box Grey Color	20ден
	FTP Cat5E - 24AWG so SAJLA Network Cable , with aluminium foil , and transparent PET film, Conductor 0.51mm - 305m Box SO SAJLA Grey Color	30ден
	FTP Cat5E - 24AWG so SAJLA COPPER Network Cable , with aluminium foil , and transparent PET film, Conductor 0.51mm - 305m Box SO SAJLA Grey Color	40ден
	FTP Cat5E 24AWG - 100% FULL COOPER CU Network Cable CU (100% Copper), with aluminium foil , and transparent PET film , Conductor 0.51mm , Pass Fluke test on 100M - 305m Box Grey Color	35ден
	FTP Cat6E 23AWG Network Cable , with aluminium foil , and transparent PET film, Conductor 0.57mm - 305m Box Grey Color	30ден
	FTP Cat6E 23AWG - 100% FULL COOPER Network Cable CU (100% Copper) , with aluminium foil , and transparent PET film , Conductor 0.57mm - 305m Box Grey Color 18.6	40ден
	ALARM CABLE 6 x 0.22, shield 100m , EXTRA	25ден
	ALARM CABLE COOPER 6 x 0.22, shield 100m , COOPER EXTRA	30ден
	PP Kabel 1*2*0.8 J-Y(st)Y	
	PP Kabel 2*2*0.8 J-H(st)H CRVEN Halogen Free	
	PP kabel 2x0,80mm COOPER , RED color	35ден
	PP kabel- Bavno gorecki -LSZH 2x2x0,80mm COOPER , LSZH, RED color, nezapaliva izolacija po CEI 20-22 II i IEC 323-3C standardi	40ден
	SIGNAL CABLE 2x0,75mm2+4x0,22mm 2, 4,8±0,3mm, white color for Dorephone	35ден



	<p>Estetski Kanali (Bela Boja na kanali) 12x12 16x16 25x16 25x25 40x25 40x40 60x40</p>	<p>METAR 28 ден 34 ден 42 ден 55 ден 85 ден 120 ден 180 ден</p>
--	---	--












POWER SUPPLY, ADAPTERS

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<p>12V DC, 1A</p>	<p>€</p>
	<p>12V DC, 1.5A BEST QUALITY EU</p>	<p>4€</p>
	<p>12V DC, 2A BEST QUALITY EU</p>	<p>4.8€</p>
	<p>12V DC, 5A Power supply 12V DC regulated 6A desktop type</p>	<p>9.7€</p>
	<p>Cable Power Splitter, 1-4</p>	<p>2.4€</p>
	<p>Cable Power Splitter, 1-8</p>	<p>3.2€</p>
	<p>Adapter 24V 3A</p>	<p>14€</p>
	<p>48V DC , 5A , 60W for POE Switc Power supply 48V DC regulated 5A desktop type</p>	<p>25€</p>
	<p>48V DC , 10A , 120W for POE Switc Power supply 48V DC regulated 5A desktop type</p>	<p>27€</p>
	<p>Adapter 53V 1,8A for POE Switc Power supply 53V DC regulated 1.8A desktop type</p>	<p>27€</p>
	<p>Power Cable 220V , 1.8m , Extra quality Cooper</p>	<p>2€</p>

	<p>DC12V2A Power Adapter DAHUA PFM300 Easy installation and wall mount, structural water-proof; Support -30 °C ~+70 °C wide-range temperature operation, and the full load efficiency of the power; supply can be up to 100% at these temperatures; With junction function for camera wiring or can place video balun with HDCVI/AHD/TVI/CVBS cameras;</p>	<p>8.8€</p>
---	---	--------------------




	<p>POWER SUPPLY 5A / 12V DC for CCTV Camera BIG Input voltage 165 – 250 V; DC power 60W; Miniature size, high power density; ;Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection</p>	<p>14€</p>
	<p>POWER SUPPLY 10A / 12V DC for CCTV Camera BIG Input voltage 165 – 250 V; DC power 120W; Miniature size, high power density;Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;</p>	<p>16€</p>
	<p>POWER SUPPLY 15A / 12V DC for CCTV Camera BIG Input voltage 165 – 250 V; DC power 180W;Miniature size, high power density; Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;</p>	<p>18€</p>
	<p>POWER SUPPLY 20A / 12V DC for CCTV Camera BIG Input voltage 165 – 250 V; DC power 240W; High Miniature size, high power density;Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;</p>	<p>22€</p>
	<p>POWER SUPPLY 30A / 12V DC for CCTV Camera BIG Input voltage 165 – 250 V; DC power 360W; Miniature size, high power density; Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;</p>	<p>35€</p>
	<p>DC12V4A 5-ch - CCTV Distributed Power Box DAHUA PFM340-5CH 5 Channel security camera power supply distribution box with individual LED output indicator and metal case by lock key to prevent unauthorized access. Wide voltage input: AC90~264Vac, meet the requirements in different parts for electric</p>	<p>60€</p>
	<p>DC12V5A 9-ch - CCTV Distributed Power Box DAHUA PFM341-9CH 9 Channel security camera power supply distribution box with individual LED output indicator and metal case by lock key to prevent unauthorized access; · Wide voltage input: AC90~264Vac, meet the requirements in different parts for electric</p>	<p>75€</p>
	<p>DAHUA PFM343-19CH - CCTV Distributed Power Supply Box 19 Channel security camera power supply distribution box with individual LED output indicator and metal case by lock key to prevent unauthorized access; · Wide voltage input: AC90~264Vac, meet the requirements in different parts for electric</p>	<p>135€</p>
	<p>4C5A 220V AC input, 3A - 4 channel, 12VDC output, input voltage 165 – 250 V</p>	<p>32€</p>
	<p>9C10A 220V AC input, 5A - 9 channel, 12VDC output, input voltage 165 – 250 V</p>	<p>54€</p>

	18CH20A 220V AC input, 20A - 18 channel, 12VDC output, input voltage 165 – 250V	64€
	1200VA Office UPS Uninterruptible power supply ADJ UPS1200 1200VA Office with 2 Schuko output	157€

BNC CONECTORS		
МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	BNC06-1	30ден
	BNC06	30ден
	3 PART CRIMP	30ден
	RG58	16ден
	BNC RG59 TX-CJ5	45ден
	ACA-BNC-1A-2	35ден
	Compression BNC	40ден
	BNC Male to RCA Female Adaptor	50ден
	BNC Male to BNC Male Adaptor	50ден
	RCA Male to RCA Male Adaptor	50ден
	BNC Female to BNC Female	50ден

	BNC Female to RCA Male	50ден
	POWER CONECTOR (male) so kabel 6.5 cm	30ден
	POWER CONECTOR (male) so strafce	30ден
	Conector Rj45 CAT5 , Blue , Yellow ,White	10ден
	Conector Rj45 CAT6	10ден
	Conector Rj45 CAT5 Shild	20ден
	Conector Rj45 CAT6 Shild	20ден
	Conector Rj45 CAT6A Shild	120ден
	Conector Rj45 CAT6A Jack Keystone Compress	160ден
	Conector Rj45 CAT7 Shild	120ден
	CAT5 , RJ45 Network Cable Extender	150ден
	Cable HDMI 1.5m	250ден
	Cable HDMI 3m	300ден
	Cable HDMI 5m	450ден

	Cable HDMI 10m	750ден
	Cable HDMI 15m	1000ден
	Cable HDMI 20m	1600ден
	Microphone M501C so konektor	300ден
	Microphone M501G	350ден
	RJ45 and RJ11 Network Cable tester	400ден
	Wire Tracker – Trace telephone wire/LAN cable	1200ден
	Stripping Tool	500ден
	Stripping Tool	400ден
	Network FTP tool - 01	800ден
	Network FTP tool - 02	1300ден
	Network FTP tool – 03	1600ден

	Network FTP tool - 04	1500ден
	Network FTP tool - 05	1800ден
	UV-T01 RG59 Crimper	1650ден

Brackets and Racks






МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДАВ
	Bracket for monitor DAHUA DH TV 19"-32"	9.5€
	Bracket for monitor DAHUA DH TV 42"-55"	7.7€
	Bracket for monitor M-B01/14-42"	4.7€
	Bracket for monitor M-B02/26-55"	6€
	Rack Cabinet Racksis 30cm x 55cm x 6U, So vklucena polica	57€
	Rack Cabinet Racksis 60cm x 55cm x 9U, So vklucena polica	65€
	Rack Cabinet Racksis 53cm x 40cm x 60cm 12U, So vklucena polica	90€

ACCESSORIES

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DH-PFM906 Integrated Mount Tester Supports IPC, HDCVI, AHD, HDTV, CVBS and SDI monitor video display; HDMI input and output; 12 VDC 2A and USB 5V 2A output; 7-in 1080p HD full-angle retina capacitive IPS touchscreen;	
	VB-B503 Balun 4K- 8MP 8MP , AHD , TVI , CVI , Analog 2MP 3MP 4MP 5MP 1080P HD-CVI TVI AHD Compatible with DaHua HD-CVI signal.HD-TVISignal,AHD Signal Pushin Terminal Block for UTP Cable. HD-CVI720P: Max.:450M/ HDCVI1080P:	5.3€

	HD Video converter VGA to HDMI	11€
	3x1 HDMI Switch 4K 3x1 HDMI Switcher; 3 input 1 output; Splitter HDMI Port for HDTV 1080P Video; Supports highest video resolution 1080p/60Hz; Supports single high definition display for multiple sources; Supports HDMI 1.4b; Maintain high resolution video, sharp HDTV resolution up to 1080p, 2K,	25€
	2x1 HDMI Switch 4 1x2 HDMI Switcher Cable Black 16cm ; 1 input 2 output; Splitter HDMI Port for HDTV 1080P Video; Supports highest video resolution 1080p/60Hz; Maintain high resolution video, sharp HDTV resolution up to 1080p, 2K, 1440p graphics and computer resolutions up to 4Kx2K are easily equipment	47€
	PSE904 -10/100 +2port WAN 4 port , 4 port 10/100+2port WAN 10/100 , switc with 4 port PoE , RJ45 x8 , 10/100Mbps Auto-Negotiation and AUTO MDIX Fast Ethernet RJ45Port , Bulit in 8 PoE Ports , Data transmission up to 100m , Total power :120 Watts	45€
	PSE908-10/100/1000 +2port WAN 8 port , 8 port 10/100+2port WAN 10/100 , switc with 8 port PoE , RJ45 x8 , 10/100Mbps Auto-Negotiation and AUTO MDIX Fast Ethernet RJ45Port , Bulit in 8 PoE Ports , Data transmission up to 100m , Total power :120 Watts	60€
	10/100/1000Mbps Fiber optic single mode simplex media converter Standard-Definition Digital Video Optic Transmission System;Fiber: Over 1 fiber; Fiber type: SMF & MMF;	38€
	OPTICAL CABLE SM SC - SC DX 5M	6€
	OPTICAL CABLE SM SC - SC DX 10M	12€

ACCESSORIES

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	J-BOX01SA UNIVERSAL Junction Plastic Box 22 x 28 x 8 Camera housing with bracket, Material: Aluminum, Operating Temperature: -40°C ~60°C	9€
	Plastic Flush UNIVERSAL Junction Box for DOME CAMERA, Camera housing with bracket, PLASTIC	2.5€
	J-BOX01DS UNIVERSAL Water-proof Junction Box for BULLET CAMERA OUTDORE, Material: Aluminum, Operating Temperature: -40°C ~60°C	8.8€
	J-BOX01SA UNIVERSAL Junction Box for DOME CAMERA, Camera housing with bracket, Material: Aluminum, Operating Temperature: -40°C ~60°C	8.8€
	J-BOX04PL - Bracket Plastic	2€

	J-BOX05PL – Bracket Plastic 30	1.6€
	J-BOX06PL – Bracket Plastic	3€
	J-BOX07PL – Bracket Plastic	6€
	J-BOX08PL – Dome Bracket Plastic	6€
	PFB204W Wall Mount Bracket	9.5€
	PFA13A Water-proof Junction Box, Camera housing with bracket, Material: Aluminum & SECC , Junction Box , Product Dimension: $\phi 96.8\text{mm} \times 33.5\text{mm}$	9.5€
	PFA134 Water-proof Junction Box, Camera housing with bracket, Material: Aluminum & SECC , Junction Box , Product Dimension: $\phi 90\text{mm} \times 35\text{mm}$	8€
	PFA135 Water-proof Junction Box, Camera housing with bracket, Material: Aluminum & SECC , Junction Box ,Neat & Integrated design,	8€
	PFA136 Water-proof Junction Box,Material: Aluminum, Product Dimension: $\phi 110\text{mm} \times 33.5\text{mm}$ Pipe Thread: Operating Temperature: $-40^{\circ}\text{C} \sim 60^{\circ}\text{C}$	9.5€
	PFA137 Junction Box Material: aluminum	9€
	PFA122 Water-proof Junction Box, Material: Aluminum IP66 Junction Box Material: luminum, Product Dimension: $134\text{mm} \times 134 \times 55\text{mm}$ Pipe Thread: M20(G1/2")Operating Temperature: - $40^{\circ}\text{C} \sim 60^{\circ}\text{C}$	19€
	PFA151 Corner Mount Bracket; Material: SECC; Aesthetic design; Material SECC Dimension(WxHxD) $243\text{mm} \times 170\text{mm} \times 138\text{mm}$ (9.57"x6.69"x5.43")	20€
	PFA152-E Pole Mount Mini Bracket Material: Aluminum; Dimension $125.6\text{mm} \times 114\text{mm} \times 20\text{mm}$; Mast Diameter $\phi 80 \sim 150\text{mm}$; Operating Temperature $-40^{\circ}\text{C} \sim 60^{\circ}\text{C}$;	14€
	DH-PFA162 Housing Bracket Aesthetic design; Material: aluminum; Housing bracket; Support three-axis rotation for housing installation	

Цените се END USER и истите важат за крајни корисници.

Цените се претставени со пресметан ДДВ 18% .

Гаранција на производите е од 1-12 месеци.

МАКСИПРИНТ го задржува правото на про`мена на цените без претходна најава.