

alhua
TECHNOLOGY

Максипринт Компјутери ЛТД ДОО
Бул. Туристичка бр.4, Охрид
Охридска банка Жиро сметка:
530000100483931
Контакт: 046-262 500 / 070-249 724 / 070-212 929
e-mail: prodazba@maksiprint.com.mk






ВИДЕО КАМЕРИ 2MP

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA HAC-T1A21 – 2.8mm 2MP HDCVI IR Eyeball Camera Max. 30 fps@1080p; CVI/CVBS/AHD/TVI switchable; 2.8 mm fixed lens Max. IR length 20 m, Smart IR; 12 VDC	21€
	DAHUA HAC-HDW1200TLMQ-A – 2.8mm 2MP HDCVI Quick-to-install IR Eyeball Camera Max 30fps@1080P; CVI/CVBS/AHD/TVI switchable; 3.6mm fixed lens; Built-in mic(-A); Max. IR length 30m, Smart IR; IP67, DC12V	41€
	DAHUA HAC-HDW1200T-Z-A 2MP HDCVI IR Eyeball Camera Max 30fps@1080P; HD and SD output switchable; Built-in mic; 2.7-12mm motorized lens; Max. IR length 60m, Smart IR; IP67, DC12V	70€
	DAHUA HUM1220G-B - 2.8mm 2MP HDCVI Bullet Camera Max 30fps@1080P, 2.8mm fixed lens,DC12V HD and SD output switchable,	30€
	DAHUA HAC-HUM3200A 2MP IR HDCVI Fixed-focal Cube Camera Max 30 fps@1080p; 10 m illumination distance (940nm IR No IR Exposure); Super Adapt; 2.8 mm fixed lens; CVI/CVBS/AHD/TVI switchable; 12 VDC;	46€
	DAHUA HAC-B1A21 – 3.6mm 2MP HDCVI IR Bullet Camera Max. 30 fps@1080p; CVI/CVBS/AHD/TVI switchable; 3.6 mm fixed lens; Max. IR length 20 m, Smart IR; IP67,12 VDC;	21€
	DAHUA HAC-HFW1200T – 3.6mm 2MP HDCVI IR Bullet Camera Max 30fps@1080P; HD and SD output switchable; 3.6mm fixed lens 2.8mm; Built-in mic(-A); Max. IR length 30m, Smart IR; IP67, DC12V	30€
	DAHUA HAC-HFW1200T-BLACK – 2.8mm 2MP HDCVI IR Bullet Camera Max 30fps@1080P; HD and SD output switchable; 2.8mm fixed lens; Max. IR length 30m, Smart IR; IP67, DC12V	31€
	DAHUA HAC-HFW1200TL - 3.6mm 2MP HDCVI IR Bullet Camera Max 30fps@1080P · CVI/CVBS/AHD/TVI switchable; 3.6mm fixed lens (2.8mm, 6mm optional); Built-in mic; Max. IR length 80m, Smart IR; IP67, DC12V	LAST ONE 41€
	DAHUA LC1220T-TH - IoT Series - 2.8mm 2MP HDCVI Temperature & Humidity Camera Max 30fps@1080P, 2.8mm fixed lens, Max. IR length 20m, Detection range: - 40°C~60°C, 10-95% RH, Smart IR, IP67, DC12V	39€

SMART-DUAL LIGHT 2MP






МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA HAC-HDW1200CLQ-IL-A – 2.8mm 2MP Smart Dual Light HDCVI Fixed-focal Eyeball Camera Max. 30 fps@1080p; 3D NR; Smart Dual Light; 20 m illumination distance; Super Adapt; Built-in mic; 2.8 mm fixed lens ; CVI/CVBS/AHD/TVI switchable; 12 VDC.	NOVO 29€
	DAHUA HAC-HFW1200CL-IL-A – 2.8mm 2MP Smart Dual Light HDCVI Fixed-focal Bullet Camera Max. 30 fps@1080p; 3D NR; Smart Dual Light; 20 m illumination distance; Super Adapt; Built-in mic; 3.6 mm fixed lens; CVI/CVBS/AHD/TVI switchable; 12 VDC.	NOVO 30€
	DAHUA HAC-HDW1200TLM-IL-A – 2.8mm 2MP Smart Dual Light HDCVI Fixed-focal Eyeball Camera Max. 30 fps@1080p; 3D NR; Smart Dual Light; 20 m illumination distance; Built-in mic; 2.8 mm fixed lens; CVI/CVBS/AHD/TVI switchable; IP67, 12 VDC;	37€

ВИДЕО КАМЕРИ 2MP FULL COLOR

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA HAC-HDW1239T-A-LED 2.8mm with Audio 2MP Full-color HDCVI Eyeball Camera 24/7 color imaging, Max. 30 fps@1080p; 40 m illumination distance; Super Adapt, 130 dB true WDR, 3D NR; CVI/CVBS/AHD/TVI switchable; IP67, DC 12 V	46€
	DAHUA HAC-HDW1209TLQ-LED - 2.8mm / 3.6mm 2MP Full-color HDCVI Quick-to-install Eyeball Camera 24/7 color imaging; 20 m illumination distance; Max. 30 fps@1080p; CVI/CVBS/AHD/TVI switchable IP67, 12V±30% DC	32€
	DAHUA HAC-HDW1209TLQ-A-LED - 2.8mm / 3.6mm 2MP Full-color HDCVI Quick-to-install Eyeball Camera 24/7 color imaging; 20 m illumination distance; Max. 30 fps@1080p; Built-in mic; CVI/CVBS/AHD/TVI switchable IP67, 12V±30% DC	35€
	DAHUA HAC-HFW1209C-LED - 2.8mm 2MP Full-color HDCVI Bullet Camera 24/7 color imaging; 20 m illumination distance; Max. 30 fps@1080p; CVI/CVBS/AHD/TVI switchable; IP67, 12V±30% DC	32€
	DAHUA HFW1239TLM-A-LED - 3.6mm 2MP Full-color Starlight HDCVI Eyeball Camera Full-color starlight, 40m LED distance, Max. 30fps@1080P, CVI/CVBS/AHD/TVI switchable; IP67, 12V±30% DC	60€



ВИДЕО КАМЕРИ 5MP

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA HAC-HFW1500C - 2.8mm / 3.6mm 5MP Starlight HDCVI IR Bullet Camera Max 25 fps@5MP; CVI/CVBS/AHD/TVI switchable; 2.8 mm fixed lens; Max. IR length 30 m, Smart IR; IP67, 12V DC	41€
	DAHUA HAC-HFW1500T – 3.6mm 5MP Starlight HDCVI IR Bullet Camera Max 25fps@5MP (16:9 video output); CVI/CVBS/AHD/TVI switchable · 3.6 mm fixed lens; Max. IR length 30 m, Smart IR; IP67, 12V DC	41€
	DAHUA HAC-HFW1500TH-I8 - 3.6mm 5MP Starlight HDCVI IR Bullet Camera Max 25fps@5MP; CVI/CVBS/AHD/TVI switchable; 3.6 mm fixed lens; Max. IR length 80 m, Smart IR; IP67, 12V DC	56€
	DAHUA HAC-EW2501 5MP HDCVI IR-Fisheye Camera 1/2.8" 5Megapixel progressive scan CMOS; Panoramic fisheye lens; Max. 20fps@5MP; Built-in Mic; 120dbtrue WDR, Starlight, 2D&3D NR; Max. IR length 10m,Smart IR; DC12V	NOVO 161€
	UTC Controller PFM820 Support different formats (HDCVI/AHD/HDTVI/CVBS) switch, which ito satisfy the requirements of different storage device environments for clients; Various format indicator lights, which makes it convenient for users to check the current format status and prompt if the format switch is successful	15€

SMART-DUAL LIGHT 5MP

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA HAC-HDW1500CLQ-IL-A 2.8mm 5MP Smart Dual Light HDCVI Fixed-focal Eyeball Camera Max 25 fps@5MP (16:9 video output); Smart Dual Light; 20m illumination distance; Super Adapt; Built-in MIC; CVI/CVBS/AHD/TVI switchable; IP67,12 VDC	38€
	DAHUA HAC-HFW1500CL-IL-A – 3.6mm 5MP Smart Dual Light HDCVI Fixed-focal Bullet Camera Max 25 fps@5MP; Smart Dual Light; 20 m illumination distance; Super Adapt; Built-in MIC; 3.6 mm fixed lens; CVI/CVBS/AHD/TVI switchable. · IP67, 12 VDC;	39€
	DAHUA HAC-HFW1500TLM-IL-A – 3.6m 5MP Smart Dual Light HDCVI Fixed-focal Bullet Camera Max 25 fps@5MP ;Smart Dual Light; 40 m illumination distance; Super Adapt; Built-in MIC; 3.6 mm fixed lens; CVI/CVBS/AHD/TVI switchable; IP67, 12 VDC;	42€
	DAHUA HAC-PT1500A-IL-A – 2.8mm 5MP Smart Dual Light HDCVI Fixed-focal PT Camera Max. 25 fps@5MP (16:9 video output); Smart Dual Light; Smart Area Lighting; Pan & Tilt; 40 m illumination distance; Super Adapt; Built-in Mic; Quick-to-install structure saves installation time; 2.8 mm fixed lens; IP66, 12 VDC.	67€

ВИДЕО КАМЕРИ 5MP FULL COLOR

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA HAC-HDW1509TLQ-LED - 3.6mm 5MP Full-color HDCVI Quick-to-install Eyeball Camera Max 25 fps@5MP (16:9 video output); 120dB true WDR, 3D NR;24/7 color image;20 m illumination distance; CVI/CVBS/AHD/TVI switchable;IP67, 12 V DC;	57€
	HAC-HFW1509C-LED – 2.8mm with Audio 5MP Full-color HDCVI Bullet Camera Max 25 fps@5MP (16:9 video output); 120 dB true WDR, 3D NR; 24/7 color imaging; 20 m illumination distance 2.8 mm fixed lens; IP67, 12V DC	55€
	HAC-HFW1509C-A-LED – 2.8mm with Audio 5MP Full-color HDCVI Bullet Camera Max 25 fps@5MP (16:9 video output); 120 dB true WDR, 3D NR; 24/7 color imaging; 20 m illumination distance; Built-in mic; 2.8 mm fixed lens; IP67, 12V DC	56€
	DAHUA HAC-HFW1509T-A-LED 5MP Full-color HDCVI Bullet Camera Max 25 fps@5MP (16:9 video output); 120 dB true WDR, 3D NR; 24/7 color imaging; 20 m illumination distance;Built-in mic (-A); 3.6 mm lens; IP67, 12 V DC	59€
	DAHUA HAC-HFW1509TLM-A-LED – 3.6mm 5MP Full-color HDCVI Bullet Camera Max 25 fps@5MP (16:9 video output); 120 dB true WDR, 3D NR; 24/7 color imaging; 40 m illumination distance; Built-in mic (-A); 3.6 mm fixed lens; IP67, 12 V DC;	€
	DAHUA HAC-ME1509TH-PV - 3.6mm 5MP HDCVI Full-Color Active Deterrence Fixed Bullet Camera 24/7 color imaging, Active deterrence with red blue light, siren and alarm out interface; Max. 20 fps@5MP; 3.6 mm lens, 40 m distance IP67, 12V±30% DC	66€


SMART-DUAL LIGHT 8MP

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA HAC-HDW1801T-IL-A – 2.8mm 4K Smart Dual Light HDCVI Fixed-focal Eyeball Camera Max. 15 fps@4K; 120 dB true WDR, 3D NR; Smart Dual Light; 40 m illumination distance; Super Adapt; Built-in MIC; 2.8 mm fixed lens; IP67, 12 VDC;	NOVO 67€
	DAHUA HAC-HFW1801TLM-IL-A – 3.6mm 4K Smart Dual Light HDCVI Fixed-focal Bullet Camera Max. 15 fps@4K; 120 dB true WDR, 3D NR; Smart Dual Light; 40 m illumination distance; Super Adapt; Built-in MIC; 3.6 mm fixed lens; IP67, 12 VDC;	NOVO 65€


ВИДЕО КАМЕРИ 8MP FULL COLOR

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA HAC-HDW1809T-A-LED – 2.8mm 4K Full-Color HDCVI Eyeball Camera Max. 15 fps@4K; 120 dB true WDR, 3D NR; 24/7 color imaging 40 m illumination distance; Super Adapt; Built-in MIC(-A); IP67, 12 VDC.	90€
	DAHUA HAC-HFW1809TLM-A-LED – 3.6mm 4K Full-Color HDCVI Bullet Camera Max. 15 fps@4K; 120 dB true WDR, 3D NR; 24/7 color imaging; 40 m illumination distance; Super Adapt; Built-in MIC(-A); CVI/CVBS/AHD/TVI switchable; 12 VDC	€








ВИДЕО КАМЕРИ 8MP

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA HDW1800TL-A - 2.8mm 4K Real-time HDCVI IR Eyeball Camera Max. 4K resolution, real-time video transmission, Built-in mic (-A), Max. IR length 30m CVI/CVBS/AHD/TVI switchable, Smart IR, IP67, 12V±30%DC	57€
	DAHUA HAC-HFW1800TL-A - 3.6mm 4K Real-time HDCVI IR Bullet Camera ax. 4K resolution, real-time video transmission; CVI/CVBS/AHD/TVI switchable Built-in mic (-A); 2.8 Fixed lens; Max. IR length 80m, Smart IR; IP67, 12V±30%DC	60€
	DAHUA HAC-HFW1801TL-A - 3.6mm 4K Real-time HDCVI IR Bullet Camera 4K resolution, real-time video transmission; CVI/CVBS/AHD/TVI switchable Built-in mic (-A); 2.8 Fixed lens; Max. IR length 80m, Smart IR; IP67, 12V±30%DC	62€
	DAHUA HAC-HFW1800TH-I8 – 3.6mm 4K Real-time HDCVI IR Bullet Camera Max. 4K resolution, real-time video transmission; CVI/CVBS/AHD/TVI switchable; Max. IR length 80m, Smart IR; IP67, 12V±30%DC	69€
	DAHUA HAC-HFW1801TH-I8 - 3.6mm 4K Starlight HDCVI Fixed IR Bullet Camera Max. 15 fps@4K; 120 dB true WDR, 3D NR; Smart IR Illumination; 80 m illumination distance; Super Adapt; CVI/CVBS/AHD/TVI switchable; IP67, 12 VDC.	77€
	DAHUA HFW1801R-Z-IRE6 with Audio 2.7-13.5mm 4K 8MP HDCVI IR Bullet Camera 120dB true WDR, 3D NR Max. 4K resolution, CVI/CVBS/AHD/TVI switchable, Auto focus, Motorized lens, Max. IR length 60m, smart IR, IP67, 12V ±30% DC	100€
	DAHUA HAC-HFW2802TU-A 4K Starlight HDCVI Fixed-focal Bullet Camera Max. 15 fps@4K; Starlight, 120 dB true WDR, 3D NR; Smart IR Illumination; 80 m illumination distance; Super Adapt; Built-in MIC; 3.6 mm fixed lens (6 mm optional); CVI/CVBS/AHD/TVI switchable; IP67, 12 VDC;	100€
	DAHUA HAC-HFW2802E-A – 2.8mm 4K Starlight HDCVI IR Bullet Camera Starlight, 120dB True WDR, 3DNr; Max. 4K resolution; HD/SD switchable; Audio in interface, built-in mic; 2.8mm fixed lens; Max. IR length 40m, Smart IR; IP67, DC12V±30%;	€

HDCVI/NETWORK PTZ КАМЕРА

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<p>DAHUA SD49225-HC -LA 2MP 25x Starlight IR PTZ HDCVI Camera</p> <p>1/2.8" 2Megapixel STARVIS™ CMOS, Powerful 25x optical zoom, Starlight technology, Max. 25/30fps@1080P, 25/30/50/60fps@720P, 120dB true WDR, 3D DNR, IR distance up to 100m, IP66</p>	380€
	<p>DAHUA NKB5000 Network Keyboard</p> <p>Keyboard to control -DAHUA standalone DVR; DAHUA high speed dome; Central management platform; Network video server; RS232, RS485 & network connections (WLAN); Four dimensional joystick control of PTZ functions; Support 4K decoding live view; Support 4CH HDMI output; Support snapshot</p>	275€

СПЕЦИЈАЛИЗИРАНИ КАМЕРИ

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<p>DAHUA IPC-HFW7442H-ZFR 4MP IR Bullet WizMind Network Camera</p> <p>Max outputs 4MP (2688 × 1520) @50 fps/60 fps; 12V DC power output; 4MP, 1/1.8" CMOS image sensor, low illuminance, high image definition;</p>	
	<p>DAHUA TPC-BF5421-T Thermal Network Hybrid Bullet Camera</p> <p>Vanadium oxide uncooled focal plane detector; Built-in white light and speaker; Features temperature measurement; Micro SD memory, IP67, PoE, ePoE</p>	
	<p>DAHUA JQ-D70Z Thermometric Blackbody</p>	
	<p>DAHUA ITC215-PW6M-IRLZF-B Access ANPR Camera</p> <p>It embraces deep learning algorithm for accurate recognition of vehicles without license plate, vehicle model, vehicle logo, vehicle series, vehicle color, and more.</p>	720€

DVR HDCVI TRIBRID / PENTABRID

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA XVR1B04-I 4 Channel Penta-brid 1080N/720p Cooper 1U WizSense H.265+/H.265 dual-stream video compression; Supports Full channel AI-Coding; Supports HDCVI/AHD/TVI/CVBS/IP video inputs; Max 5 channels IP camera inputs, each channel up to 2MP;Max 20 Mbps incoming bandwidth	57€
	DAHUA XVR5104HS-I3 4 Channel Penta-brid 5M-N/1080p Compact 1U WizSense Supports Full-channel AI-Coding; Supports HDCVI/AHD/TVI/CVBS/IP video inputs; Max 6 channels IP camera inputs, each channel up to 6MP; Up to 1 channel video stream Perimeter Protection; Up to 4 channels video stream SMD Plus; Up to 1 channel video stream human face recognition;	105€
	DAHUA XVR5104HS-I3(1TB) 4CH Penta-brid 5MP Value/1080P Compact 1U 1SSD 1TB WizSense Comes with an internal 1TB SSD, and can record videos for about 22 days.4-channel SMD Plus for analog channels which allows the device to trigger accurate alarms for humans and vehicles.1-channel face recognition for analog channels which supports face comparison.	150€
	DAHUA XVR5104HS-4KL-I3 4 Channel Penta-brid 5MP Compact 1U WizSense Supports Full-channel AI-Coding; Supports HDCVI/AHD/TVI/CVBS/IP video inputs; Max 8 channels IP camera inputs, each channel up to 8MP; Up to 1 channel video stream Perimeter Protection; Up to 4 channels video stream SMD Plus; Up to 1 channel video stream human face recognition	147€
	DAHUA XVR1B08-I 8 Channel Penta-brid 1080N/720p Cooper 1U WizSense H.265+/H.265 dual-stream video compression; Supports Full channel AI-Coding Supports HDCVI/AHD/TVI/CVBS/IP video inputs; Max 10 channels IP camera inputs, each channel up to 6MP; Max 40 Mbps incoming bandwidth;	70€
	DAHUA XVR5108HS-I3 8 Channel Penta-brid 5M-N/1080p Compact 1U WizSense H.265+/H.265 dual-stream video compression; Supports Full-channel AI-Coding; Supports HDCVI/AHD/TVI/CVBS/IP video inputs; Max 12 channels IP camera inputs, each channel up to 6MP; Up to 1 channel video stream Perimeter Protection; Up to 8 channels video stream SMD Plus;	135€
	DAHUA XVR5108HS-I3(1TB) 8CH Penta-brid 5MP Value/1080P Compact 1U 1SSD 1TB WizSense Comes with an internal 1TB SSD, and can record videos for about 11 days. 8-channel SMD Plus for analog channels which allows the device to trigger accurate alarms for humans and vehicles.4-channel perimeter protection for analog channels which supports tripwire and intrusion detection powered by AI.	180€
	DAHUA XVR5108HS-4KL-I3 - WizSense 8 Channel Penta-brid 4K-N/5MP Compact 1U Digital Video Recorder H.265+/H.265 dual-stream video compression; Supports DCVI/AHD/TVI/CVBS/IP video inputs; Max 16 channels IP camera inputs, each channel up to 8MP; Max 128 Mbps incoming bandwidth; Perimeter Protection and SMD Plus;	230€
	DAHUA XVR7108H-4K-I3 8 Channels Penta-brid 4K Mini WizSense Digital Video Recorder H.265+/H.265 dual-stream video compression. Supports 8-channel AI-Coding. Supports HDCVI/AHD/TVI/CVBS/IP video inputs. Max 16 channels IP camera inputs, each channel up to 8MP; IoT & POS functionalities.	340€

 <p>Wiz Sense</p>	<p>DAHUA XVR1B16-I 16 Channel Penta-brid 1080N/720p Compact 1U WizSense H.265+/H.265 dual-stream video compression; Supports Full-channel AI-Coding Supports HDCVI/AHD/TVI/CVBS/IP video inputs; Max 18 channels IP camera inputs, each channel up to 6MP; Max 64 Mbps Incoming Bandwidth; Long transmission distance over coax cable;</p>	<p>150€</p>
 <p>Wiz Sense</p>	<p>DAHUA XVR5116HS-I3 – WizSense 16 Channel Penta-brid 5M-N/1080P Compact Digital Video Recorder H.265+/H.265 dual-stream video compression; Supports HDCVI/AHD/TVI/CVBS/IP video inputs; Max 24 channels IP camera inputs, each channel up to 6MP; Max 128 Mbps incoming bandwidth; Perimeter Protection and SMD Plus; IoT & POS functionalities</p>	<p>215€</p>
	<p>DAHUA XVR5116H-4KL-I3 16 Channels Penta-brid 4K-N/5MP Mini 1U WizSense H.265+/H.265 dual-stream video compression; · Supports Full-channel AI-Coding; Max 32 channels IP camera inputs, each channel up to 8MP; Max 128 Mbps incoming bandwidth; IoT & POS functionalities;</p>	<p>419€</p>
	<p>DAHUA XVR5216A-4KL-I3 16 Channels Penta-brid 4K-N/5MP 1U WizSense H.265+/H.265 dual-stream video compression; Supports Full-channel AI-Coding; Supports HDCVI/AHD/TVI/CVBS/IP video inputs; Max 32 channels IP camera inputs, each channel up to 8MP; Max 128 Mbps incoming bandwidth; IoT & POS functionalities;</p>	<p>450€</p>
	<p>DAHUA XVR7216A-4KL-X – Pro Series 16 Channel Penta-brid 4K 1U Digital Video Recorder H.265+/H.265 dual-stream video compression; Supports HDCVI/AHD/TVI/CVBS/IP video inputs; Supports 16/32 channels of IPC access, each channel up to 8MP input; Max 64/128Mbps Incoming Bandwidth;</p>	<p>474€</p>
	<p>DAHUA XVR7216AN-4K-I3 16 Channels Penta-brid 4K 1U 2HDDs WizSense Digital Video Recorder H.265+/H.265 dual-stream video compression; Supports 16-channel AI-Coding Supports HDCVI/AHD/TVI/CVBS/IP ; Max 32 channels IP camera inputs, each channel up to 8MP; Max 128 Mbps incoming bandwidth; Up to 16 channels video stream SMD plus; IoT & POS functionalities</p>	<p>645€</p>
	<p>DAHUA XVR5232AN-I3 32 Channels Penta-brid WizSense Digital Video Recorder H.265+/H.265 dual-stream video compression. · Supports 16-channel AI-Coding. · Supports HDCVI/AHD/TVI/CVBS/IP video inputs. · Max 32 channels IP camera inputs, each channel up to 6MP; IoT & POS functionalities.</p>	<p>535€</p>
	<p>DAHUA XVR5232AN-4KL-I3 32 Channels Penta-brid 4K-N/5MP WizSense Digital Video Recorder. H.265+/H.265 dual-stream video compression.; Supports 32-channel AI-Coding.; Supports HDCVI/AHD/TVI/CVBS/IP video inputs.; Max 32 channels IP camera inputs, each channel up to 8MP; IoT & POS functionalities.</p>	<p>700€</p>
	<p>UTC Controller PFM820 Supports different formats (HDCVI/AHD/HDTV/CVBS) switch, which is to satisfy the requirements of different storage device environments for clients. V:</p>	<p>10€</p>

HDD

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА	
	DAHUA HDD 1TB 1000G/5900RPM/64M/ SATA 6Gb/s/ Dahua LOGO ST1000VX001SEAGATE , SURVELLIANCE 24x7 Operation	55€	58€
	DAHUA HDD 1TB 1000G/5900RPM/64M/ SATA 6Gb/s/ Dahua LOGO ST1000VX013SEAGATE , SURVELLIANCE 24x7 Operation	55€	58€
	DAHUA HDD 2TB 2000G/5900RPM/64M/ SATA 6Gb/s/ Dahua LOGO ST2000VX017SEAGATE , SURVELLIANCE 24x7 Operation	69€	72€
	DAHUA HDD 4TB 4000G/7200RMP/64M/ SATA 6Gb/s/ Dahua LOGO , ST4000VX016SEAGATE SURVELLIANCE , 24x7 Operation	100€	105€
	DAHUA HDD 6TB 6000G/7200RMP/64M/ SATA 6Gb/s/ Dahua LOGO , ST6000VX009SEAGATE SURVELLIANCE , 24x7 Operation	147€	155€
	DAHUA HDD 8TB 8000G/7200RMP/64M/ SATA 6Gb/s/ Dahua LOGO , ST8000VX010SEAGATE SURVELLIANCE , 24x7 Operation	194€	229€


Memory Cards & USB Flash Drives

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DHI-TF-C100/64GB microSD Memory Card	€
	Memory Card APACER 64GB	10€
	Memory Card APACER 128GB	18€
	DHI-TF-C100/256GB microSD Memory Card	38€
	DHI-USB-P629-32-64GB USB Flash Drive	11€
	DHI-USB-P629-32-128GB USB Flash Drive	18€
	DHI-USB-P629-32-256GB USB Flash Drive	36€







IP CAMERA 2MP SMART-DUAL LIGHT


МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA IPC-HFW1239TL1-A-IL 2MP Entry Smart Dual Light Fixed-focal Bullet Network Camera 2-MP 1/2.8" CMOS image sensor, low luminance, and high definition image; Built-in IR LED and warm light, the max. IR illumination distance is 30 m and warm light distance is 30 m; Supports human detection; 12 VDC/PoE power supply;	59€
	Dahua IPC-HDW1239V-A-IL 2MP Entry Smart Dual Light Fixed-focal Eyeball Network Camera 2-MP 1/2.8" CMOS image sensor, low luminance, and high definition image; Outputs max. 2 MP (1920× 1080)@25/30 fps; Built-in IR LED and warm light, the max. IR illumination distance is 30m and warm light distance is 30 m;	59€

IP CAMERA 2MP FULL COLOR

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA IPC-HFW5249T-ASE-NI – Pro AI Series 2MP Pro AI Full-color Fixed-focal Bullet Network Camera 2MP, 1/2.8" CMOS image sensor, low illuminance, high image definition; Outputs max. 2MP (1920 × 1080) @30 fps; H.265 codec, SMART H.264+/H.265; 12V DC/PoE power support; ePoE for remote transmission · IP67 protection	110€

2MP IP CAMERA

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA SD1A203T-GN-W – IR-15m 2MP 3x Starlight IR PTZ Wi-Fi Network Camera 1/2.8" 2Megapixel STARVIS™ CMOS , Powerful 3x optical zoom, Starlight, WDR, Max. 5/30fps@1080P, IVS, Support Wi-Fi, IP66	130€
	DAHUA IPC-HDBW1230E 2MP IR Mini-Dome Network Camera 1/2.7" 2Megapixel progressive CMOS; H.265 & H.264 dual-stream encoding; 25/30fps@1080P(1920x1080); Day/Night(ICR), 3DNR, AWB, AGC, BLC; Multiple network monitoring; 2.8mm fixed lens; Max IR LEDs length 30m; IP67, IK10, PoE	66€
	DAHUA SD22204UE-GN – Lite Series 2MP 4x Starlight PTZ Network Camera 1/2.8" STARVIS™ CMOS; Powerful 4x optical zoom; Day/Night(ICR), Ultra DNR; Max. 25/30fps@1080P; Max 100°/s pan speed · IVS Support PoE; IP66, IK10	215€
	DAHUA IPC-HFW1230S-S5 PoE 2.8mm 2MP IR Mini-Bullet Network Camera 1/2.7" 2Megapixel progressive CMOS; H.265& H.264 dual-stream encoding; 25/30fps@1080P(1920x1080); DWDR, Day/Night(ICR), 3DNR; Web viewer, CMS(DSS/PSS) & DMSS; 3.6mm fixed lens ;IR LEDs Length 30m; IP67, PoE	€
	DAHUA IPC-HFW2231TP-ZS-S2 – Lite Series 2MP Lite IR Vari-focal Bullet Network Camera 2MP, 1/2.8" CMOS image sensor, low illuminance, high image definition; Outputs 2MP; H.265 codec, ultra-low bit rate; Built-in IR LED, max IR distance: 60m; Supports max. 256 GB Micro SD card; 12V DC/PoE ; IP67 ,IK10	115€
	DAHUA IPC-HFW4231TP-ASE with Audio 3.6mm 2MP WDR IR Mini Bullet Network Camera 1/2.8" 2Megapixel progressive scan STARVISTM CMOS; H. 265&H.264 triple-stream encoding; 50/60fps@1080P(1920x1080), 60 Hz ;WDR(120dB), Day/Night (ICR), 3DNR, AWB, AGC, BLC;LEDs Length 60m; Micro SD Memory,IP67,IK10, PoE	140€

	<p>DAHUA IPC-HFW5242E-ZE-MF – WizMind 2MP IR Vari-focal Bullet WizMind Network Camera 1/1.8" 2Megapixel progressive scan CMOS; ROI, SMART H.264+/H.265+, flexible coding; 50/60 fps@1080P (1920 × 1080); Day/Night (ICR), 3D DNR, AWB, BLC ; 2.7 mm–12.0 mm motorized; IR LEDs Length 50 m; Micro SD memory, IP67, IK10</p>	<p>LAST ONE 185€</p>
--	--	--

IP CAMERA SMART-DUAL LIGHT 4MP

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<p>DAHUA IPC-HDW1439V-A-IL 4MP Entry Smart Dual Light Fixed-focal Eyeball Network Camera 4-MP 1/2.9" CMOS image sensor, low luminance, and high definition image; Outputs max. 4 MP (2560 × 1440)@25/30 fps; Built-in IR LED and warm light, the max. IR illumination distance is 30 m and warm light distance is 30 m;</p>	<p>75€</p>
	<p>DAHUA IPC-HFW1439TL1P-A-IL – 2.8mm 4MP Entry Smart Dual Light Fixed-focal Bullet Network Camera 4MP, 1/3" CMOS image sensor, low illuminance, high image definition; H.265 codec, high compression rate, ultra-low bit rate; Built-in warm lights, max. illumination distance: 30 m; ROI, SMART H.264+/H.265+</p>	<p>75€</p>

4MP IP CAMERA

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<p>DAHUA IPC-HFW1431T-ZS-S4 4MP Entry IR Vari-focal Bullet Network Camera 4MP, 1/3" CMOS image sensor, low illuminance, high image definition; H.265 codec, high compression rate, ultra-low bit rate Built-in IR LED, max. IR distance: 50 m; 12V DC/PoE power supply;</p>	<p>130€</p>
	<p>DAHUA IPC-HFW2431T-ZS-S2 4MP Lite IR Vari-focal Bullet Network Camera 4MP, 1/3" CMOS image sensor, low illuminance, high image definition; Built-in IR LED, max IR distance: 60 m; Rotation mode, WDR, 3D NR, digital watermarking; Intrusion, tripwire 256 GB Micro SD card; 12V DC/PoE power supply;</p>	<p>150€</p>







5MP IP CAMERA




МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	IPC-HDW1530T-S6 - 2.8mm 5MP Entry IR Fixed-focal Eyeball Network Camera 5MP 1/2.7" CMOS image sensor, low luminance, and high definition image. Outputs max. 5MP (2880 × 1620) @20 fps and supports 2688 × 1520 @25/30 fps; Built-in MIC; 12 V DC/PoE power supply; IP67 protection.	€
	DAHUA IPC-HDBW1530E-S6 5MP Entry IR Fixed-focal Dome Network Camera 5MP, 1/2.7" CMOS image sensor, low illuminance and high definition image; Outputs max. 5MP @20 fps, and supports 2688 × 1520 (2688 × 1520) @25/30 fps; H.265 codec, high compression rate, and low bit rate; IR distance is 30m;	99€
	DAHUA IPC-HDBW2541E-S 5MP IR Fixed-focal Dome WizSense Network Camera 5-MP 1/2.7" CMOS image sensor, low luminance, and high definition image; Outputs max. 5 MP (2960 × 1668) @20 fps, and supports 2688 × 1520 (2688 × 1520) @25/30 fps; 12 VDC/PoE power supply, easy for installation.	123€
	DAHUA IPC-HDW2531TM-AS-S2 5MP Lite IR Fixed-focal Eyeball Network Camera 5MP, 1/2.7" CMOS image sensor, low illuminance, high definition image; Built-in IR LED, max IR distance: 30 m; Intelligent detection: Intrusion, tripwire; Supports max. 256 GB Micro SD card, built-in Mic; 12 V DC/PoE power supply; IP67	130€
	DAHUA IPC-HFW1530S-S6 5MP Entry IR Fixed-focal Bullet Network Camera 5MP 1/2.7" CMOS image sensor, low luminance, and high definition image; · Outputs max. 5MP @20 fps and supports 2688 × 1520 @25/30 fpS; Built-in IR LED, and the max. illumination distance is 30 m.	100€
	DAHUA IPC-HFW2531S-S-S2 – Lite Series 3.6mm 5MP Lite IR Fixed-focal Bullet Network Camera 5MP, 1/2.7" CMOS image sensor, low illuminance, high image definition · Outputs 2688×1520@25/30 fps, and supports max. 5MP (2592×1944); Built-in IR LED, IR distance: 30 m; 12V DC/PoE power support ; IP67 protection grade	105€
	DAHUA IPC-HFW2541E-S 5MP IR Fixed-focal Bullet WizSense Network Camera 5-MP 1/2.7" CMOS image sensor, low luminance, and high definition image; Outputs max. 5 MP (2592 × 1944) @20 fps, and supports 4 MP (2688 × 1520) @25/30 fps; Abnormality detection: Motion detection, video tampering, scene changing, audio detection, IP conflict, illegal access, and voltage detection	130€
	DAHUA IPC-HFW2531TP-ZS – Lite Series 5MP WDR IR Bullet Network Camera 1/2.7" 5Megapixel progressive CMOS; H.265 & H.264 dual-stream encoding 15fps@5M&25/30fps@3M(2304×1296); WDR(120dB), Day/Night , 3DNR, AWB, AGC, BLC; up to 128GB; 2.7~13.5mm varifocal lens; Max IR LED 60m; IP67, PoE+;	175€
	DAHUA HY-SAV849HA-E 5MP IR AI-fire Smoke Sensing Network Camera Remote check based on smoke sensing and video alarm linkage · Intelligent monitoring: Flame detection · With split-spectrum smoke chamber and intelligent algorithm, eliminate the false alarm effectively Built-in alarm voices	150€

IP CAMERA 8MP FULL COLOR


МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA IPC-HFW2849S-S-IL 8MP Smart Dual Light Fixed-focal Bullet WizSense Network Camera 8-MP 1/2.7" CMOS image sensor, low luminance, and high definition image; Outputs max. 8 MP (3840 × 2160) @20 fps, and supports 2688×1520 (2688 × 1520) @25/30 fps; Built-in warm light and IR LED, the max. illumination distance is 30 m and the max. warm light distance is 30 m	170€
	DAHUA IPC-HDW2849TM-S-IL 8MP Smart Dual Light Fixed-focal Eyeball WizSense Network Camera 8-MP 1/2.7" CMOS image sensor, low luminance, and high definition image; Outputs max. 8 MP (3840 × 2160) @20 fps, and supports 2688 × 1520 (2688 × 1520) @25/30 fps; Built-in warm light and IR LED, the max. illumination distance is 30 m and the max. warm light distance is 30 m;	170€
	DAHUA IPC-HFW2849T-AS-IL 8MP Smart Dual Light Fixed-focal Bullet WizSense Network Camera 8-MP 1/2.7" CMOS image sensor, low luminance, and high definition image; Outputs max. 8 MP @20 fps, and supports 2688×1520 @25/30 fps; Built-in warm light and IR LED, IR light distance is 60 m and max. warm light is 50 m;	200€

8MP IP CAMERA

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA IPC-HDW2831T-AS-S2 2.8mm 8MP Lite IR Fixed-focal Eyeball Network Camera 8MP, 1/2.7" CMOS image sensor, low illuminance, high image definition; H.265 codec,; Built-in IR LED, max IR distance: 30 m; ROI, SMART H.264+/H.265+, flexible coding; 256 GB Micro SD card, built-in MIC; 12V DC/PoE; IP67;	145€
	DAHUA HDBW2841R-ZAS 8MP IR Vari-focal Dome WizSense Network Camera 8-MP 1/2.7" CMOS image sensor, low luminance, and high definition image; H.265 codec, high compression rate, ultra-low bit rate; Built-in IR LED, and the max. illumination distance is 40 m; ROI, SMART H.264+/H.265+, flexible coding, applicable to various bandwidth and storage environments;	220€
	DAHUA IPC-HDBW2841E-S 8MP IR Fixed-focal Dome WizSense Network Camera 8-MP 1/2.7" CMOS image sensor, low luminance, and high definition image; Outputs max. 8 MP (3840 × 2160) @20 fps, and supports 2688 × 1520 (2688 × 1520) @25/30 fps; Built-in IR LED, and the max. illumination distance is 30 m;	145€
	DAHUA IPC-HFW2831S-S-S2 8MP Lite IR Fixed-focal Bullet Network Camera 8MP, 1/2.7" CMOS image sensor, low illuminance, high image definition; H.265 codec, high compression rate, ultra-low bit rate; Built-in IR LED, max IR distance: 30 m; 12V DC/PoE power support; IP67 protection	140€
	IPC-HFW2831T-AS-S2 3.6mm 8MP Lite IR Fixed-focal Bullet Network Camera 8MP, 1/2.7" CMOS image sensor, low illuminance, high image definition; H.265 codec, high compression rate, ultra-low bit rate; Built-in IR LED, max IR distance: 80 m; Intelligent detection: Intrusion, tripwire; Alarm: 1 in, 1 out;	170€
	DAHUA IPC-HFW2841T-AS 8MP IR Fixed-focal Bullet WizSense Network Camera Outputs max. 8 MP (3840 × 2160) @20 fps, and supports 2688 × 1520@25/30 fps. Built-in IR LED, and the max. illumination distance is 80 m; Alarm: 1 in, 1 out; audio: 1 in, 1 out; Supports max. 256 G Micro SD card; built in MIC.	160€

	<p>DAHUA IPC-HFW2841T-ZAS 8MP IR Vari-focal Bullet WizSense Network Camera 8-MP 1/2.7" CMOS image sensor, low luminance, and high definition image; Built-in IR LED, and the max. illumination distance is 60 m. Rotation mode, WDR, 3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes.</p>	<p>200€</p>
	<p>DAHUA IPC-HFW2831TP-ZS – Lite Series 8MP WDR IR Bullet Network Camera 1/1.8" 8Megapixel progressive CMOS; H.265 & H.264 dual-stream encoding 25/30fps@8MP(3840×2160); WDR(120dB), Micro SD card slot, up to 128GB; 3.7~11mm motorized lens; Max IR LEDs Length 60m; IP67, IK10(optional), PoE</p>	<p>210€</p>
	<p>DAHUA IPC-HFW3849T1-AS-PV-S3 8MP Smart Dual Illumination Active Deterrence Bullet Camera 8MP 1/2.8" CMOS image sensor, low luminance, and high definition image; Outputs max. 8 MP (3840 × 2160)@25/30 fps.; Built-in warm light and IR LED; the max. IR illumination distance is 30 m and warm light distance is 30 m. Alarm: 1 in, 1 out; audio: 1 in, 1 out;</p>	<p>260€</p>







IP PT CAMERA FULL COLOR

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<p>DAHUA SD3A400-GN-A-PV 4MP IR and White Light Full-color Network PT Camera 1/3" 4Megapixel STARVIS™ CMOS; IR distance up to 30m; H.265 Encoding; PoE; Max. 25/30 fps@4M; IVS</p>	<p>190€</p>




IP PTZ CAMERA

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA SD49225GB-HNR 2MP 25x Starlight IR Network PTZ Camera 1/2.8" STARVIS™ CMOS; 25x optical zoom; Starlight technology; Max.25/30fps@2M; IR distance up to 100 m; Perimeter protection; Face detection; Quick Pick; SMD 4.0; IP66.	475€
	DAHUA SD5A225GB-HNR 2MP 25x Starlight IR WizSense Network PTZ Camera 1/2.8" 2Megapixel STARVIS™ CMOS; Powerful 25x optical zoom; Max. 25/30 fps@2M; IR distance up to 150 m; Auto Tracking 3.0; Face Detection; SMD 4.0.; Quick Pick; PoE+; IP67, IK10.	625€
	DAHUA SD4A425DB-HNY 4MP 25x Starlight IR WizSense Network PTZ Camera 1/2.8" 4Megapixel STARVIS™ CMOS; 25x optical zoom; Starlight technology; Max. 25/30fps@4MP; IR distance up to 100m; Auto-tracking 1.0; Perimeter protection; Face detection; SMD 3.0; IP66.	520€
	DAHUA SD49425GB-HNR 4MP 25x Starlight IR Network PTZ Camera 1/2.8" STARVIS™ CMOS; 25x optical zoom; Starlight technology; Max. 25/30fps@4M; IR distance up to 100 m; Perimeter protection; Face detection; Quick Pick; SMD 4.0; IP66.	520€
	DAHUA SD5A432GB-HNR 4MP 32x Starlight IR WizSense Network PTZ Camera 1/2.8" 4Megapixel STARVIS™ CMOS. · Powerful 32x optical zoom. · Max. 25/30 fps@4M. · IR distance up to 150 m. · Auto Tracking 3.0. · Face Detection. · SMD 4.0. · Quick Pick. · PoE+. · IP67, IK10.	875€
	DAHUA SD5A445GB-HNR 4MP 45x Starlight IR Network PTZ Camera 1/2.8" 4Megapixel STARVIS™ CMOS. · 45x optical zoom. · Starlight technology. · Max. 25/30fps@4M. · IR distance up to 150 m. · Auto-tracking 3.0. · Perimeter protection. · Face detection. · SMD 4.0. · Quick Pick. · IP67, IK10.	1000€
	DAHUA SD49825GB-HNR 8MP 25x Starlight IR Network PTZ Camera 1/2.8" 8Megapixel STARVIS™ CMOS; 25x optical zoom; Starlight technology; Max. 25/30fps@8M; IR distance up to 100 m; Perimeter protection; Face detection; Quick Pick; SMD 4.0; IP66;	745€
	DAHUA IPC-PFW8802-A180 4x2MP Multi-Sensor Panoramic IR Bullet Network Camera Four 1/1.9" 2Megapixel progressive scan CMOS; H.265/H.264 triple-stream encoding; Support 180-degree panoramic view; Day/Night(ICR), 3DNR, AWB, AGC, BLC, WDR; Smart detection; Max. IR LEDs length 30m; Micro SD memory, IP67, IK10,PoE+	730€

DAHUA IP Wi-Fi CAMERA

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA H4A 4MP Indoor Fixed-focal Wi-Fi Pan & Tilt Network Camera One Camera for 360° View; Human Detection; Day&Night; Auto Tracking; Two-way Talk; One-click Privacy Mode;	NOVO 50€
	DAHUA H4C 4MP Indoor Fixed-focal Wi-Fi Pan & Tilt Network Camera One Camera for 360° View; Human Detection; Day&Night; Auto Tracking; Two-way Talk; One-click Privacy Mode;	NOVO 50€
	DAHUA IPC-HFW1230DS-SAW 2MP IR Fixed-focal Wi-Fi Bullet Network Camera 2-MP 1/2.8" CMOS image sensor, low luminance, and high definition image; Built-in IR LED; Supports antenna 2.4G Wi-Fi, up to 80m range in open area; 12 VDC power supply; IP67 protection.	80€
	DAHUA IPC-HDW1230DT-SAW 2MP IR Fixed-focal WiFi Bullet Network Camera 2-MP 1/2.8" CMOS image sensor, low luminance, and high definition image; Outputs max. 2 MP (1920 × 1080)@25/30 fps; Built-in Mic; The antenna offers 2.4G Wi-Fi with a range of 120 m; Supports max. 256 G Micro SD card;	70€
	DAHUA IPC-HDW1430DT-STW 4MP IR Fixed-focal WiFi Eyeball Network Camera Outputs max. 4MP@20 fps, and max.supports 3MP@25 fps/30 fps; Built-in IR LED, and the max. illumination distance is 30 m; Built-in dual-antenna 2.4G Wi-Fi that covers a range of up to 120m;	NOVO 90€
	DAHUA IPC-HDBW1430DE-SW 4MP IR Fixed-focal Wi-Fi Dome Network Camera 4-MP 1/3" CMOS image sensor, low luminance, and high definition image.H.265 codec, high compression rate, ultra-low bit rate. · Built-in IR LEDSupports max. 256 G Micro SD card. · 12 VDC · IP67, IK10 protection	95€

DAHUA IP Wi-Fi CAMERA







МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA T4A 4MP Fixed-focal Wi-Fi Full-Color Turret Network Camera AI Human Detection; Full-color; Built-in Mic; IP67 Protection; Advanced H.265 compression technology;	70€
	DAHUA F4C-LED 4MP Fixed-focal Wi-Fi Full-Color Bullet Network Camera AI Human Detection; Full-color; Built-in Mic; IP67 Protection; Advanced H.265 compression technology;	NOVO 50€
	DAHUA F4C-PV 4MP Fixed-focal Wi-Fi Smart Dual-Light Bullet Network Camera AI Human Detection; Smart Dual Light; Sound and Light Alarm; Two-way Talk; IP67 Protection; Advanced H.265 compression technology; Built-in warm light and IR LED, and the max. illumination distance is 30 m.	NOVO 85€
	DAHUA P5AE-PV 5MP Wireless Smart Dual-Light Network PT Camera Smart Dual Light; One Camera for 360° View; Sound and Light Alarm; AI Human Detection; AI Vehicle Detection; Two-way Talk; Auto Tracking; IP66 Protection;	NOVO 90€

NVR		
МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<p>DAHUA NVR2104HS-P-S3 4 Channel Compact 1U 4PoE WizSense Network Video Recorder</p> <p>Max. decoding capability: 6 × 1080p@30 fps. Supports adaptive decoding; Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format; 1-channel face detection and recognition (AI by NVR); 1-channel perimeter protection (AI by NVR); up to 10 face databases and 5,000 face images; 4-channel SMD Plus</p>	125€
	<p>DAHUA NVR4104-EI 4CH Smart 1U 4PoE 1HDD WizSense Network Video Recorder</p> <p>Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format; Access, storage or forwarding at 80 Mbps; Max. decoding capability: 16 × 1080p@30 fps; AI by NVR: 1-ch face detection and recognition; 2-ch perimeter protection; up to 10 face databases and 20,000 face images; 4-ch SMD Plus; SMD Plus; people counting; stereo analysis;</p>	140€
	<p>NVR4104HS-4KS2/L 4 Channel Compact 1U 1HDD Network Video Recorder</p> <p>New 4.0 user interface, Security baseline Max. decoding capability; 8 × 1080p@30 fps. Supports adaptive decoding; Supports mainstream cameras of ONVIF and RTSP protocols; P2P remote surveillance, video play on mobile device; VGA/HDMI simultaneous video output, maximum resolution of HDMI is 4K;</p>	120€
	<p>DAHUA NVR2108-S3 8 Channel Smart 1U 1HDD Network Video Recorder</p> <p>Smart H.265+/H.265/Smart H.264+/H.264 decoding format; Max. decoding capability: 6 × 1080p@30 fps; Supports adaptive decoding; AI by camera: perimeter protection, and SMD Plus; Connected to the third-party network cameras; Security baseline 2.1;</p>	90€
	<p>DAHUA NVR2108HS-4KS3 8CH Compact 1U 1HDD Lite Network Video Recorder</p> <p>Supports Smart H.265+, H.265, Smart H.264+, H.264 and MJPEG decoding formats; Max. decoding capability: 6 × 1080p@30 fps; Max. 80/80/60 Mbps incoming/recording/outgoing bandwidth; Supports IP cameras with a resolution up to 12 MP; AI by Recorder supports 4-channel SMD Plus; AI by Camera supports perimeter protection and SMD Plus;</p>	€
	<p>DAHUA NVR2108HS-8P-4KS3 8 Channel Compact 1U 1HDD 8PoE Network Video Recorder</p> <p>Smart H.265+/H.265/Smart H.264+/H.264 decoding format; Max. decoding capability: 6 × 1080p@30 fps; Supports adaptive decoding; AI by camera: perimeter protection, and SMD Plus; Connected to the third-party network cameras; Security baseline 2.1;</p>	175€
	<p>DAHUA NVR4108HS-EI 8CH Compact 1U 1HDD WizSense Network Video Recorder</p> <p>Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format; Access, storage or forwarding at 80 Mbps; Max. decoding capability: 16 × 1080p@30 fps. Supports adaptive decoding; AI by NVR; AI by Camera: Face detection and recognition, perimeter protection; SMD Plus; people counting; stereo analysis; heat map.</p>	€
	<p>DAHUA NVR4108HS-8P-EI 8CH Compact 1U 8PoE 1HDD WizSense Network Video Recorder</p> <p>Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format; Access, storage or forwarding at 256 Mbps (180 Mbps when AI function enabled); Max. decoding capability: 16 × 1080p@30 fps. Supports adaptive decoding; AI by NVR: 1-channel face detection and recognition; 2-channel perimeter protection;</p>	260€







	<p>DAHUA NVR4108HS-8P-4KS3 8 Channel Compact 1HDD 1U 8PoE Network Video Recorder H.264, H.265, Smart H.264+, and Smart H.265+. H.265 auto switch; Max. decoding capability: 8 × 1080p@30 fps. Supports adaptive decoding; Supports mainstream cameras of ONVIF and RTSP protocols; P2P remote surveillance,</p>	<p>180€</p>
	<p>DAHUA NVR4116HS-EI 16CH Compact 1U 1HDD WizSense Network Video Recorder Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format; Access, storage or forwarding at 256 Mbps (180 Mbps when AI function enabled); AI by NVR; AI by Camera: Face detection and recognition, perimeter protection; SMD Plus; people counting; stereo analysis; heat map;</p>	<p>180€</p>
	<p>DAHUA NVR4216-4KS2/L 16 Channel 1U 2HDDs Network Video Recorder New 4.0 user interface, Security baseline 2.1; H.264, H.265, Smart H.264+, and Smart H.265+. H.265 auto switch; Supports mainstream cameras of ONVIF and RTSP protocols; P2P remote surveillance, video play on mobile device</p>	<p>190€</p>
	<p>DAHUA NVR4216-16P-4KS2/L 16 Channel 1U 2HDDs Network Video Recorder New 4.0 user interface, Security baseline 2.1; H.264, H.265, Smart H.264+, and Smart H.265+. H.265 auto switch; Max. decoding capability: 8 × 1080p@30 fps. Supports adaptive decoding; Supports mainstream cameras of ONVIF and RTSP protocols;</p>	<p>370€</p>
	<p>DAHUA NVR4216-16P-EI 16CH 1U 16PoE 2HDDs WizSense Network Video Recorder Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format; Max. decoding capability: 16 × 1080p@30 fps. Supports adaptive decoding; AI by NVR; AI by Camera: Face detection and recognition, perimeter protection; SMD Plus; people counting; stereo analysis; heat map;</p>	<p>400€</p>
	<p>DAHUA NVR4232-4KS3 32 Channel 1U Network Video Recorder New 4.0 user interface, Security baseline 2.1; Max. decoding capability: 8 × 1080p@30 fps. Supports adaptive decoding; AI by Camera: Face detection, perimeter protection, IVS, people counting, heat map, and SMD;</p>	<p>245€</p>
	<p>DAHUA NVR4232-EI 32CH 1U 2HDDs WizSense Network Video Recorder Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format; Access, storage or forwarding at 256 Mbps (180 Mbps when AI function enabled); Max. decoding capability: 16 × 1080p@30 fps. Supports adaptive decoding; AI by Camera: Face detection and recognition, perimeter protection;</p>	<p>280€</p>
	<p>DAHUA NVR5232-EI 32 Channels 1U 2HDDs WizSense Network Video Recorder Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format; Max. decoding capability: 32 × 1080p@30 fps or 32 × 2MP@30 fps; Max. 384 Mbps incoming/recording/outgoing bandwidth; Support AcuPick with Max. 16-Channel; Support N+M cluster;</p>	<p>464€</p>
	<p>DAHUA NVR5464-EI 64 Channels 1.5U 4HDDs WizSense Network Video Recorder Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format; Max. decoding capability: 32 × 1080p@30 fps or 32 × 2MP@30 fps; Max. 384 Mbps incoming/recording/outgoing bandwidth; Support AcuPick with Max. 16-Channel;</p>	<p>750€</p>
	<p>DAHUA IVSS7008-1I 2U 8HDDs WizMind Intelligent Video Surveillance Server Industry embedded micro-controller; Max 400Mbps incoming bandwidth; 128-channel IP video access; Up to 16-channel AI IVS; Up to 50 face databases with 300,000 face pictures in total; Supports RAID 0/1/5/6/10/50/60; 3 HDMI/</p>	<p>1600€</p>

PROFESSIONAL CCTV MONITOR DAHUA

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	19.5" Monitor DHI-LM19-A200 Light and cost-effective plastic housing; High fidelity digital processing for a brilliant and vivid video; 5ms fast response time with no image blurring or ghosting; Low energy consumption, long service life;	75€
	27" FHD Monitor DHI-LM22-B200S Light and cost-effective plastic housing; Ultra-narrow bezel , elegant appearance, Metal base; 178°H/178°V extra-wide viewing angle for overall viewing performance; Anti-blue light design,eye-protective; Low energy consumption, long service life;Physical button control mode;	88€
	21.45" FHD Monitor DHI-LM22-H200 Suitable for continuous 24/7 operation; Ultra-thin body with metal housing; Micro bezel design, elegant appearance, ultra-light base; 178°H/178°V extra-wide viewing angle for overall viewing performance; Support multiple signal inputs including HDMI and VGA; Low energy consumption, long service life;	160€
	22" FHD Monitor DHI-LM22-L200 Light and cost-effective plastic housing · Support 7*24 operation · High fidelity digital processing for a brilliant and vivid video · Fast response time with no image blurring or ghosting · Low energy consumption, long service life	105€
	23.8" FHD Monitor DHI-LM24-F200 Light and cost-effective plastic housing; Ultra-narrow bezel, Anti-glare, elegant appearance, ultra-light base; 178°H/178°V extra-wide viewing angle for overall viewing performance; Support multiple signal inputs including HDMI and VGA; · Low energy consumption, long service life;	185€
	23.8" FHD Monitor DHI-LM24-H200 Suitable for continuous 24/7 operation · Micro bezel design, elegant appearance, ultra-light base; · 178°H/178°V extra-wide viewing angle for overall viewing performance; · Support multiple signal inputs including HDMI and VGA; · Low energy consumption, long service life;	125€
	27" FHD Monitor DHI-LM27-B200S Light and cost-effective plastic housing; Ultra-narrow bezel , elegant appearance, Metal base; 178°H/178°V extra-wide viewing angle for overall viewing performance; Anti-blue light design,eye-protective; Low energy consumption, long service life;Physical button control mode;	150€
	27" Monitor DHI-LM27-C200 The 1920*1080 resolution produces clearer and more vivid pictures; Wide color gamut, 99% sRGB, 85% NTSC, 85% DCI-P3, 85% Adobe RGB. It meets the designer's demand of image texture; Wide color gamut, 99% sRGB, 85% NTSC, 85% DCI-P3, 85% Adobe RGB. It meets the designer's demand of image texture;	160€
	32" FHD Monitor DAHUA LM32-F200 Light and cost-effective plastic housing · suitable for continuous 24/7 operation · 178°H/178°V extra-wide viewing angle for overall viewing performance; · Built-in speakers · Physical button and infrared remote dual control mode	230€
	43" FHD Monitor DHI-LM43-F200 Light and cost-effective plastic housing; suitable for continuous 24/7 operation; 178°H/178°V extra-wide viewing angle for overall viewing performance; High fidelity digital processing for a brilliant and vivid video; 8ms fast response time	325€






	<p>43" FHD Monitor DHL43-F600 Industrial level LCD panel, suitable for continuous 24/7 operation · Physical resolution of 1920×1080 · High fidelity digital processing for a brilliant and vivid video · 5ms fast response time for no motion blur, judder or ghosting</p>	<p>430€</p>
	<p>43" 4K Ultra HD LCD Monitor DHI-LM43-F410-4K 4K Ultra-HD resolution · Built-in 3D COMB filter and 3D noise reduction · 8.5ms response time for no motion blur, judder or ghosting · 1.07G colors, for a realistic and immersive visual experience</p>	<p>560€</p>
	<p>Bracket for monitor DAHUA DH TV 19"-32"</p>	<p>14€</p>
	<p>Bracket for monitor DAHUA DH TV 42"-55"</p>	<p>12€</p>
	<p>Bracket for monitor M-B01/14-42"</p>	<p>8€</p>
	<p>Bracket for monitor M-B02/26-55"</p>	<p>10€</p>

VR 360°-PTZ CAMERA +AUTO Tracking- KEYBOARD



МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	M-WJ01 Tuya Smart 1080P 2.0MP Wifi Super Mini Camera APP name:TuyaSmart; Standard Lens: 2.4mm; H.264 Real time; Support Monitor; Suport Android & Iphone Mobile View; Night vision distance: 5-8M; 5V, 1A;Maximum support 64G TF card;Support ONVIF, can work with NVR	€
	VR 2MP IP Panoramic Fisheye PTZ camera H.264 Compression,Dual Stream(0.1M-8Mbps); LED:4pcs LED 30M (With IR CUT), Fisheye 1.44mm 185° Lens ; WIFI: 3DB Antenna,, Motion Dectction, Alert Action, CMS For PC; Audio: Built-in 45DB Microphone; Built-in 8 Assault 2-Watt Speakers; Built in Antenna; Without RJ45 Port; White Light LED	28€
	IPW-THS-901 WiFi Smart PT Camera Indoor Support 1080P/3MP/5MP Video Record/View; Built-in 4pcs Array IR Led; IR Distance More than 5~10 Meters; Simple installation; 360 degree panoramic picture; Two Way Audio(Built-in Mic, Louder speaker);H.265/H.264 HD High Profile image decoding;Pan Rotation:355°,TiltRotation:75°;	40€
	2MP Camera TV 288ZD Wireless WiFi with AUTO TRACKING Image sensor: GC1034 Video: Image sensor: 2MP/1080P Image coding standard: Smart H.264+, Monitor image quality: 1280*720/640 * 360 private cloud WIFI Networking, AP hotspot added Extension: IR-CUT, TF Card: maximum support for 128GB TF CardWIFI: support. Lens: 3.6mm.	36€
	IPW-THS-941 WIFI Smart Solar Bullet Camera 1.5W Solar Bullet Camera; Solar Panel(5.5V/270mA); 3MP 3.6mm Fixed Lens,View Angle:120°; Support TF Card (8-128G); Two Way Audio(Built-in Mic & Speaker);IR Distance More than 10 Meters; With 2pcs 18650 3200mA Batteries; WiFi Signal:Outdoor 50 Meters,Indoor 30 Meters;Outdoor IP66 Weatherproof Standard; Power Supply:DC 5V 1A or AC 14V-24V;	129€
	1080PDual CarCamera Color: Black; Material: ABS; Display: 2 Inch IPS Screen; Camera: 1080P Front Camera + 480P Inside Camera + 480P Rear Camera; View Angle: 140° Front + 90° Inside + 90° Rear; Loop; Date Stamp: Support; Memory Card: Max. 128G(Not Included); Battery: Built-in 150mAh Lithium Battery; Current Frequency: 50/60Hz; Power: 5V, 1.5-2A;Photo Format: JPEG; File Format: MOV	50€



VIDEO BALUN & SWITCH POE

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DH-PFM906 Integrated Mount Tester Supports IPC, HDCVI, AHD, HDTV, CVBS and SDI monitor video display; HDMI input and output; 12 VDC 2A and USB 5V 2A output; 7-in 1080p HD full-angle retina capacitive IPS touchscreen; TDR network cable test and cable tracker function; Optical power meter function	
	VB-B503 Balun 4K- 8MP 8MP , AHD , TVI , CVI , Analog 2MP 3MP 4MP 5MP 1080P HD-CVI TVI AHD Compatible with DaHua HD-CVI signal.HD-TVSignal,AHD Signal Pushin Terminal Block for UTP Cable. HD-CVI720P: Max.:450M/ HDCVI1080P:	4.5€
	DAHUA PFS3005-5ET-L 5-Port Desktop Fast Ethernet Switch Compact design: Miniature size and light weight make it easy to deploy · Plug and play: No configuration required; Green technology: Adopts high quality environmentally friendly plastics; 7x24H: Stable performance	10€
	DAHUA PFS3006-4GT-60 6-Port Unmanaged Desktop Switch with 4-Port PoE Intelligent PoE; Hi-PoE 60W (orange port); Long distance PoE; PoE watchdog; All-giga ports; Wide working temperature	78€
	PSE904-10/100 +2 port WAN 4 port , 4 port 10/100+2port WAN 10/100 , switc with 4 port PoE , RJ45 x8 , 10/100Mbps Auto-Negotiation and AUTO MDIX Fast Ethernet RJ45Port , Bulit in 8 PoE Ports , Data transmission up to 100m , Total power :120 Watts	45€
	PSE908-10/100/1000 +2 port WAN 8 port , 8 port 10/100+2port WAN 10/100 , switc with 8 port PoE , RJ45 x8 , 10/100Mbps Auto-Negotiation and AUTO MDIX Fast Ethernet RJ45Port , Bulit in 8 PoE Ports , Data transmission up to 100m , Total power :120 Watts	60€
	DAHUA PFS3009-8ET1GT-96 9-Port Unmanaged Desktop Switch with 8-Port PoE Layer 2 commercial switch; MAC auto study and aging, MAC table size is 2K MDI/MDIX self-adaption; Adopts metal enclosure; Port 1 supports Hi-PoE 60W power supply; Wall-mount installation; Long distance PoE	75€
	DAHUA PFS3010-8ET-96 10-Port Unmanaged Desktop Switch with 8 Port PoE Intelligent PoE; BT 90W; 8-pin assignment PoE power supply; Long distance PoE; PoE watchdog; Wide working temperature	90€
	DAHUA PFS3211-8GT 11-Port Unmanaged Desktop Switch 11-Port Gigabit Switch (Unmanaged); MAC auto study and aging, MAC address list capacity is 4K; High protection grade, supports common mode 4KV, differential mode 2KV; Supports dual power backup	85€
	DAHUA PFS3218-16ET-135 Intelligent PoE; PD Alive(PoE Watchdog); Long Distance PoE Transmission; Smooth Transmission; Wide Working Temperature: -10 to 55°C (14°F to 131°F)	165€
	DAHUA PFS3226-24ET-240 Intelligent PoE; PD Alive(PoE Watchdog); Long Distance PoE Transmission; Smooth Transmission; Wide Working Temperature: -10 to 55°C (14°F to 131°F);	220€

	<p>DAHUA PFS4226-24ET-360 24-port 100 Mbps + 2-port Gigabit Managed PoE Switch Intelligent PoE; Red port supports 90W IEEE802.3bt; Web management with friendly interface and easy operation; 250 m long distance PoE transmission; PoE watchdog; Plug and play;</p>	<p>370€</p>
	<p>DAHUA S4228-24GT-360 28-Port Managed Desktop Gigabit Switch with 24-Port PoE Layer 2 network management PoE switch; Supports web, and network management software based on SNMP; Supports PoE power consumption management; Supports IEEE802.3af, IEEE802.3at; Supports PoE watchdog; Supports 250 m long-distance transmission mode.</p>	<p>510€</p>
	<p>10/100/1000Mbps Fiber optic single mode simplex media converter Standard-Definition Digital Video Optic Transmission System;Fiber: Over 1 fiber; Fiber type: SMF & MMF; PAR</p>	<p>32€</p>
	<p>3x1 HDMI Switch 4K 3x1 HDMI Switcher; 3 input 1 output; Splitter HDMI Port for HDTV 1080P Video; Supports highest video resolution 1080p/60Hz; Supports single high definition display for multiple sources; Supports HDMI 1.4b;</p>	<p>21€</p>
	<p>2x1 HDMI Switch 4 1x2 HDMI Switcher Cable Black 16cm ; 1 input 2 output; Splitter HDMI Port for HDTV 1080P Video; Supports highest video resolution 1080p/60Hz; Maintain high resolution video, sharp HDTV resolution up to 1080p, 2K, 1440p graphics and computer resolutions up to 4Kx2K are easily equipment</p>	<p>40€</p>

POWER SUPPLY, ADAPTERS



МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DC12V2A Power Adapter DAHUA PFM300 Easy installation and wall mount, structural water-proof; Support -30 °C ~+70 °C wide-range temperature operation, and the full load efficiency of the power; supply can be up to 100% at these temperatures; With junction function for camera wiring or can place video balun with HDCVI/AHD/TVI/CVBS cameras;	NOVO 12€
	DAHUA PFM344D-4CH - Switching Power Supply The output voltage can be adjusted to 3 levels, making it easily adapt to various types of devices; Designed with protection against overcurrent, overvoltage, and short circuits; Surge protection: common mode: ±4 kV, differential mode: ±2 Kv; V-0 fireproof;	18€
	DAHUA PFM344D-8CH - Switching Power Supply The output voltage can be adjusted to 3 levels, making it easily adapt to various types of devices; Designed with protection against overcurrent, overvoltage, and short circuits; Surge protection: common mode: ±4 kV, differential mode: ±2 Kv; V-0 fireproof;	NOVO 22€
	POWER SUPPLY 5A / 12V DC for CCTV Camera BIG Input voltage 165 – 250 V; DC power 60W; Miniature size, high power density; Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection	12€
	POWER SUPPLY 10A / 12V DC for CCTV Camera BIG Input voltage 165 – 250 V; DC power 120W; Miniature size, high power density; Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;	13€
	POWER SUPPLY 15A / 12V DC for CCTV Camera BIG Input voltage 165 – 250 V; DC power 180W; Miniature size, high power density; Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;	15€
	POWER SUPPLY 20A / 12V DC for CCTV Camera BIG Input voltage 165 – 250 V; DC power 240W; High Miniature size, high power density; Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;	19€
	POWER SUPPLY 30A / 12V DC for CCTV Camera BIG Input voltage 165 – 250 V; DC power 360W; Miniature size, high power density; Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;	30€
	5C5A 220V AC input, 3A - 5 channel, 12VDC output, input voltage 165 – 250 V	25€
	9C10A 220V AC input, 5A - 9 channel, 12VDC output, input voltage 165 – 250 V	35€
	18CH20A 220V AC input, 20A - 18 channel, 12VDC output, input voltage 165 – 250V	50€
	DC12V4A 5-ch - CCTV Distributed Power Box DAHUA PFM340-5CH 5 Channel security camera power supply distribution box with individual LED output indicator and metal case by lock key to prevent unauthorized access. Wide voltage input: AC90~264Vac, meet the requirements in different parts for electric	55€














	DC12V5A 9-ch - CCTV Distributed Power Box DAHUA PFM341-9CH 9 Channel security camera power supply distribution box with individual LED output indicator and metal case by lock key to prevent unauthorized access; · Wide voltage input: AC90~264Vac, meet the requirements in different parts for electric	70€
	DAHUA PFM343-19CH - CCTV Distributed Power Supply Box 19 Channel security camera power supply distribution box with individual LED output indicator and metal case by lock key to prevent unauthorized access; · Wide voltage input: AC90~264Vac, meet the requirements in different parts for electric	130€





Routers

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA AX15M AX1500 Wireless Router 6th Gen Wireless Technology; 1.5 Gbps Wireless speed (300 Mbps@2.4 GHz, 1201Mbps@5 GHz); Backward compatible (IEEE 802.11 b/g/n/ac/ax standard); Beamforming for better Coverage; OFDMA and 1024-QAM; Bi-directional MU-MIMO; WiFi protected Access(WPA/WPA2/WPA3); Guest Wi-Fi	NOVO €
	DAHUA AX30 AX3000 Wireless Router 6th Gen Wireless Technology; 3 Gbps Wireless speed (574 Mbps@2.4 GHz, 2402 Mbps@5 GHz); Backward compatible (IEEE 802.11 b/g/n/ac/ax standard); 160 MHz channel width; Beamforming for better Coverage; OFDMA and 1024-QAM; Bi-directional MU-MIMO; WiFi protected Access(WPA/WPA2/WPA3);	NOVO 85€
	DAHUA MAX18 Mesh Wireless Route Offers wireless access and high bandwidth; 1 gigabit WAN port and 2 gigabit LAN ports; Easily switches between LAN and WAN; Supports accessing 1000 Mbps optical fiber broadband; Supports being managed through the WiLynk app	NOVO 90€







UPS

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA PFM350-360 600VA/360W Line-interactive Wide input voltage range: AC81~145V or AC140~290V, meet the requirements in different parts for electric network fluctuation; Boost and buck AVR for voltage stabilization; Off-mode charging, cold start function and full protection; Continuous power supply for preventing data loss; Compact size;	€
	DAHUA PFM350-900 1500VA/900W Line-interactive Wide input voltage range: AC81~145V or AC140~290V, meet the requirements in different parts for electric network fluctuation; Boost and buck AVR for voltage stabilization; Off-mode charging, cold start function and full protection; Continuous power supply for preventing data loss; Compact size;	160€


ACCESSORIES		
МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	J-BOX01SA UNIVERSAL Junction Plastic Box 22 x 28 x 8 Camera housing with bracket, Material: Aluminum, Operating Temperature: -40°C ~60°C	7.5€
	Plastic Flush UNIVERSAL Junction Box for DOME CAMERA, Camera housing with bracket, PLASTIC	2€
	J-BOX01DS UNIVERSAL Water-proof Junction Box for BULLET CAMERA OUTDORE, Camera housing with bracket, Material: Aluminum, Operating Temperature: -40°C ~60°C	7.5€
	J-BOX01SA UNIVERSAL Junction Box for DOME CAMERA, Camera housing with bracket, Material: Aluminum, Operating Temperature: -40°C ~60°C	7.5€
	J-BOX04PL – Bracket Plastic	2€
	J-BOX05PL – Bracket Plastic	3€
	J-BOX06PL – Bracket Plastic	4€
	J-BOX07PL – Bracket Plastic	4€
	J-BOX08PL – Dome Bracket Plastic	5€
	PFB204W	15€
	PFA122 Water-proof Junction Box	16€
	DAHUA PFA130-E Water-proof Junction Box	13€
	PFA13A Water-proof Junction Box, Material: Aluminum & SECC , Junction Box ,Neat & Integrated design, Product Dimension: φ96.8mm x 33.5mm	8€
	PFA134-B Water-proof Junction Box, Material: Aluminum & SECC , Junction Box ,Neat & Integrated design, Product Dimension: φ90mm x 35mm	9€
	PFA134 Water-proof Junction Box, Material: Aluminum & SECC , Junction Box ,Neat & Integrated design, Product Dimension: φ90mm x 35mm	9€

	<p>PFA135 Water-proof Junction Box, Camera housing with bracket, Material: Aluminum & SECC , Junction Box ,Neat & Integrated design,</p>	<p>10€</p>
	<p>PFA136 Water-proof Junction Box, Material: Aluminum, Product Dimension: $\phi 110\text{mm}$ x 33.5mm Pipe Thread: Operating Temperature: $-40^{\circ}\text{C} \sim 60^{\circ}\text{C}$</p>	<p>8€</p>
	<p>PFA137 Junction Box Material: aluminum</p>	<p>NOVA 7.5€</p>
	<p>PFA151 Corner Mount Bracket; Material: SECC; Aesthetic design; Material SECC Dimension(WxHxD) 243mmx170mmx138mm (9.57"x6.69"x5.43")</p>	<p>17€</p>





Access Control – Standalone

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA ASA3213GL-MW Face Recognition Time & Attendance 4.3-inch LCD touch screen; resolution 480 × 272; With 2MP wide-angle dual lens, white LED illuminator, IR light; Support face, card and password attendance; Support 500 users, 500 face images, 500 cards, 150,000 records and work without network; Face-camera distance: 0.3 m–1.5 m; Face verification accuracy 99.5%; face comparison speed 0.3 s per person;	195€
	DAHUA ASI2212H-DW Access Standalone PC + ABS, suitable for indoor and outdoor use; 2.4" LCD screen with a resolution of 240 × 320; IP65 rated (silicone sealant is needed, see Quick Start Guide; Option to switch between reader and controller mode for added convenience; Card/remote/password/ fingerprint unlock and unlock through their combinations; Brand-new design with a slim, elegant structure;	180€
	DAHUA ASI2212H-W - Mifare Access Standalone PC + ABS, suitable for indoor and outdoor use; 2.4" LCD screen with a resolution of 240 × 320; IP65 rated (silicone sealant is needed, see Quick Start Guide; Option to switch between reader and controller mode for added convenience; Card/remote/password/ fingerprint unlock and unlock through their combinations; Brand-new design with a slim, elegant structure;	180€
	DAHUA ASI1201E-D Water-proof RFID Standalone Support 30,000 valid cards & 60,000 records; Support multiple cards (default IC card) Support card, password and combination; TCP/IP to PC; Wiegand or RS-485 interface to reader; Door time out alarm, intrusion alarm, duress alarm and tamper alarm; Anti-passback, multi-card open; Water-proof design	60€
	DAHUA ASI1201E – Mifare Water-proof RFID Standalone Support 30,000 valid cards & 60,000 records; Support multiple cards (default IC card) ; Support card, password and combination; TCP/IP to PC; Wiegand or RS-485 interface to reader; Door time out alarm, intrusion alarm, duress alarm and tamper alarm; Anti-passback, multi-card open; Water-proof design	65€
	DAHUA ASI1201A-D Standalone Reader Touch keyboard and LCD display; Support 30,000 valid cards & 150,000 records; Support multiple cards; Support card, password and combination ; TCP/IP to PC; Wiegand or RS-485 interface to reader; Door time out alarm, intrusion alarm, duress alarm and tamper alarm; Anti-passback, multi-card open	88€




Access Control – Slave

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA ASA1222G-D Time & Attendance Terminal Supports Mifare card/ID card reading distance 1 cm-3 cm, card swiping response time; Fingerprint verification response time ≤0.5 s, fingerprint recognition time ≤1.5 s; Operating temperature: 0°C to +55°C , operating humidity: ≤93%; Supports three attendance modes: fixed, manual/auto and forced; Support shift setting by department and person;	130€

Access Control – Slave

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DAHUA ASR1101A-D RFID Reader Support RS485, Wiegand34 protocol(Wiegand 26 optional); 13.56MHz(Mifare) · 125KHz(EM-ID); Red and Green LEDs; Sensitive touch keypad with blue backlight; Watch dog function ensure device free from halting; Beep Buzzer and LED indicator;Surface mounted installation	30€
	ASR1102A-D(V2) Fingerprint RFID Reader RS-485 protocol; Default IC (Mifare) card ("-D" means ID EM card); Support card, fingerprint; Up to 3000 fingerprints capacity; Blue backlight; Watch dog function ensure device free from halting; Beep and indicator; Surface mounted installation;	47€
	DAHUA ASR1200E-D Water-proof RFID Reader Wiegand34(26 optional) bits RS-485 protocol; 13.56MHz(Mifare); 125KHz(EM-ID); Water-proof design; Red, blue and green indicator LEDs; Surface mounted installation	20€
	DAHUA ASR1201D-D Slim Water-proof RFID Reader Support RS485, Wiegand34 protocol(Wiegand 26 optional); 13.56MHz(Mifare) 125KHz(EM-ID); Red and Blue LEDs; Watch dog function ensure device free from halting; Water-proof(Outdoor use); Surface/Flush mounted installation	28€


Kontroleri

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DEE1010B Access Control Extension Module Decent appearance; Easy connection; Access control function extension	NOVO 44€
	DAHUA ASC2104B-T Four Door Slave Access Control Module Support 20,000 valid cards & 30,000 records; Support multiple cards; Support card, password, fingerprint and combination; Only work with ASC2204-H with CAN bus;Wiegand or RS-485 interface to readers; Door time out alarm, intrusion alarm, duress alarm and tamper alarm;	100€
	Four Door Master Access Controller DAHUA ASC2204C-H	290€

IP villa outdoor station IP monitor

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<p>DAHUA VTO2111D-P-S2 IP Villa Door Station High definition camera; WDR; Operating temperature -30°C–60°C; IP65; Supports auto IR illumination and D/N; Card/app remote/indoor monitor unlock; Supports two-way voice call; 10,000 cards; Tamper Alarm; Control two locks</p>	<p>110€</p>
	<p>DAHUA VTO1301R-W Wi-Fi Villa Door Station Ultra slim design; PC and ABS material make it ideal for indoor and outdoor use. Offers two-way video call with indoor monitors; Video call through app; IR illumination and auto WDR; Wi-Fi connection; IP65 rated; H.264 and H.265.</p>	<p>€</p>
	<p>DAHUA VTO2211G-WP IP Villa Wi-Fi Door Station Tamper alarm; Standard PoE; Control two locks; Supports wireless network; Card unlock, app unlock, and indoor monitor unlock; Two-way audio and voice call through app; Card capacity: 10,000; Thin lightweight design;</p>	<p>155€</p>
	<p>DAHUA VTO3221E-P Villa Outdoor Station Keyboard villa door station; Supplemental lighting with white light; 2MP CMOS camera; Mechanical button with Braille; Aluminium alloy plate, IP55, IK08; Door release via password and Mifare card</p>	<p>270€</p>
	<p>VTO6221E-P Apartment Outdoor Station Small size apartment door station · Supplemental lighting with white light; 2MP CMOS camera; Mechanical button with Braille; Aluminium alloy plate, IK08, IP65 Liquid sodium silicate is recommended. For details, see the quick start guide.); Door release via password and Mifare card;</p>	<p>€</p>
	<p>DAHUA VTO6521H Apartment Door Station 4.3 inch IPS display; screen resolution 800×480; 2MP CMOS; true WDR; Touch button; IP65; Operating temperature: -30°C to +60°C; Auto light illumination reduces light pollution; Multiple unlock modes: Password unlock, IC card unlock, and remote unlock; Support 20,000 users and 10,000 cards</p>	<p>260€</p>
	<p>DAHUA VTO6521F Apartment Door Station 4.3 inch IPS display; screen resolution 800×480; 2MP CMOS; true WDR; Aluminum anode surface; metal button; IP65, IK07; Operating temperature: -30°C to +60°C; Auto light illumination reduces light pollution; Multiple unlock modes: Password unlock, IC card unlock, and remote unlock; Support 20,000 users and 10,000 cards; Support full duplex; management platform, and voice call through APP; Support SIP server;</p>	<p>285€</p>



	<p>DAHUA VTO3311Q-WP Wi-Fi Villa Door Station Full metal casing design. Customizable Number of Buttons. Wi-Fi connection. 1/2.8" 2-MP HD CMOS camera.IR illumination and auto WDR. Supports two locks. Voice call and unlocking ;through app. IK08 and IP65 rated. H.264 and H.265. Unlock with IC card.PoE power supply. Included rain cover.</p>	<p>200€</p>
	<p>VTO3211D-P2 IP 2-button Villa Outdoor Station 2MP HD CMOS camera; Aluminum panel, IP65,IK08; ICR Night vision &Voice indication; Video & Audio messaging; Remote intercom with mobile APP Surface mounted;</p>	<p>160€</p>
	<p>VTH2421FB-P IP Indoor Monitor 7" TFT Capacitive touch screen, 1024 x 600; IPC surveillance; Alarm integration; High performance; Embedded 8GB SD card; Support standard PoE</p>	<p>135€</p>
	<p>VTH2421FW-P IP Indoor Monitor 7" TFT Capacitive touch screen, 1024x600; IPC surveillance; Alarm integration ; High performance & Cost-effective;</p>	<p>110€</p>
	<p>DAHUA VTH1550CH IP Indoor Monitor 7" TFT Capacitive touch screen; IPC surveillance; Alarm integration Micro SD card optional, max 32GB; Record & Snapshot(SD card needed)</p>	<p>100€</p>
	<p>DAHUA VTH2611L-WP Dahua Wi-Fi Indoor Monitor 4.3" TFT capacitive touchscreen; Unlock the door; Set DND period; IPC surveillance; 4-channel alarm input and 1-channel alarm output; Supports standard PoE; Ethernet and Wi-Fi.</p>	<p>88€</p>
	<p>DHI-VTH2621GW-P IP Indoor Monitor 7" TFT capacitive touch screen, 1024 x 600; 6-channel alarm input and 1-channel alarm output; Standard PoE; Outdoor station and IPC monitor; H.265 and H.264 video coding; High performance & cost-effective</p>	<p>98€</p>
	<p>DAHUA VTH2621GW-WP IP Indoor Monitor 7" TFT capacitive touch screen, 1024 x 600 · 6-channel alarm input and 1-channel alarm output; Wi-Fi; Standard PoE · Door station and IPC monitor ; H.265 and H.264 video decoding; High performance & cost-effective</p>	<p>110€</p>
	<p>DAHUA VTH2621G-WP IP & Wi-Fi Indoor Monitor 7" TFT capacitive touch screen, 1024 x 600; 6-channel alarm input and 1-channel alarm output; Wi-Fi; Standard PoE; Door station and IPC monitor; H.265 and H.264 video decoding; High performance & cost-effective</p>	<p>110€</p>
	<p>VTH5421EW-H Wi-Fi Digital Indoor Monitor with Handset 7 inch LCD, 1024 (H)×600(V); 6 alarm input ports; 1 alarm output port; 1 12V DC power output port provides power for peripheral alarm devices and sensors; 16kbps audio stream; You can answer calls hands free;</p>	<p>150€</p>

	<p>DAHUA VTH5321GW-W Android 7-inch digital indoor monitor Android 8.1; More User-Friendly UI; Ethernet and Wi-Fi; 7" TFT Capacitive touch Screen,1024x600; Quick configuration for villa system;</p>	160€
--	---	-------------




2-wire Hybrid







МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<p>DAHUA KTX01 Video Intercom KIT 2-wire Hybrid Villa Door Station; Aluminum alloy front panel; Auto IR illumination; Video messages can be left for unanswered calls. (SD card is required for VTH); Features nameplate and DWDR; Supports local lock and second lock; Offers anti-tampering alarm; IP65 and IK07 rated;</p>	320€

Analogue Kit 7"



МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<p>DAHUA KTA02 Video Intercom Kit 7" TFT screen; Video intercom function: Unlock, voice call, video call, volume adjustment; System Capacity: 2 door stations + 3 indoor monitors; Multiple bell sound; Supports digital wide dynamic range (DWDR)</p>	119€
	<p>DHI-KTA04 Video Intercom Kit Video intercom function: Unlock, voice call, video call, volume adjustment and doorway monitoring · Multiple bell sounds · Support digital wide dynamic range (DWDR); Display 4.3" TFT</p>	99€

WIRED VIDEO DOORPHONES FOR APARTMENTS


МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<p>DHI-VTO1210C-X IP&Analog Apartment Outdoor Station; 1.3MP CMOS camera, H:75° 3" STN LCD screen, phonebook; Stainless steel panel, IP54,IK07 Night vision & Approaching induction; Video & Audio messaging Surface & Flush mounted</p>	310€
	<p>VTOB103 Outdoor Station Back Cover</p>	
	<p>DAHUA VTOB110 Surface Mounted Box for VTO1210C-X; Material: Metal; Size: 147mm*410.4mm*70mm</p>	64€

	DHI-VTH1200DS 4.3" Analog Indoor Monitor; 4.3" TFT LCD screen Color video & audio intercom; Alarm intergration Sufrace & Flush mounted	45€
	DHI-VTH2020A 7" Analog Indoor Monitor; 7" TFT LCD screen Color video & audio intercom; Alarm intergration Surface mounted	65€
	DHI-VTNA1040B 4ch Analog Distributor;4ch distributor 30 cascading;Used in Analog apartment systemDC24V, Max 20W	35€
	VTNS1060A Network power supply for IP System; Decent appearance Protocol network power supply switch; Connect max 6 indoor monitors with the Cat 5e cable,	35€
	ADS-65LSI-19-1 DC 24V 2.5A Power Supply Input: 100-240V ~50/60Hz Required for the VTNA 1040B Switch	33€
	DH-PFM321D-EN DC12V 1A Power Adapter _ Dahua brand, European standardInput 100~240V, 50/60Hz, 0.5A Output 12V (+7%, -3%) ---1A (2%)	19€





DAHUA CABLE

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	PFM920I-5EUN – 305m UTP CAT5E Cable 305m UTP CAT5E, Max.160m long distance PoE supply, 99.99% OFC (oxygen free copper) Excelent material, Environmentally friendly PVC	27ден
	PFM920I-6UN-C – 305m UTP CAT6E Cable 305 m (1000 ft)/carton UTP CAT6, power over Ethernet, compatible with one cable; High-purity oxygen-free copper conductor	40ден

CABLE

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	RG6 Coaxial Braiding 80*0.12 +Bonded AL-foil+PVC 100m. White Color 100m/roll,	20ден

	<p>RG6 Coaxial so sajla Braiding 80*0.12 +Bonded AL-foil+PVC 100m. White Color 100m/roll,</p>	22ден
	<p>RG59 Coaxial CCS Braiding 112 +Bonded AL-foil+PVC 100/200m Black COLOR</p>	25ден
	<p>RG59 Coaxial 100% COOPER Braiding 112 +Bonded AL-foil+PVC 100/200m Black COLOR</p>	35ден
	<p>RG59+2x0.75 COMBO Braiding 112 +Bonded AL-foil+PVC + 2x0.75mm power. Black and White COLOR Jacket. 100M/Roll ; 200M/Roll ; 200M/Drum ; 300M/Drum</p>	40ден
	<p>RG59+2x0.75 COMBO so sajla Braiding 112 +Bonded AL-foil+PVC + 2x0.75mm power. Black and White COLOR Jacket. 100M/Roll ; 200M/Roll ; 200M/Drum ; 300M/Drum</p>	ден
	<p>RG59+2x0.50 COMBO CUPPER Braiding 112 +Bonded AL-foil+PVC + 2x0.50mm power COPPER. White Color, 200m.100M/Roll ; 200M/Roll ; 200M/Drum ; 300M/Drum</p>	55ден
	<p>Power Cable PPL 2x0,75 CCA (for power supply) 100m Black Color</p>	20ден
	<p>FTP Cat5E - 24AWG Network Cable , with aluminium foil , and transparent PET film, Conductor 0.51mm - 305m BoxGrey Color</p>	20ден
	<p>FTP Cat5E - 24AWG so SAJLA Network Cable , with aluminium foil , and transparent PET film, Conductor 0.51mm - 305m Box SO SAJLA Grey Color</p>	30ден
	<p>FTP Cat5E - 24AWG so SAJLA COPPER Network Cable , with aluminium foil , and transparent PET film, Conductor 0.51mm - 305m Box SO SAJLA Grey Color</p>	40ден
	<p>FTP Cat5E 24AWG - 100% FULL COOPER CU Network Cable CU (100% Copper), with aluminium foil , and transparent PET film , Conductor 0.51mm , Pass Fluke test on 100M - 305m Box Grey Color</p>	35ден
	<p>FTP Cat6E 23AWG Network Cable , with aluminium foil , and transparent PET film, Conductor 0.57mm - 305m BoxGrey Color</p>	30ден
	<p>FTP Cat6E 23AWG - 100% FULL COOPER Network Cable CU (100% Copper) , with aluminium foil , and transparent PET film , Conductor 0.57mm - 305m Box Grey Color 18.6</p>	40ден

	ALARM CABLE 6 x 0.22, shield 100m , EXTRA	25ден
	ALARM CABLE COOPER 6 x 0.22, shield 100m , COOPER EXTRA	30ден
	SIGNAL CABLE 2x0,75mm ² +4x0,22mm ² , 4,8±0,3mm, white color for Dorephone	35ден
	Estetski Kanali (Bela Boja na kanali) 12x12 16x16 25x16 25x25 40x25 40x40 60x40	METAR 28 ден 34 ден 42 ден 55 ден 85 ден 120 ден 180 ден

Цените се малопродажни препорачани од Dahua Technology и истите важат за крајни корисници. Цените се со пресметан ДДВ 5% и 18% .

Гаранција на производите е 12 – 24 месеци.

МАКСИПРИНТ го задржува правото на промена на цените без претходна најава.