



ЛИЦЕНЦИРАНА  
КОМПАНИЈА ЗА  
ТЕХНИЧКО  
ОБЕЗБЕДУВАЊЕ

МАКСИПРИНТ

CERTIFIED

**alhua**  
TECHNOLOGY

DISTRIBUTOR

**alhua**  
TECHNOLOGY

Максипринт Компјутери ЛТД ДОО  
Бул. Туристичка бр.4, Охрид  
Охридска банка Жиро сметка:  
530000100483931

Контакт: 046-262 500 / 070-249 724 / 070-212 929  
e-mail: prodazba@maksiprint.com.mk




## ВИДЕО КАМЕРИ 2МР

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA HAC-T1A21 – 2.8mm</b> <b>2MP HDCVI IR Eyeball Camera</b> Max. 30 fps@1080p; CVI/CVBS/AHD/TVI switchable; 2.8 mm fixed lens Max. IR length 20 m, Smart IR; 12 VDC	<b>21€</b>
	<b>DAHUA HAC-HDW1200TLMQ-A – 2.8mm</b> <b>2MP HDCVI Quick-to-install IR Eyeball Camera</b> Max 30fps@1080P; CVI/CVBS/AHD/TVI switchable; 3.6mm fixed lens; Built-in mic(-A); Max. IR length 30m, Smart IR; IP67, DC12V	<b>41€</b>
	<b>DAHUA HAC-HDW1200T-Z-A</b> <b>2MP HDCVI IR Eyeball Camera</b> Max 30fps@1080P; HD and SD output switchable; Built-in mic; 2.7-12mm motorized lens; Max. IR length 60m, Smart IR; IP67, DC12V	<b>70€</b>
	<b>DAHUA HUM1220G-B - 2.8mm</b> <b>2MP HDCVI Bullet Camera</b> Max 30fps@1080P, 2.8mm fixed lens,DC12V HD and SD output switchable,	<b>30€</b>
	<b>DAHUA HAC-HUM3200A</b> <b>2MP IR HDCVI Fixed-focal Cube Camera</b> Max 30 fps@1080p; 10 m illumination distance (940nm IR No IR Exposure); Super Adapt; 2.8 mm fixed lens; CVI/CVBS/AHD/TVI switchable; 12 VDC;	<b>46€</b>
	<b>DAHUA HAC-B1A21 – 3.6mm</b> <b>2MP HDCVI IR Bullet Camera</b> Max. 30 fps@1080p; CVI/CVBS/AHD/TVI switchable; 3.6 mm fixed lens; Max. IR length 20 m, Smart IR; IP67,12 VDC;	<b>21€</b>
	<b>DAHUA HAC-HFW1200T – 3.6mm</b> <b>2MP HDCVI IR Bullet Camera</b> Max 30fps@1080P; HD and SD output switchable; 3.6mm fixed lens 2.8mm; Built-in mic(-A); Max. IR length 30m, Smart IR; IP67, DC12V	<b>30€</b>
	<b>DAHUA HAC-HFW1200T-BLACK – 2.8mm</b> <b>2MP HDCVI IR Bullet Camera</b> Max 30fps@1080P; HD and SD output switchable; 2.8mm fixed lens; Max. IR length 30m, Smart IR; IP67, DC12V	<b>31€</b>
	<b>DAHUA HAC-HFW1200TL - 3.6mm</b> <b>2MP HDCVI IR Bullet Camera</b> Max 30fps@1080P · CVI/CVBS/AHD/TVI switchable; 3.6mm fixed lens (2.8mm, 6mm optional); Built-in mic; Max. IR length 80m, Smart IR; IP67, DC12V	 <b>41€</b>
	<b>DAHUA LC1220T-TH - IoT Series - 2.8mm</b> <b>2MP HDCVI Temperature &amp; Humidity Camera</b> Max 30fps@1080P, 2.8mm fixed lens, Max. IR length 20m, Detection range: - 40°C~60°C, 10-95% RH, Smart IR, IP67, DC12V	<b>39€</b>

## SMART-DUAL LIGHT 2MP

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA HAC-HDW1200CLQ-IL-A – 2.8mm</b> <b>2MP Smart Dual Light HDCVI Fixed-focal Eyeball Camera</b> Max. 30 fps@1080p; 3D NR; Smart Dual Light; 20 m illumination distance; Super Adapt; Built-in mic; 2.8 mm fixed lens ; CVI/CVBS/AHD/TVI switchable; 12 VDC.	<b>NOVO</b> <b>29€</b>
	<b>DAHUA HAC-HFW1200CL-IL-A – 2.8mm</b> <b>2MP Smart Dual Light HDCVI Fixed-focal Bullet Camera</b> Max. 30 fps@1080p; 3D NR; Smart Dual Light; 20 m illumination distance; Super Adapt; Built-in mic; 3.6 mm fixed lens; CVI/CVBS/AHD/TVI switchable; 12 VDC.	<b>NOVO</b> <b>30€</b>
	<b>DAHUA HAC-HFW1200TLM-IL-A – 3.6mm</b> <b>2MP Smart Dual Light HDCVI Fixed-focal Bullet Camera</b> Max. 30 fps@1080p; 3D NR; Smart Dual Light; 40 m illumination distance; Built-in mic; 3.6mm fixed lens; CVI/CVBS/AHD/TVI switchable; IP67, 12 V DC	<b>€</b>
	<b>DAHUA HAC-HDW1200TLM-IL-A – 2.8mm</b> <b>2MP Smart Dual Light HDCVI Fixed-focal Eyeball Camera</b> Max. 30 fps@1080p; 3D NR; Smart Dual Light; 20 m illumination distance; Built-in mic; 2.8 mm fixed lens; CVI/CVBS/AHD/TVI switchable; IP67, 12 VDC;	<b>37€</b>
	<b>DAHUA HAC-HDW1200T-IL-A - 2.8mm</b> <b>2MP Smart Dual Light HDCVI Fixed-focal Eyeball Camera</b> Max. 30 fps@1080p; 3D NR; Smart Dual Light; 40 m illumination distance. Super Adapt; Built-in mic; CVI/CVBS/AHD/TVI switchable; IP67, 12 VDC	<b>€</b>






## ВИДЕО КАМЕРИ 2MP FULL COLOR

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA HAC-HDW1239T-A-LED 2.8mm with Audio</b> <b>2MP Full-color HDCVI Eyeball Camera</b> 24/7 color imaging, Max. 30 fps@1080p; 40 m illumination distance; Super Adapt, 130 dB true WDR, 3D NR; CVI/CVBS/AHD/TVI switchable; IP67, DC 12 V	<b>46€</b>
	<b>DAHUA HAC-HDW1209TLQ-LED - 2.8mm / 3.6mm</b> <b>2MP Full-color HDCVI Quick-to-install Eyeball Camera</b> 24/7 color imaging; 20 m illumination distance; Max. 30 fps@1080p; CVI/CVBS/AHD/TVI switchable IP67, 12V±30% DC	<b>32€</b>
	<b>DAHUA HAC-HDW1209TLQ-A-LED - 2.8mm / 3.6mm</b> <b>2MP Full-color HDCVI Quick-to-install Eyeball Camera</b> 24/7 color imaging; 20 m illumination distance; Max. 30 fps@1080p; Built-in mic; CVI/CVBS/AHD/TVI switchable IP67, 12V±30% DC	<b>35€</b>
	<b>DAHUA HAC-HFW1209C-LED - 2.8mm</b> <b>2MP Full-color HDCVI Bullet Camera</b> 24/7 color imaging; 20 m illumination distance; Max. 30 fps@1080p; CVI/CVBS/AHD/TVI switchable; IP67, 12V±30% DC	<b>32€</b>
	<b>DAHUA HAC-HFW1239TLM-A-LED - 3.6mm</b> <b>2MP Full-color Starlight HDCVI Eyeball Camera</b> Full-color starlight, 40m LED distance, Max. 30fps@1080P, CVI/CVBS/AHD/TVI switchable; IP67, 12V±30% DC	<b>60€</b>





## ВИДЕО КАМЕРИ 5MP

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA HAC-HFW1500C - 2.8mm / 3.6mm</b> <b>5MP Starlight HDCVI IR Bullet Camera</b> Max 25 fps@5MP; CVI/CVBS/AHD/TVI switchable; 2.8 mm fixed lens; Max. IR length 30 m, Smart IR; IP67, 12V DC	<b>41€</b>
	<b>DAHUA HAC-HFW1500T – 3.6mm</b> <b>5MP Starlight HDCVI IR Bullet Camera</b> Max 25fps@5MP (16:9 video output); CVI/CVBS/AHD/TVI switchable · 3.6 mm fixed lens; Max. IR length 30 m, Smart IR; IP67, 12V DC	<b>41€</b>
	<b>DAHUA HAC-HFW1500TH-I8 - 3.6mm</b> <b>5MP Starlight HDCVI IR Bullet Camera</b> Max 25fps@5MP; CVI/CVBS/AHD/TVI switchable; 3.6 mm fixed lens; Max. IR length 80 m, Smart IR; IP67, 12V DC	<b>56€</b>
	<b>DAHUA HAC-EW2501</b> <b>5MP HDCVI IR-Fisheye Camera</b> 1/2.8" 5Megapixel progressive scan CMOS; Panoramic fisheye lens; Max. 20fps@5MP; Built-in Mic; 120dbtrue WDR, Starlight, 2D&3D NR; Max. IR length 10m,Smart IR; DC12V	<b>NOVO</b> <b>161€</b>
	<b>UTC Controller PFM820</b> Support different formats (HDCVI/AHD/HDTVI/CVBS) switch, which ito satisfy the requirements of different storage device environments for clients; Various format indicator lights, which makes it convenient for users to check the current format status and prompt if the format switch is successful	<b>15€</b>

## SMART-DUAL LIGHT 5MP

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA HAC-HDW1500CLQ-IL-A 2.8mm</b> <b>5MP Smart Dual Light HDCVI Fixed-focal Eyeball Camera</b> Max 25 fps@5MP (16:9 video output); Smart Dual Light; 20m illumination distance; Super Adapt; Built-in MIC; CVI/CVBS/AHD/TVI switchable; IP67,12 VDC	<b>38€</b>
	<b>DAHUA HAC-HFW1500CL-IL-A – 3.6mm</b> <b>5MP Smart Dual Light HDCVI Fixed-focal Bullet Camera</b> Max 25 fps@5MP; Smart Dual Light; 20 m illumination distance; Super Adapt; Built-in MIC; 3.6 mm fixed lens; CVI/CVBS/AHD/TVI switchable. · IP67, 12 VDC;	<b>39€</b>
	<b>DAHUA HAC-HFW1500TLM-IL-A – 3.6m</b> <b>5MP Smart Dual Light HDCVI Fixed-focal Bullet Camera</b> Max 25 fps@5MP ;Smart Dual Light; 40 m illumination distance; Super Adapt; Built-in MIC; 3.6 mm fixed lens; CVI/CVBS/AHD/TVI switchable; IP67, 12 VDC;	<b>42€</b>

## ВИДЕО КАМЕРИ 5MP FULL COLOR

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA HAC-HDW1509TLQ-LED - 3.6mm 5MP Full-color HDCVI Quick-to-install Eyeball Camera</b> Max 25 fps@5MP (16:9 video output); 120dB true WDR, 3D NR;24/7 color image;20 m illumination distance; CVI/CVBS/AHD/TVI switchable;IP67, 12 V DC;	<b>57€</b>
	<b>HAC-HFW1509C-LED - 2.8mm with Audio 5MP Full-color HDCVI Bullet Camera</b> Max 25 fps@5MP (16:9 video output); 120 dB true WDR, 3D NR; 24/7 color imaging; 20 m illumination distance 2.8 mm fixed lens; IP67, 12V DC	<b>55€</b>
	<b>HAC-HFW1509C-A-LED - 2.8mm with Audio 5MP Full-color HDCVI Bullet Camera</b> Max 25 fps@5MP (16:9 video output); 120 dB true WDR, 3D NR; 24/7 color imaging; 20 m illumination distance; Built-in mic; 2.8 mm fixed lens; IP67, 12V DC	<b>56€</b>
	<b>DAHUA HAC-HFW1509T-A-LED 5MP Full-color HDCVI Bullet Camera</b> Max 25 fps@5MP (16:9 video output); 120 dB true WDR, 3D NR; 24/7 color imaging; 20 m illumination distance;Built-in mic (-A); 3.6 mm lens; IP67, 12 V DC	<b>59€</b>
	<b>DAHUA HAC-ME1509TH-PV - 3.6mm 5MP HDCVI Full-Color Active Deterrence Fixed Bullet Camera</b> 24/7 color imaging, Active deterrence with red blue light, siren and alarm out interface; Max. 20 fps@5MP; 3.6 mm lens, 40 m distance IP67, 12V±30% DC	<b>66€</b>

## ВИДЕО КАМЕРИ 8MP FULL COLOR

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA HAC-HDW1809T-A-LED – 2.8mm</b> <b>4K Full-Color HDCVI Eyeball Camera</b> Max. 15 fps@4K; 120 dB true WDR, 3D NR; 24/7 color imaging 40 m illumination distance; Super Adapt; Built-in MIC(-A); IP67, 12 VDC.	<b>90€</b>
	<b>DAHUA HAC-HFW1809TLM-A-LED – 3.6mm</b> <b>4K Full-Color HDCVI Bullet Camera</b> Max. 15 fps@4K; 120 dB true WDR, 3D NR; 24/7 color imaging; 40 m illumination distance; Super Adapt; Built-in MIC(-A); CVI/CVBS/AHD/TVI switchable; 12 VDC	<b>€</b>








## ВИДЕО КАМЕРИ 8MP

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA HDW1800TL-A - 2.8mm</b> <b>4K Real-time HDCVI IR Eyeball Camera</b> Max. 4K resolution, real-time video transmission, Built-in mic (-A), Max. IR length 30m CVI/CVBS/AHD/TVI switchable, Smart IR, IP67, 12V±30%DC	<b>57€</b>
	<b>DAHUA HAC-HFW1800TL-A - 3.6mm</b> <b>4K Real-time HDCVI IR Bullet Camera</b> ax. 4K resolution, real-time video transmission; CVI/CVBS/AHD/TVI switchable Built-in mic (-A); 2.8 Fixed lens; Max. IR length 80m, Smart IR; IP67, 12V±30%DC	<b>60€</b>
	<b>DAHUA HAC-HFW1801TL-A - 3.6mm</b> <b>4K Real-time HDCVI IR Bullet Camera</b> 4K resolution, real-time video transmission; CVI/CVBS/AHD/TVI switchable Built-in mic (-A); 2.8 Fixed lens; Max. IR length 80m, Smart IR; IP67, 12V±30%DC	<b>62€</b>
	<b>DAHUA HAC-HFW1800TH-I8 – 3.6mm</b> <b>4K Real-time HDCVI IR Bullet Camera</b> Max. 4K resolution, real-time video transmission; CVI/CVBS/AHD/TVI switchable; Max. IR length 80m, Smart IR; IP67, 12V±30%DC	<b>69€</b>
	<b>DAHUA HAC-HFW1801TH-I8 - 3.6mm</b> <b>4K Starlight HDCVI Fixed IR Bullet Camera</b> Max. 15 fps@4K; 120 dB true WDR, 3D NR; Smart IR Illumination; 80 m illumination distance; Super Adapt; CVI/CVBS/AHD/TVI switchable; IP67, 12 VDC.	<b>77€</b>
	<b>DAHUA HFW1801R-Z-IRE6 with Audio 2.7-13.5mm</b> <b>4K 8MP HDCVI IR Bullet Camera</b> 120dB true WDR, 3D NR Max. 4K resolution, CVI/CVBS/AHD/TVI switchable, Auto focus, Motorized lens, Max. IR length 60m, smart IR, IP67, 12V ±30% DC	<b>100€</b>
	<b>DAHUA HAC-HFW2802TU-A</b> <b>4K Starlight HDCVI Fixed-focal Bullet Camera</b> Max. 15 fps@4K; Starlight, 120 dB true WDR, 3D NR; Smart IR Illumination; 80 m illumination distance; Super Adapt; Built-in MIC; 3.6 mm fixed lens (6 mm optional); CVI/CVBS/AHD/TVI switchable; IP67, 12 VDC;	<b>100€</b>
	<b>DAHUA HAC-HFW2802E-A – 2.8mm</b> <b>4K Starlight HDCVI IR Bullet Camera</b> Starlight, 120dB True WDR, 3DNR; Max. 4K resolution; HD/SD switchable; Audio in interface, built-in mic; 2.8mm fixed lens; Max. IR length 40m, Smart IR; IP67, DC12V±30%;	<b>€</b>

## HDCVI/NETWORK PTZ КАМЕРА

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<p><b>DAHUA SD49225-HC -LA</b> <b>2MP 25x Starlight IR PTZ HDCVI Camera</b></p> <p>1/2.8" 2Megapixel STARVIS™ CMOS, Powerful 25x optical zoom, Starlight technology, Max. 25/30fps@1080P, 25/30/50/60fps@720P, 120dB true WDR, 3D DNR, IR distance up to 100m, IP66</p>	<b>380€</b>
	<p><b>DAHUA NKB5000</b> <b>Network Keyboard</b></p> <p>Keyboard to control -DAHUA standalone DVR; DAHUA high speed dome; Central management platform; Network video server; RS232, RS485 &amp; network connections (WLAN); Four dimensional joystick control of PTZ functions; Support 4K decoding live view; Support 4CH HDMI output; Support snapshot</p>	<b>275€</b>

## СПЕЦИЈАЛИЗИРАНИ КАМЕРИ

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<p><b>DAHUA IPC-HFW7442H-ZFR</b> <b>4MP IR Bullet WizMind Network Camera</b></p> <p>Max outputs 4MP (2688 × 1520) @50 fps/60 fps; 12V DC power output; 4MP, 1/1.8" CMOS image sensor, low illuminance, high image definition;</p>	
	<p><b>DAHUA TPC-BF5421-T</b> <b>Thermal Network Hybrid Bullet Camera</b></p> <p>Vanadium oxide uncooled focal plane detector; Built-in white light and speaker; Features temperature measurement; Micro SD memory, IP67, PoE, ePoE</p>	
	<p><b>DAHUA JQ-D70Z</b> <b>Thermometric Blackbody</b></p>	
	<p><b>DAHUA ITC215-PW6M-IRLZF-B</b> <b>Access ANPR Camera</b></p> <p>It embraces deep learning algorithm for accurate recognition of vehicles without license plate, vehicle model, vehicle logo, vehicle series, vehicle color, and more.</p>	<b>720€</b>

## DVR HDCVI TRIBRID / PENTABRID

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA XVR1B04-I</b> <b>4 Channel Penta-brid 1080N/720p Cooper 1U WizSense</b> H.265+/H.265 dual-stream video compression; Supports Full channel AI-Coding; Supports HDCVI/AHD/TVI/CVBS/IP video inputs; Max 5 channels IP camera inputs, each channel up to 2MP;Max 20 Mbps incoming bandwidth	<b>57€</b>
	<b>DAHUA XVR5104HS-I3</b> <b>4 Channel Penta-brid 5M-N/1080p Compact 1U WizSense</b> Supports Full-channel AI-Coding; Supports HDCVI/AHD/TVI/CVBS/IP video inputs; Max 6 channels IP camera inputs, each channel up to 6MP; Up to 1 channel video stream Perimeter Protection; Up to 4 channels video stream SMD Plus; Up to 1 channel video stream human face recognition;	<b>105€</b>
	<b>DAHUA XVR5104HS-I3(1TB)</b> <b>4CH Penta-brid 5MP Value/1080P Compact 1U 1SSD 1TB WizSense</b> Comes with an internal 1TB SSD, and can record videos for about 22 days.4-channel SMD Plus for analog channels which allows the device to trigger accurate alarms for humans and vehicles.1-channel face recognition for analog channels which supports face comparison.	<b>150€</b>
	<b>DAHUA XVR5104HS-4KL-I3</b> <b>4 Channel Penta-brid 5MP Compact 1U WizSense</b> Supports Full-channel AI-Coding; Supports HDCVI/AHD/TVI/CVBS/IP video inputs; Max 8 channels IP camera inputs, each channel up to 8MP; Up to 1 channel video stream Perimeter Protection; Up to 4 channels video stream SMD Plus; Up to 1 channel video stream human face recognition	<b>147€</b>
	<b>DAHUA XVR1B08-I</b> <b>8 Channel Penta-brid 1080N/720p Cooper 1U WizSense</b> H.265+/H.265 dual-stream video compression; Supports Full channel AI-Coding Supports HDCVI/AHD/TVI/CVBS/IP video inputs; Max 10 channels IP camera inputs, each channel up to 6MP; Max 40 Mbps incoming bandwidth;	<b>70€</b>
	<b>DAHUA XVR5108HS-I3</b> <b>8 Channel Penta-brid 5M-N/1080p Compact 1U WizSense</b> H.265+/H.265 dual-stream video compression; Supports Full-channel AI-Coding; Supports HDCVI/AHD/TVI/CVBS/IP video inputs; Max 12 channels IP camera inputs, each channel up to 6MP; Up to 1 channel video stream Perimeter Protection; Up to 8 channels video stream SMD Plus;	<b>135€</b>
	<b>DAHUA XVR5108HS-I3(1TB)</b> <b>8CH Penta-brid 5MP Value/1080P Compact 1U 1SSD 1TB WizSense</b> Comes with an internal 1TB SSD, and can record videos for about 11 days. 8-channel SMD Plus for analog channels which allows the device to trigger accurate alarms for humans and vehicles.4-channel perimeter protection for analog channels which supports tripwire and intrusion detection powered by AI.	<b>180€</b>
	<b>DAHUA XVR5108HS-4KL-I3 - WizSense</b> <b>8 Channel Penta-brid 4K-N/5MP Compact 1U Digital Video Recorder</b> H.265+/H.265 dual-stream video compression; Supports DCVI/AHD/TVI/CVBS/IP video inputs; Max 16 channels IP camera inputs, each channel up to 8MP; Max 128 Mbps incoming bandwidth; Perimeter Protection and SMD Plus;	<b>230€</b>
	<b>DAHUA XVR7108H-4K-I3</b> <b>8 Channels Penta-brid 4K Mini WizSense Digital Video Recorder</b> H.265+/H.265 dual-stream video compression. Supports 8-channel AI-Coding. Supports HDCVI/AHD/TVI/CVBS/IP video inputs. Max 16 channels IP camera inputs, each channel up to 8MP; IoT & POS functionalities.	<b>340€</b>



 <p><b>Wiz Sense</b></p>	<p><b>DAHUA XVR1B16-I</b> <b>16 Channel Penta-brid 1080N/720p Compact 1U WizSense</b> H.265+/H.265 dual-stream video compression; Supports Full-channel AI-Coding Supports HDCVI/AHD/TVI/CVBS/IP video inputs; Max 18 channels IP camera inputs, each channel up to 6MP; Max 64 Mbps Incoming Bandwidth; Long transmission distance over coax cable;</p>	<p><b>150€</b></p>
 <p><b>Wiz Sense</b></p>	<p><b>DAHUA XVR5116HS-I3 – WizSense</b> <b>16 Channel Penta-brid 5M-N/1080P Compact Digital Video Recorder</b> H.265+/H.265 dual-stream video compression; Supports HDCVI/AHD/TVI/CVBS/IP video inputs; Max 24 channels IP camera inputs, each channel up to 6MP; Max 128 Mbps incoming bandwidth; Perimeter Protection and SMD Plus; IoT &amp; POS functionalities</p>	<p><b>215€</b></p>
	<p><b>DAHUA XVR5116H-4KL-I3</b> <b>16 Channels Penta-brid 4K-N/5MP Mini 1U WizSense</b> H.265+/H.265 dual-stream video compression; · Supports Full-channel AI-Coding; Max 32 channels IP camera inputs, each channel up to 8MP; Max 128 Mbps incoming bandwidth; IoT &amp; POS functionalities;</p>	<p><b>419€</b></p>
	<p><b>DAHUA XVR5216A-4KL-I3</b> <b>16 Channels Penta-brid 4K-N/5MP 1U WizSense</b> H.265+/H.265 dual-stream video compression; Supports Full-channel AI-Coding; Supports HDCVI/AHD/TVI/CVBS/IP video inputs; Max 32 channels IP camera inputs, each channel up to 8MP; Max 128 Mbps incoming bandwidth; IoT &amp; POS functionalities;</p>	<p><b>450€</b></p>
	<p><b>DAHUA XVR7216A-4KL-X – Pro Series</b> <b>16 Channel Penta-brid 4K 1U Digital Video Recorder</b> H.265+/H.265 dual-stream video compression; Supports HDCVI/AHD/TVI/CVBS/IP video inputs; Supports 16/32 channels of IPC access, each channel up to 8MP input; Max 64/128Mbps Incoming Bandwidth;</p>	<p><b>474€</b></p>
	<p><b>DAHUA XVR7216AN-4K-I3</b> <b>16 Channels Penta-brid 4K 1U 2HDDs WizSense Digital Video Recorder</b> H.265+/H.265 dual-stream video compression; Supports 16-channel AI-Coding Supports HDCVI/AHD/TVI/CVBS/IP ; Max 32 channels IP camera inputs, each channel up to 8MP; Max 128 Mbps incoming bandwidth; Up to 16 channels video stream SMD plus; IoT &amp; POS functionalities</p>	<p><b>645€</b></p>
	<p><b>DAHUA XVR5232AN-I3</b> <b>32 Channels Penta-brid WizSense Digital Video Recorder</b> H.265+/H.265 dual-stream video compression. · Supports 16-channel AI-Coding. · Supports HDCVI/AHD/TVI/CVBS/IP video inputs. · Max 32 channels IP camera inputs, each channel up to 6MP; IoT &amp; POS functionalities.</p>	<p><b>535€</b></p>
	<p><b>DAHUA XVR5232AN-4KL-I3</b> <b>32 Channels Penta-brid 4K-N/5MP WizSense Digital Video Recorder.</b> H.265+/H.265 dual-stream video compression.; Supports 32-channel AI-Coding.; Supports HDCVI/AHD/TVI/CVBS/IP video inputs.; Max 32 channels IP camera inputs, each channel up to 8MP; IoT &amp; POS functionalities.</p>	<p><b>700€</b></p>
	<p><b>UTC Controller PFM820</b> Supports different formats (HDCVI/AHD/HDTV/CVBS) switch, which is to satisfy the requirements of different storage device environments for clients. V:</p>	<p><b>10€</b></p>

## HDD

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА	
	<b>DAHUA HDD 1TB</b> 1000G/5900RPM/64M/ SATA 6Gb/s/ Dahua LOGO ST1000VX001SEAGATE , SURVELLIANCE 24x7 Operation	<b>55€</b>	<b>58€</b>
	<b>DAHUA HDD 1TB</b> 1000G/5900RPM/64M/ SATA 6Gb/s/ Dahua LOGO ST1000VX013SEAGATE , SURVELLIANCE 24x7 Operation	<b>55€</b>	<b>58€</b>
	<b>DAHUA HDD 2TB</b> 2000G/5900RPM/64M/ SATA 6Gb/s/ Dahua LOGO ST2000VX017SEAGATE , SURVELLIANCE 24x7 Operation	<b>69€</b>	<b>72€</b>
	<b>DAHUA HDD 4TB</b> 4000G/7200RMP/64M/ SATA 6Gb/s/ Dahua LOGO , ST4000VX016SEAGATE SURVELLIANCE , 24x7 Operation	<b>100€</b>	<b>105€</b>
	<b>DAHUA HDD 6TB</b> 6000G/7200RMP/64M/ SATA 6Gb/s/ Dahua LOGO , ST6000VX009SEAGATE SURVELLIANCE , 24x7 Operation	<b>147€</b>	<b>155€</b>
	<b>DAHUA HDD 8TB</b> 8000G/7200RMP/64M/ SATA 6Gb/s/ Dahua LOGO , ST8000VX010SEAGATE SURVELLIANCE , 24x7 Operation	<b>194€</b>	<b>229€</b>


## Memory Cards & USB Flash Drives

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>Memory Card APACER 64GB</b>	<b>10€</b>
	<b>Memory Card APACER 128GB</b>	<b>18€</b>
	<b>DHI-TF-C100 C100/256GB microSD Memory Card</b>	<b>38€</b>
	<b>DHI-USB-P629-32-64GB USB Flash Drive</b>	<b>11€</b>
	<b>DHI-USB-P629-32-128GB USB Flash Drive</b>	<b>18€</b>
	<b>DHI-USB-P629-32-256GB USB Flash Drive</b>	<b>36€</b>







## IP CAMERA 2MP SMART-DUAL LIGHT


МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA IPC-HFW1239TL1-A-IL</b> <b>2MP Entry Smart Dual Light Fixed-focal Bullet Network Camera</b> 2-MP 1/2.8" CMOS image sensor, low luminance, and high definition image; Built-in IR LED and warm light, the max. IR illumination distance is 30 m and warm light distance is 30 m; Supports human detection; 12 VDC/PoE power supply;	<b>59€</b>
	<b>Dahua IPC-HDW1239V-A-IL</b> <b>2MP Entry Smart Dual Light Fixed-focal Eyeball Network Camera</b> 2-MP 1/2.8" CMOS image sensor, low luminance, and high definition image; Outputs max. 2 MP (1920× 1080)@25/30 fps; Built-in IR LED and warm light, the max. IR illumination distance is 30m and warm light distance is 30 m;	<b>59€</b>

## IP CAMERA 2MP FULL COLOR

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA IPC-HFW5249T-ASE-NI – Pro AI Series</b> <b>2MP Pro AI Full-color Fixed-focal Bullet Network Camera</b> 2MP, 1/2.8" CMOS image sensor, low illuminance, high image definition; Outputs max. 2MP (1920 × 1080) @30 fps; H.265 codec, SMART H.264+/H.265; 12V DC/PoE power support; ePoE for remote transmission · IP67 protection	<b>110€</b>

## 2MP IP CAMERA



МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA SD1A203T-GN-W – IR-15m</b> <b>2MP 3x Starlight IR PTZ Wi-Fi Network Camera</b> 1/2.8" 2Megapixel STARVIS™ CMOS , Powerful 3x optical zoom, Starlight, WDR, Max. 5/30fps@1080P, IVS, Support Wi-Fi, IP66	<b>130€</b>
	<b>DAHUA IPC-HDBW1230E</b> <b>2MP IR Mini-Dome Network Camera</b> 1/2.7" 2Megapixel progressive CMOS; H.265 & H.264 dual-stream encoding; 25/30fps@1080P(1920x1080); Day/Night(ICR), 3DNR, AWB, AGC, BLC; Multiple network monitoring; 2.8mm fixed lens; Max IR LEDs length 30m; IP67, IK10, PoE	<b>66€</b>
	<b>DAHUA SD22204UE-GN – Lite Series</b> <b>2MP 4x Starlight PTZ Network Camera</b> 1/2.8" STARVIS™ CMOS; Powerful 4x optical zoom; Day/Night(ICR), Ultra DNR; Max. 25/30fps@1080P; Max 100°/s pan speed · IVS Support PoE; IP66, IK10	<b>215€</b>
	<b>DAHUA IPC-HFW1230S-S5 PoE 2.8mm</b> <b>2MP IR Mini-Bullet Network Camera</b> 1/2.7" 2Megapixel progressive CMOS; H.265& H.264 dual-stream encoding; 25/30fps@1080P(1920x1080); DWDR, Day/Night(ICR), 3DNR; Web viewer, CMS(DSS/PSS) & DMSS; 3.6mm fixed lens ;IR LEDs Length 30m; IP67, PoE	<b>€</b>
	<b>DAHUA IPC-HFW2231TP-ZS-S2 – Lite Series</b> <b>2MP Lite IR Vari-focal Bullet Network Camera</b> 2MP, 1/2.8" CMOS image sensor, low illuminance, high image definition; Outputs 2MP; H.265 codec, ultra-low bit rate; Built-in IR LED, max IR distance: 60m; Supports max. 256 GB Micro SD card; 12V DC/PoE ; IP67 ,IK10	<b>115€</b>
	<b>DAHUA IPC-HFW4231TP-ASE with Audio 3.6mm</b> <b>2MP WDR IR Mini Bullet Network Camera</b> 1/2.8" 2Megapixel progressive scan STARVISTM CMOS; H. 265&H.264 triple-stream encoding; 50/60fps@1080P(1920x1080), 60 Hz ;WDR(120dB), Day/Night (ICR), 3DNR, AWB, AGC, BLC;LEDs Length 60m; Micro SD Memory,IP67,IK10, PoE	<b>140€</b>

	<p><b>DAHUA IPC-HFW5242E-ZE-MF – WizMind 2MP IR Vari-focal Bullet WizMind Network Camera</b> 1/1.8" 2Megapixel progressive scan CMOS; ROI, SMART H.264+/H.265+, flexible coding; 50/60 fps@1080P (1920 × 1080); Day/Night (ICR), 3D DNR, AWB, BLC ; 2.7 mm–12.0 mm motorized; IR LEDs Length 50 m; Micro SD memory, IP67, IK10</p>	<p><b>LAST ONE</b> <b>185€</b></p>
--	--	--

**IP CAMERA SMART-DUAL LIGHT 4MP**

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<p><b>DAHUA IPC-HDW1439V-A-IL 4MP Entry Smart Dual Light Fixed-focal Eyeball Network Camera</b> 4-MP 1/2.9" CMOS image sensor, low luminance, and high definition image; Outputs max. 4 MP (2560 × 1440)@25/30 fps; Built-in IR LED and warm light, the max. IR illumination distance is 30 m and warm light distance is 30 m;</p>	<p><b>75€</b></p>
	<p><b>DAHUA IPC-HFW1439TL1P-A-IL – 2.8mm 4MP Entry Smart Dual Light Fixed-focal Bullet Network Camera</b> 4MP, 1/3" CMOS image sensor, low illuminance, high image definition; H.265 codec, high compression rate, ultra-low bit rate; Built-in warm lights, max. illumination distance: 30 m; ROI, SMART H.264+/H.265+</p>	<p><b>75€</b></p>

**4MP IP CAMERA**



МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<p><b>DAHUA IPC-HFW1431T-ZS-S4 4MP Entry IR Vari-focal Bullet Network Camera</b> 4MP, 1/3" CMOS image sensor, low illuminance, high image definition; H.265 codec, high compression rate, ultra-low bit rate Built-in IR LED, max. IR distance: 50 m; 12V DC/PoE power supply;</p>	<p><b>130€</b></p>
	<p><b>DAHUA IPC-HFW2431T-ZS-S2 4MP Lite IR Vari-focal Bullet Network Camera</b> 4MP, 1/3" CMOS image sensor, low illuminance, high image definition; Built-in IR LED, max IR distance: 60 m; Rotation mode, WDR, 3D NR, digital watermarking; Intrusion, tripwire 256 GB Micro SD card; 12V DC/PoE power supply;</p>	<p><b>150€</b></p>









## 5MP IP CAMERA




МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>IPC-HDW1530T-S6 - 2.8mm</b> <b>5MP Entry IR Fixed-focal Eyeball Network Camera</b> 5MP 1/2.7" CMOS image sensor, low luminance, and high definition image. Outputs max. 5MP (2880 × 1620) @20 fps and supports 2688 × 1520 @25/30 fps; Built-in MIC; 12 V DC/PoE power supply; IP67 protection.	€
	<b>DAHUA IPC-HDBW1530E-S6</b> <b>5MP Entry IR Fixed-focal Dome Network Camera</b> 5MP, 1/2.7" CMOS image sensor, low illuminance and high definition image; Outputs max. 5MP @20 fps, and supports 2688 × 1520 (2688 × 1520) @25/30 fps; H.265 codec, high compression rate, and low bit rate; IR distance is 30m;	<b>99€</b>
	<b>DAHUA IPC-HDBW2541E-S</b> <b>5MP IR Fixed-focal Dome WizSense Network Camera</b> 5-MP 1/2.7" CMOS image sensor, low luminance, and high definition image; Outputs max. 5 MP (2960 × 1668) @20 fps, and supports 2688 × 1520 (2688 × 1520) @25/30 fps; 12 VDC/PoE power supply, easy for installation.	<b>123€</b>
	<b>DAHUA IPC-HDW2531TM-AS-S2</b> <b>5MP Lite IR Fixed-focal Eyeball Network Camera</b> 5MP, 1/2.7" CMOS image sensor, low illuminance, high definition image; Built-in IR LED, max IR distance: 30 m; Intelligent detection: Intrusion, tripwire; Supports max. 256 GB Micro SD card, built-in Mic; 12 V DC/PoE power supply; IP67	<b>130€</b>
	<b>DAHUA IPC-HFW1530S-S6</b> <b>5MP Entry IR Fixed-focal Bullet Network Camera</b> 5MP 1/2.7" CMOS image sensor, low luminance, and high definition image; · Outputs max. 5MP @20 fps and supports 2688 × 1520 @25/30 fpS; Built-in IR LED, and the max. illumination distance is 30 m.	<b>100€</b>
	<b>DAHUA IPC-HFW2531S-S-S2 – Lite Series 3.6mm</b> <b>5MP Lite IR Fixed-focal Bullet Network Camera</b> 5MP, 1/2.7" CMOS image sensor, low illuminance, high image definition · Outputs 2688×1520@25/30 fps, and supports max. 5MP (2592×1944); Built-in IR LED, IR distance: 30 m; 12V DC/PoE power support ; IP67 protection grade	<b>105€</b>
	<b>DAHUA IPC-HFW2541E-S</b> <b>5MP IR Fixed-focal Bullet WizSense Network Camera</b> 5-MP 1/2.7" CMOS image sensor, low luminance, and high definition image; Outputs max. 5 MP (2592 × 1944) @20 fps, and supports 4 MP (2688 × 1520) @25/30 fps; Abnormality detection: Motion detection, video tampering, scene changing, audio detection, IP conflict, illegal access, and voltage detection	<b>130€</b>
	<b>DAHUA IPC-HFW2531TP-ZS – Lite Series</b> <b>5MP WDR IR Bullet Network Camera</b> 1/2.7" 5Megapixel progressive CMOS; H.265 & H.264 dual-stream encoding 15fps@5M&25/30fps@3M(2304×1296); WDR(120dB), Day/Night , 3DNR, AWB, AGC, BLC; up to 128GB; 2.7~13.5mm varifocal lens; Max IR LED 60m; IP67, PoE+;	<b>175€</b>
	<b>DAHUA HY-SAV849HA-E</b> <b>5MP IR AI-fire Smoke Sensing Network Camera</b> Remote check based on smoke sensing and video alarm linkage · Intelligent monitoring: Flame detection · With split-spectrum smoke chamber and intelligent algorithm, eliminate the false alarm effectively Built-in alarm voices	<b>150€</b>

## IP CAMERA 8MP FULL COLOR


МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA IPC-HFW2849S-S-IL</b> <b>8MP Smart Dual Light Fixed-focal Bullet WizSense Network Camera</b> 8-MP 1/2.7" CMOS image sensor, low luminance, and high definition image; Outputs max. 8 MP (3840 × 2160) @20 fps, and supports 2688×1520 (2688 × 1520) @25/30 fps; Built-in warm light and IR LED, the max. illumination distance is 30 m and the max. warm light distance is 30 m	<b>170€</b>
	<b>DAHUA IPC-HDW2849TM-S-IL</b> <b>8MP Smart Dual Light Fixed-focal Eyeball WizSense Network Camera</b> 8-MP 1/2.7" CMOS image sensor, low luminance, and high definition image; Outputs max. 8 MP (3840 × 2160) @20 fps, and supports 2688 × 1520 (2688 × 1520) @25/30 fps; Built-in warm light and IR LED, the max. illumination distance is 30 m and the max. warm light distance is 30 m;	<b>170€</b>
	<b>DAHUA IPC-HFW2849T-AS-IL</b> <b>8MP Smart Dual Light Fixed-focal Bullet WizSense Network Camera</b> 8-MP 1/2.7" CMOS image sensor, low luminance, and high definition image; Outputs max. 8 MP @20 fps, and supports 2688×1520 @25/30 fps; Built-in warm light and IR LED, IR light distance is 60 m and max. warm light is 50 m;	<b>200€</b>

## 8MP IP CAMERA

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA IPC-HDW2831T-AS-S2 2.8mm</b> <b>8MP Lite IR Fixed-focal Eyeball Network Camera</b> 8MP, 1/2.7" CMOS image sensor, low illuminance, high image definition; H.265 codec,; Built-in IR LED, max IR distance: 30 m; ROI, SMART H.264+/H.265+, flexible coding; 256 GB Micro SD card, built-in MIC; 12V DC/PoE; IP67;	<b>145€</b>
	<b>DAHUA HDBW2841R-ZAS</b> <b>8MP IR Vari-focal Dome WizSense Network Camera</b> 8-MP 1/2.7" CMOS image sensor, low luminance, and high definition image; H.265 codec, high compression rate, ultra-low bit rate; Built-in IR LED, and the max. illumination distance is 40 m; ROI, SMART H.264+/H.265+, flexible coding, applicable to various bandwidth and storage environments;	<b>220€</b>
	<b>DAHUA IPC-HDBW2841E-S</b> <b>8MP IR Fixed-focal Dome WizSense Network Camera</b> 8-MP 1/2.7" CMOS image sensor, low luminance, and high definition image; Outputs max. 8 MP (3840 × 2160) @20 fps, and supports 2688 × 1520 (2688 × 1520) @25/30 fps; Built-in IR LED, and the max. illumination distance is 30 m;	<b>145€</b>
	<b>DAHUA IPC-HFW2831S-S-S2</b> <b>8MP Lite IR Fixed-focal Bullet Network Camera</b> 8MP, 1/2.7" CMOS image sensor, low illuminance, high image definition; H.265 codec, high compression rate, ultra-low bit rate; Built-in IR LED, max IR distance: 30 m; 12V DC/PoE power support; IP67 protection	<b>140€</b>
	<b>IPC-HFW2831T-AS-S2 3.6mm</b> <b>8MP Lite IR Fixed-focal Bullet Network Camera</b> 8MP, 1/2.7" CMOS image sensor, low illuminance, high image definition; H.265 codec, high compression rate, ultra-low bit rate; Built-in IR LED, max IR distance: 80 m; Intelligent detection: Intrusion, tripwire; Alarm: 1 in, 1 out;	<b>170€</b>
	<b>DAHUA IPC-HFW2841T-AS</b> <b>8MP IR Fixed-focal Bullet WizSense Network Camera</b> Outputs max. 8 MP (3840 × 2160) @20 fps, and supports 2688 × 1520@25/30 fps. Built-in IR LED, and the max. illumination distance is 80 m; Alarm: 1 in, 1 out; audio: 1 in, 1 out; Supports max. 256 G Micro SD card; built in MIC.	<b>160€</b>

	<p><b>DAHUA IPC-HFW2841T-ZAS</b> <b>8MP IR Vari-focal Bullet WizSense Network Camera</b> 8-MP 1/2.7" CMOS image sensor, low luminance, and high definition image; Built-in IR LED, and the max. illumination distance is 60 m. Rotation mode, WDR, 3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes.</p>	<p><b>200€</b></p>
	<p><b>DAHUA IPC-HFW2831TP-ZS – Lite Series</b> <b>8MP WDR IR Bullet Network Camera</b> 1/1.8" 8Megapixel progressive CMOS; H.265 &amp; H.264 dual-stream encoding 25/30fps@8MP(3840×2160); WDR(120dB), Micro SD card slot, up to 128GB; 3.7~11mm motorized lens; Max IR LEDs Length 60m; IP67, IK10(optional), PoE</p>	<p><b>210€</b></p>
	<p><b>DAHUA IPC-HFW3849T1-AS-PV-S3</b> <b>8MP Smart Dual Illumination Active Deterrence Bullet Camera</b> 8MP 1/2.8" CMOS image sensor, low luminance, and high definition image; Outputs max. 8 MP (3840 × 2160)@25/30 fps.; Built-in warm light and IR LED; the max. IR illumination distance is 30 m and warm light distance is 30 m. Alarm: 1 in, 1 out; audio: 1 in, 1 out;</p>	<p><b>260€</b></p>

## IP PT CAMERA FULL COLOR



МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<p><b>DAHUA SD3A400-GN-A-PV</b> <b>4MP IR and White Light Full-color Network PT Camera</b> 1/3" 4Megapixel STARVIS™ CMOS; IR distance up to 30m; H.265 Encoding; PoE; Max. 25/30 fps@4M; IVS</p>	<p><b>190€</b></p>

## IP PTZ CAMERA

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA SD49225GB-HNR</b> <b>2MP 25x Starlight IR Network PTZ Camera</b> 1/2.8" STARVIS™ CMOS; 25x optical zoom; Starlight technology; Max.25/30fps@2M; IR distance up to 100 m; Perimeter protection; Face detection; Quick Pick; SMD 4.0; IP66.	<b>475€</b>
	<b>DAHUA SD5A225GB-HNR</b> <b>2MP 25x Starlight IR WizSense Network PTZ Camera</b> 1/2.8" 2Megapixel STARVIS™ CMOS; Powerful 25x optical zoom; Max. 25/30 fps@2M; IR distance up to 150 m; Auto Tracking 3.0; Face Detection; SMD 4.0.; Quick Pick; PoE+; IP67, IK10.	<b>625€</b>
	<b>DAHUA SD4A425DB-HNY</b> <b>4MP 25x Starlight IR WizSense Network PTZ Camera</b> 1/2.8" 4Megapixel STARVIS™ CMOS; 25x optical zoom; Starlight technology; Max. 25/30fps@4MP; IR distance up to 100m; Auto-tracking 1.0; Perimeter protection; Face detection; SMD 3.0; IP66.	<b>520€</b>
	<b>DAHUA SD49425GB-HNR</b> <b>4MP 25x Starlight IR Network PTZ Camera</b> 1/2.8" STARVIS™ CMOS; 25x optical zoom; Starlight technology; Max. 25/30fps@4M; IR distance up to 100 m; Perimeter protection; Face detection; Quick Pick; SMD 4.0; IP66.	<b>520€</b>
	<b>DAHUA SD5A432GB-HNR</b> <b>4MP 32x Starlight IR WizSense Network PTZ Camera</b> 1/2.8" 4Megapixel STARVIS™ CMOS. · Powerful 32x optical zoom. · Max. 25/30 fps@4M. · IR distance up to 150 m. · Auto Tracking 3.0. · Face Detection. · SMD 4.0. · Quick Pick. · PoE+. · IP67, IK10.	<b>875€</b>
	<b>DAHUA SD5A445GB-HNR</b> <b>4MP 45x Starlight IR Network PTZ Camera</b> 1/2.8" 4Megapixel STARVIS™ CMOS. · 45x optical zoom. · Starlight technology. · Max. 25/30fps@4M. · IR distance up to 150 m. · Auto-tracking 3.0. · Perimeter protection. · Face detection. · SMD 4.0. · Quick Pick. · IP67, IK10.	<b>1000€</b>
	<b>DAHUA SD49825GB-HNR</b> <b>8MP 25x Starlight IR Network PTZ Camera</b> 1/2.8" 8Megapixel STARVIS™ CMOS; 25x optical zoom; Starlight technology; Max. 25/30fps@8M; IR distance up to 100 m; Perimeter protection; Face detection; Quick Pick; SMD 4.0; IP66;	<b>745€</b>
	<b>DAHUA IPC-PFW8802-A180</b> <b>4x2MP Multi-Sensor Panoramic IR Bullet Network Camera</b> Four 1/1.9" 2Megapixel progressive scan CMOS; H.265/H.264 triple-stream encoding; Support 180-degree panoramic view; Day/Night(ICR), 3DNR, AWB, AGC, BLC, WDR; Smart detection; Max. IR LEDs length 30m; Micro SD memory, IP67, IK10,PoE+	<b>730€</b>



## DAHUA IP Wi-Fi CAMERA

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA H4A</b> <b>4MP Indoor Fixed-focal Wi-Fi Pan &amp; Tilt Network Camera</b> One Camera for 360° View; Human Detection; Day&Night; Auto Tracking; Two-way Talk; One-click Privacy Mode;	<b>NOVO</b> <b>50€</b>
	<b>DAHUA H4C</b> <b>4MP Indoor Fixed-focal Wi-Fi Pan &amp; Tilt Network Camera</b> One Camera for 360° View; Human Detection; Day&Night; Auto Tracking; Two-way Talk; One-click Privacy Mode;	<b>NOVO</b> <b>50€</b>
	<b>DAHUA IPC-HDBW1430DE-SW</b> <b>4MP IR Fixed-focal Wi-Fi Dome Network Camera</b> 4-MP 1/3" CMOS image sensor, low luminance, and high definition image.H.265 codec, high compression rate, ultra-low bit rate. · Built-in IR LED Supports max. 256 G Micro SD card. · 12 VDC power supply. · IP67, IK10 protection	<b>95€</b>
	<b>DAHUA IPC-HDW1430DT-STW</b> <b>4MP IR Fixed-focal WiFi Eyeball Network Camera</b> Outputs max. 4MP@20 fps, and max.supports 3MP@25 fps/30 fps; Built-in IR LED, and the max. illumination distance is 30 m; Built-in dual-antenna 2.4G Wi-Fi that covers a range of up to 120m;	<b>NOVO</b> <b>90€</b>
	<b>DAHUA T4A</b> <b>4MP Fixed-focal Wi-Fi Turret Network Camera</b> AI Human Detection; Full-color; Built-in Mic; IP67 Protection; Advanced H.265 compression technology;	<b>70€</b>
	<b>DAHUA IPC-HFW1230DS-SAW</b> <b>2MP IR Fixed-focal Wi-Fi Bullet Network Camera</b> 2-MP 1/2.8" CMOS image sensor, low luminance, and high definition image; Built-in IR LED; Supports antenna 2.4G Wi-Fi, up to 80m range in open area; 12 VDC power supply; IP67 protection.	<b>80€</b>
	<b>DAHUA F4C-LED</b> <b>4MP Fixed-focal Wi-Fi Bullet Network Camera</b> AI Human Detection; Full-color; Built-in Mic; IP67 Protection; Advanced H.265 compression technology;	<b>NOVO</b> <b>50€</b>
	<b>DAHUA F4C-PV</b> <b>4MP Fixed-focal Wi-Fi Bullet Network Camera</b> AI Human Detection; Smart Dual Light; Sound and Light Alarm; Two-way Talk; IP67 Protection; Advanced H.265 compression technology;	<b>NOVO</b> <b>85€</b>
	<b>DAHUA P5AE-PV</b> <b>5MP Wireless Network PT Camera</b> Smart Dual Light; One Camera for 360° View; Sound and Light Alarm; AI Human Detection; AI Vehicle Detection; Two-way Talk; Auto Tracking; IP66 Protection;	<b>NOVO</b> <b>90€</b>







<b>NVR</b>		
<b>МОДЕЛ</b>	<b>КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ</b>	<b>ЦЕНА</b>
	<p><b>DAHUA NVR2104HS-P-S3</b> <b>4 Channel Compact 1U 4PoE WizSense Network Video Recorder</b></p> <p>Max. decoding capability: 6 × 1080p@30 fps. Supports adaptive decoding; Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format; 1-channel face detection and recognition (AI by NVR); 1-channel perimeter protection (AI by NVR); up to 10 face databases and 5,000 face images; 4-channel SMD Plus</p>	<b>125€</b>
	<p><b>DAHUA NVR4104-EI</b> <b>4CH Smart 1U 4PoE 1HDD WizSense Network Video Recorder</b></p> <p>Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format; Access, storage or forwarding at 80 Mbps; Max. decoding capability: 16 × 1080p@30 fps; AI by NVR: 1-ch face detection and recognition; 2-ch perimeter protection; up to 10 face databases and 20,000 face images; 4-ch SMD Plus; SMD Plus; people counting; stereo analysis;</p>	<b>140€</b>
	<p><b>NVR4104HS-4KS2/L</b> <b>4 Channel Compact 1U 1HDD Network Video Recorder</b></p> <p>New 4.0 user interface, Security baseline Max. decoding capability; 8 × 1080p@30 fps. Supports adaptive decoding; Supports mainstream cameras of ONVIF and RTSP protocols; P2P remote surveillance, video play on mobile device; VGA/HDMI simultaneous video output, maximum resolution of HDMI is 4K;</p>	<b>120€</b>
	<p><b>DAHUA NVR2108-S3</b> <b>8 Channel Smart 1U 1HDD Network Video Recorder</b></p> <p>Smart H.265+/H.265/Smart H.264+/H.264 decoding format; Max. decoding capability: 6 × 1080p@30 fps; Supports adaptive decoding; AI by camera: perimeter protection, and SMD Plus; Connected to the third-party network cameras; Security baseline 2.1;</p>	<b>90€</b>
	<p><b>DAHUA NVR2108HS-4KS3</b> <b>8CH Compact 1U 1HDD Lite Network Video Recorder</b></p> <p>Supports Smart H.265+, H.265, Smart H.264+, H.264 and MJPEG decoding formats; Max. decoding capability: 6 × 1080p@30 fps; Max. 80/80/60 Mbps incoming/recording/outgoing bandwidth; Supports IP cameras with a resolution up to 12 MP; AI by Recorder supports 4-channel SMD Plus; AI by Camera supports perimeter protection and SMD Plus;</p>	<b>€</b>
	<p><b>DAHUA NVR2108HS-8P-4KS3</b> <b>8 Channel Compact 1U 1HDD 8PoE Network Video Recorder</b></p> <p>Smart H.265+/H.265/Smart H.264+/H.264 decoding format; Max. decoding capability: 6 × 1080p@30 fps; Supports adaptive decoding; AI by camera: perimeter protection, and SMD Plus; Connected to the third-party network cameras; Security baseline 2.1;</p>	<b>175€</b>
	<p><b>DAHUA NVR4108HS-EI</b> <b>8CH Compact 1U 1HDD WizSense Network Video Recorder</b></p> <p>Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format; Access, storage or forwarding at 80 Mbps; Max. decoding capability: 16 × 1080p@30 fps. Supports adaptive decoding; AI by NVR; AI by Camera: Face detection and recognition, perimeter protection; SMD Plus; people counting; stereo analysis; heat map.</p>	<b>€</b>
	<p><b>DAHUA NVR4108HS-8P-EI</b> <b>8CH Compact 1U 8PoE 1HDD WizSense Network Video Recorder</b></p> <p>Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format; Access, storage or forwarding at 256 Mbps (180 Mbps when AI function enabled); Max. decoding capability: 16 × 1080p@30 fps. Supports adaptive decoding; AI by NVR: 1-channel face detection and recognition; 2-channel perimeter protection;</p>	<b>260€</b>

	<p><b>DAHUA NVR4108HS-8P-4KS3</b> <b>8 Channel Compact 1HDD 1U 8PoE Network Video Recorder</b> H.264, H.265, Smart H.264+, and Smart H.265+. H.265 auto switch; Max. decoding capability: 8 × 1080p@30 fps. Supports adaptive decoding; Supports mainstream cameras of ONVIF and RTSP protocols; P2P remote surveillance,</p>	<p><b>180€</b></p>
	<p><b>DAHUA NVR4116HS-EI</b> <b>16CH Compact 1U 1HDD WizSense Network Video Recorder</b> Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format; Access, storage or forwarding at 256 Mbps (180 Mbps when AI function enabled); AI by NVR; AI by Camera: Face detection and recognition, perimeter protection; SMD Plus; people counting; stereo analysis; heat map;</p>	<p><b>180€</b></p>
	<p><b>DAHUA NVR4216-4KS2/L</b> <b>16 Channel 1U 2HDDs Network Video Recorder</b> New 4.0 user interface, Security baseline 2.1; H.264, H.265, Smart H.264+, and Smart H.265+. H.265 auto switch; Supports mainstream cameras of ONVIF and RTSP protocols; P2P remote surveillance, video play on mobile device</p>	<p><b>190€</b></p>
	<p><b>DAHUA NVR4216-16P-4KS2/L</b> <b>16 Channel 1U 2HDDs Network Video Recorder</b> New 4.0 user interface, Security baseline 2.1; H.264, H.265, Smart H.264+, and Smart H.265+. H.265 auto switch; Max. decoding capability: 8 × 1080p@30 fps. Supports adaptive decoding; Supports mainstream cameras of ONVIF and RTSP protocols;</p>	<p><b>370€</b></p>
	<p><b>DAHUA NVR4216-16P-EI</b> <b>16CH 1U 16PoE 2HDDs WizSense Network Video Recorder</b> Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format; Max. decoding capability: 16 × 1080p@30 fps. Supports adaptive decoding; AI by NVR; AI by Camera: Face detection and recognition, perimeter protection; SMD Plus; people counting; stereo analysis; heat map;</p>	<p><b>400€</b></p>
	<p><b>DAHUA NVR4232-4KS3</b> <b>32 Channel 1U Network Video Recorder</b> New 4.0 user interface, Security baseline 2.1; Max. decoding capability: 8 × 1080p@30 fps. Supports adaptive decoding; AI by Camera: Face detection, perimeter protection, IVS, people counting, heat map, and SMD;</p>	<p><b>245€</b></p>
	<p><b>DAHUA NVR4232-EI</b> <b>32CH 1U 2HDDs WizSense Network Video Recorder</b> Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format; Access, storage or forwarding at 256 Mbps (180 Mbps when AI function enabled); Max. decoding capability: 16 × 1080p@30 fps. Supports adaptive decoding; AI by Camera: Face detection and recognition, perimeter protection;</p>	<p><b>280€</b></p>
	<p><b>DAHUA NVR5232-EI</b> <b>32 Channels 1U 2HDDs WizSense Network Video Recorder</b> Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format; Max. decoding capability: 32 × 1080p@30 fps or 32 × 2MP@30 fps; Max. 384 Mbps incoming/recording/outgoing bandwidth; Support AcuPick with Max. 16-Channel; Support N+M cluster;</p>	<p><b>464€</b></p>
	<p><b>DAHUA NVR5464-EI</b> <b>64 Channels 1.5U 4HDDs WizSense Network Video Recorder</b> Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format; Max. decoding capability: 32 × 1080p@30 fps or 32 × 2MP@30 fps; Max. 384 Mbps incoming/recording/outgoing bandwidth; Support AcuPick with Max. 16-Channel;</p>	<p><b>750€</b></p>
	<p><b>DAHUA IVSS7008-1I</b> <b>2U 8HDDs WizMind Intelligent Video Surveillance Server</b> Industry embedded micro-controller; Max 400Mbps incoming bandwidth; 128-channel IP video access; Up to 16-channel AI IVS; Up to 50 face databases with 300,000 face pictures in total; Supports RAID 0/1/5/6/10/50/60; 3 HDMI/</p>	<p><b>1600€</b></p>







## PROFESSIONAL CCTV MONITOR DAHUA

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>19.5" Monitor DHI-LM19-A200</b> Light and cost-effective plastic housing; High fidelity digital processing for a brilliant and vivid video; 5ms fast response time with no image blurring or ghosting; Low energy consumption, long service life;	<b>75€</b>
	<b>27" FHD Monitor DHI-LM22-B200S</b> Light and cost-effective plastic housing; Ultra-narrow bezel , elegant appearance, Metal base; 178°H/178°V extra-wide viewing angle for overall viewing performance; Anti-blue light design,eye-protective; Low energy consumption, long service life;Physical button control mode;	<b>88€</b>
	<b>21.45" FHD Monitor DHI-LM22-H200</b> Suitable for continuous 24/7 operation; Ultra-thin body with metal housing; Micro bezel design, elegant appearance, ultra-light base; 178°H/178°V extra-wide viewing angle for overall viewing performance; Support multiple signal inputs including HDMI and VGA; Low energy consumption, long service life;	<b>160€</b>
	<b>22" FHD Monitor DHI-LM22-L200</b> Light and cost-effective plastic housing · Support 7*24 operation · High fidelity digital processing for a brilliant and vivid video · Fast response time with no image blurring or ghosting · Low energy consumption, long service life	<b>105€</b>
	<b>23.8" FHD Monitor DHI-LM24-F200</b> Light and cost-effective plastic housing; Ultra-narrow bezel, Anti-glare, elegant appearance, ultra-light base; 178°H/178°V extra-wide viewing angle for overall viewing performance; Support multiple signal inputs including HDMI and VGA; · Low energy consumption, long service life;	<b>185€</b>
	<b>23.8" FHD Monitor DHI-LM24-H200</b> Suitable for continuous 24/7 operation · Micro bezel design, elegant appearance, ultra-light base; · 178°H/178°V extra-wide viewing angle for overall viewing performance; · Support multiple signal inputs including HDMI and VGA; · Low energy consumption, long service life;	<b>125€</b>
	<b>27" FHD Monitor DHI-LM27-B200S</b> Light and cost-effective plastic housing; Ultra-narrow bezel , elegant appearance, Metal base; 178°H/178°V extra-wide viewing angle for overall viewing performance; Anti-blue light design,eye-protective; Low energy consumption, long service life;Physical button control mode;	<b>150€</b>
	<b>27" Monitor DHI-LM27-C200</b> The 1920*1080 resolution produces clearer and more vivid pictures; Wide color gamut, 99% sRGB, 85% NTSC, 85% DCI-P3, 85% Adobe RGB. It meets the designer's demand of image texture; Wide color gamut, 99% sRGB, 85% NTSC, 85% DCI-P3, 85% Adobe RGB. It meets the designer's demand of image texture;	<b>160€</b>
	<b>32" FHD Monitor DAHUA LM32-F200</b> Light and cost-effective plastic housing · suitable for continuous 24/7 operation · 178°H/178°V extra-wide viewing angle for overall viewing performance; · Built-in speakers · Physical button and infrared remote dual control mode	<b>230€</b>
	<b>43" FHD Monitor DHI-LM43-F200</b> Light and cost-effective plastic housing; suitable for continuous 24/7 operation; 178°H/178°V extra-wide viewing angle for overall viewing performance; High fidelity digital processing for a brilliant and vivid video; 8ms fast response time	<b>325€</b>








	<p><b>43" FHD Monitor DHL43-F600</b> Industrial level LCD panel, suitable for continuous 24/7 operation · Physical resolution of 1920×1080 · High fidelity digital processing for a brilliant and vivid video · 5ms fast response time for no motion blur, judder or ghosting</p>	<p><b>430€</b></p>
	<p><b>43" 4K Ultra HD LCD Monitor DHI-LM43-F410-4K</b> 4K Ultra-HD resolution · Built-in 3D COMB filter and 3D noise reduction · 8.5ms response time for no motion blur, judder or ghosting · 1.07G colors, for a realistic and immersive visual experience</p>	<p><b>560€</b></p>
	<p><b>Bracket for monitor DAHUA DH TV 19"-32"</b></p>	<p><b>14€</b></p>
	<p><b>Bracket for monitor DAHUA DH TV 42"-55"</b></p>	<p><b>12€</b></p>
	<p><b>Bracket for monitor M-B01/14-42"</b></p>	<p><b>8€</b></p>
	<p><b>Bracket for monitor M-B02/26-55"</b></p>	<p><b>10€</b></p>

## VR 360°-PTZ CAMERA +AUTO Tracking- KEYBOARD

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>M-WJ01 Tuya Smart 1080P 2.0MP Wifi Super Mini Camera</b> APP name:TuyaSmart; Standard Lens: 2.4mm; H.264 Real time; Support Monitor; Suport Android & Iphone Mobile View; Night vision distance: 5-8M; 5V, 1A;Maximum support 64G TF card;Support ONVIF, can work with NVR	€
	<b>VR 2MP IP Panoramic Fisheye PTZ camera</b> H.264 Compression,Dual Stream(0.1M-8Mbps); LED:4pcs <b>LED 30M</b> (With IR CUT), <b>Fisheye 1.44mm 185° Lens</b> ; WIFI: 3DB Antenna,, Motion Dectction, Alert Action, CMS For PC; Audio: Built-in 45DB Microphone; Built-in 8 Assault 2-Watt Speakers; Built in Antenna; Without RJ45 Port; White Light LED	<b>28€</b>
	<b>IPW-THS-901 WiFi Smart PT Camera Indoor</b> Support 1080P/3MP/5MP Video Record/View; Built-in 4pcs Array IR Led; IR Distance More than 5~10 Meters; Simple installation; 360 degree panoramic picture; Two Way Audio(Built-in Mic, Louder speaker);H.265/H.264 HD High Profile image decoding;Pan Rotation:355°,TiltRotation:75°;	<b>40€</b>
	<b>2MP Camera TV 288ZD Wireless WiFi with AUTO TRACKING</b> Image sensor: GC1034 Video: Image sensor: 2MP/1080P Image coding standard: Smart H.264+, <b>Monitor image quality: 1280*720/640 * 360</b> private cloud WIFI Networking, AP hotspot added Extension: IR-CUT, TF Card: maximum support for 128GB TF CardWIFI: support. <b>Lens: 3.6mm.</b>	<b>36€</b>
	<b>IPW-THS-941 WIFI Smart Solar Bullet Camera</b> 1.5W Solar Bullet Camera; Solar Panel(5.5V/270mA); 3MP 3.6mm Fixed Lens,View Angle:120°; Support TF Card (8-128G); Two Way Audio(Built-in Mic & Speaker);IR Distance More than 10 Meters; With 2pcs 18650 3200mA Batteries; WiFi Signal:Outdoor 50 Meters,Indoor 30 Meters;Outdoor IP66 Weatherproof Standard; Power Supply:DC 5V 1A or AC 14V-24V;	<b>129€</b>
	<b>1080PDual CarCamera</b> Color: Black; Material: ABS; Display: 2 Inch IPS Screen; Camera: 1080P Front Camera + 480P Inside Camera + 480P Rear Camera; View Angle: 140° Front + 90° Inside + 90° Rear; Loop; Date Stamp: Support; Memory Card: Max. 128G(Not Included); Battery: Built-in 150mAh Lithium Battery; Current Frequency: 50/60Hz; Power: 5V, 1.5-2A;Photo Format: JPEG; File Format: MOV	<b>50€</b>




## VIDEO BALUN & SWITCH POE



МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DH-PFM906</b> <b>Integrated Mount Tester</b> Supports IPC, HDCVI, AHD, HDTV, CVBS and SDI monitor video display; HDMI input and output; 12 VDC 2A and USB 5V 2A output; 7-in 1080p HD full-angle retina capacitive IPS touchscreen; TDR network cable test and cable tracker function; Optical power meter function	
	<b>VB-B503 Balun 4K- 8MP</b> 8MP , AHD , TVI , CVI , Analog 2MP 3MP 4MP 5MP 1080P HD-CVI TVI AHD Compatible with DaHua HD-CVI signal.HD-TVSignal,AHD Signal Pushin Terminal Block for UTP Cable. HD-CVI720P: <b>Max.:450M/ HDCVI1080P:</b>	<b>4.5€</b>
	<b>DAHUA PFS3005-5ET-L</b> <b>5-Port Desktop Fast Ethernet Switch</b> Compact design: Miniature size and light weight make it easy to deploy · Plug and play: No configuration required; Green technology: Adopts high quality environmentally friendly plastics; 7x24H: Stable performance	<b>10€</b>
	<b>DAHUA PFS3006-4GT-60</b> <b>6-Port Unmanaged Desktop Switch with 4-Port PoE</b> Intelligent PoE; Hi-PoE 60W (orange port); Long distance PoE; PoE watchdog; All-giga ports; Wide working temperature	<b>78€</b>
	<b>PSE904-10/100 +2 port WAN</b> <b>4 port , 4 port 10/100+2port WAN 10/100</b> , switc with <b>4 port PoE</b> , RJ45 x8 , 10/100Mbps Auto-Negotiation and AUTO MDIX Fast Ethernet RJ45Port , Bulit in 8 PoE Ports , Data transmission up to 100m , Total power :120 Watts	<b>45€</b>
	<b>PSE908-10/100/1000 +2 port WAN</b> <b>8 port , 8 port 10/100+2port WAN 10/100</b> , switc with <b>8 port PoE</b> , RJ45 x8 , 10/100Mbps Auto-Negotiation and AUTO MDIX Fast Ethernet RJ45Port , Bulit in 8 PoE Ports , Data transmission up to 100m , Total power :120 Watts	<b>60€</b>
	<b>DAHUA PFS3009-8ET1GT-96</b> <b>9-Port Unmanaged Desktop Switch with 8-Port PoE</b> Layer 2 commercial switch; MAC auto study and aging, MAC table size is 2K MDI/MDIX self-adaption; Adopts metal enclosure; Port 1 supports Hi-PoE 60W power supply; Wall-mount installation; Long distance PoE	<b>75€</b>
	<b>DAHUA PFS3010-8ET-96</b> <b>10-Port Unmanaged Desktop Switch with 8 Port PoE</b> Intelligent PoE; BT 90W; 8-pin assignment PoE power supply; Long distance PoE; PoE watchdog; Wide working temperature	<b>90€</b>
	<b>DAHUA PFS3211-8GT</b> <b>11-Port Unmanaged Desktop Switch</b> 11-Port Gigabit Switch (Unmanaged); MAC auto study and aging, MAC address list capacity is 4K; High protection grade, supports common mode 4KV, differential mode 2KV; Supports dual power backup	<b>85€</b>
	<b>DAHUA PFS3218-16ET-135</b> Intelligent PoE; PD Alive(PoE Watchdog); Long Distance PoE Transmission; Smooth Transmission; Wide Working Temperature: -10 to 55°C (14°F to 131°F)	<b>165€</b>
	<b>DAHUA PFS3226-24ET-240</b> Intelligent PoE; PD Alive(PoE Watchdog); Long Distance PoE Transmission; Smooth Transmission; Wide Working Temperature: -10 to 55°C (14°F to 131°F);	<b>220€</b>

	<p><b>DAHUA PFS4226-24ET-360</b> <b>24-port 100 Mbps + 2-port Gigabit Managed PoE Switch</b> Intelligent PoE; Red port supports 90W IEEE802.3bt; Web management with friendly interface and easy operation; 250 m long distance PoE transmission; PoE watchdog; Plug and play;</p>	<p><b>370€</b></p>
	<p><b>DAHUA S4228-24GT-360</b> <b>28-Port Managed Desktop Gigabit Switch with 24-Port PoE</b> Layer 2 network management PoE switch; Supports web, and network management software based on SNMP; Supports PoE power consumption management; Supports IEEE802.3af, IEEE802.3at; Supports PoE watchdog; Supports 250 m long-distance transmission mode.</p>	<p><b>510€</b></p>
	<p><b>10/100/1000Mbps Fiber optic single mode simplex media converter</b> Standard-Definition Digital Video Optic Transmission System;Fiber: Over 1 fiber; Fiber type: SMF &amp; MMF; PAR</p>	<p><b>32€</b></p>
	<p><b>3x1 HDMI Switch 4K</b> 3x1 HDMI Switcher; 3 input 1 output; Splitter HDMI Port for HDTV 1080P Video; Supports highest video resolution 1080p/60Hz; Supports single high definition display for multiple sources; Supports HDMI 1.4b;</p>	<p><b>21€</b></p>
	<p><b>2x1 HDMI Switch 4</b> 1x2 HDMI Switcher Cable Black 16cm ; 1 input 2 output; Splitter HDMI Port for HDTV 1080P Video; Supports highest video resolution 1080p/60Hz; Maintain high resolution video, sharp HDTV resolution up to 1080p, 2K, 1440p graphics and computer resolutions up to 4Kx2K are easily equipment</p>	<p><b>40€</b></p>



## POWER SUPPLY, ADAPTERS



МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DC12V2A Power Adapter DAHUA PFM300</b> Easy installation and wall mount, structural water-proof; Support -30 °C ~+70 °C wide-range temperature operation, and the full load efficiency of the power; supply can be up to 100% at these temperatures; With junction function for camera wiring or can place video balun with HDCVI/AHD/TVI/CVBS cameras;	<b>NOVO</b> <b>12€</b>
	<b>DAHUA PFM344D-4CH - Switching Power Supply</b> The output voltage can be adjusted to 3 levels, making it easily adapt to various types of devices; Designed with protection against overcurrent, overvoltage, and short circuits; Surge protection: common mode: ±4 kV, differential mode: ±2 Kv; V-0 fireproof;	<b>18€</b>
	<b>DAHUA PFM344D-8CH - Switching Power Supply</b> The output voltage can be adjusted to 3 levels, making it easily adapt to various types of devices; Designed with protection against overcurrent, overvoltage, and short circuits; Surge protection: common mode: ±4 kV, differential mode: ±2 Kv; V-0 fireproof;	<b>NOVO</b> <b>22€</b>
	<b>POWER SUPPLY 5A / 12V DC for CCTV Camera BIG</b> Input voltage 165 – 250 V; DC power 60W; Miniature size, high power density; Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection	<b>12€</b>
	<b>POWER SUPPLY 10A / 12V DC for CCTV Camera BIG</b> Input voltage 165 – 250 V; DC power 120W; Miniature size, high power density; Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;	<b>13€</b>
	<b>POWER SUPPLY 15A / 12V DC for CCTV Camera BIG</b> Input voltage 165 – 250 V; DC power 180W; Miniature size, high power density; Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;	<b>15€</b>
	<b>POWER SUPPLY 20A / 12V DC for CCTV Camera BIG</b> Input voltage 165 – 250 V; DC power 240W; High Miniature size, high power density; Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;	<b>19€</b>
	<b>POWER SUPPLY 30A / 12V DC for CCTV Camera BIG</b> Input voltage 165 – 250 V; DC power 360W; Miniature size, high power density; Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;	<b>30€</b>
	<b>5C5A</b> 220V AC input, 3A - 5 channel, 12VDC output, input voltage 165 – 250 V	<b>25€</b>
	<b>9C10A</b> 220V AC input, 5A - 9 channel, 12VDC output, input voltage 165 – 250 V	<b>35€</b>
	<b>18CH20A</b> 220V AC input, 20A - 18 channel, 12VDC output, input voltage 165 – 250V	<b>50€</b>
	<b>DC12V4A 5-ch - CCTV Distributed Power Box DAHUA PFM340-5CH</b> 5 Channel security camera power supply distribution box with individual LED output indicator and metal case by lock key to prevent unauthorized access. Wide voltage input: AC90~264Vac, meet the requirements in different parts for electric	<b>55€</b>

	<b>DC12V5A 9-ch - CCTV Distributed Power Box DAHUA PFM341-9CH</b> 9 Channel security camera power supply distribution box with individual LED output indicator and metal case by lock key to prevent unauthorized access; · Wide voltage input: AC90~264Vac, meet the requirements in different parts for electric	<b>70€</b>
	<b>DAHUA PFM343-19CH - CCTV Distributed Power Supply Box</b> 19 Channel security camera power supply distribution box with individual LED output indicator and metal case by lock key to prevent unauthorized access; · Wide voltage input: AC90~264Vac, meet the requirements in different parts for electric	<b>130€</b>













## Routers





МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA AX15M AX1500 Wireless Router</b> 6th Gen Wireless Technology; 1.5 Gbps Wireless speed (300 Mbps@2.4 GHz, 1201Mbps@5 GHz); Backward compatible (IEEE 802.11 b/g/n/ac/ax standard); Beamforming for better Coverage; OFDMA and 1024-QAM; Bi-directional MU-MIMO; WiFi protected Access(WPA/WPA2/WPA3); Guest Wi-Fi	<b>NOVO</b> €
	<b>DAHUA AX30 AX3000 Wireless Router</b> 6th Gen Wireless Technology; 3 Gbps Wireless speed (574 Mbps@2.4 GHz, 2402 Mbps@5 GHz); Backward compatible (IEEE 802.11 b/g/n/ac/ax standard); 160 MHz channel width; Beamforming for better Coverage; OFDMA and 1024-QAM; Bi-directional MU-MIMO; WiFi protected Access(WPA/WPA2/WPA3);	<b>NOVO</b> <b>85€</b>
	<b>DAHUA MAX18 Mesh Wireless Route</b> Offers wireless access and high bandwidth; 1 gigabit WAN port and 2 gigabit LAN ports; Easily switches between LAN and WAN; Supports accessing 1000 Mbps optical fiber broadband; Supports being managed through the WiLynk app	<b>NOVO</b> <b>90€</b>

## UPS







МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA PFM350-360 600VA/360W Line-interactive</b> Wide input voltage range: AC81~145V or AC140~290V, meet the requirements in different parts for electric network fluctuation; Boost and buck AVR for voltage stabilization; Off-mode charging, cold start function and full protection; Continuous power supply for preventing data loss; Compact size;	€
	<b>DAHUA PFM350-900 1500VA/900W Line-interactive</b> Wide input voltage range: AC81~145V or AC140~290V, meet the requirements in different parts for electric network fluctuation; Boost and buck AVR for voltage stabilization; Off-mode charging, cold start function and full protection; Continuous power supply for preventing data loss; Compact size;	<b>160€</b>

## ACCESSORIES


МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>J-BOX01SA</b> UNIVERSAL Junction Plastic Box 22 x 28 x 8 Camera housing with bracket, Material: Aluminum, Operating Temperature: -40°C ~60°C	<b>7.5€</b>
	<b>Plastic Flush</b> UNIVERSAL Junction Box for DOME CAMERA, Camera housing with bracket, PLASTIC	<b>2€</b>
	<b>J-BOX01DS</b> UNIVERSAL Water-proof Junction Box for BULLET CAMERA OUTDORE, Camera housing with bracket, Material: Aluminum, Operating Temperature: -40°C ~60°C	<b>7.5€</b>
	<b>J-BOX01SA</b> UNIVERSAL Junction Box for DOME CAMERA, Camera housing with bracket, Material: Aluminum, Operating Temperature: -40°C ~60°C	<b>7.5€</b>
	<b>J-BOX04PL – Bracket Plastic</b>	<b>2€</b>
	<b>J-BOX05PL – Bracket Plastic</b>	<b>3€</b>
	<b>J-BOX06PL – Bracket Plastic</b>	<b>4€</b>
	<b>J-BOX07PL – Bracket Plastic</b>	<b>4€</b>
	<b>J-BOX08PL – Dome Bracket Plastic</b>	<b>5€</b>
	<b>PFB204W</b>	<b>15€</b>
	<b>PFA122</b> <b>Water-proof Junction Box</b>	<b>16€</b>
	<b>DAHUA PFA130-E Water-proof Junction Box</b>	<b>13€</b>
	<b>PFA13A</b> Water-proof Junction Box, Material: Aluminum & SECC , Junction Box ,Neat & Integrated design, Product Dimension: φ96.8mm x 33.5mm	<b>8€</b>
	<b>PFA134-B</b> Water-proof Junction Box, Material: Aluminum & SECC , Junction Box ,Neat & Integrated design, Product Dimension: φ90mm x 35mm	<b>9€</b>
	<b>PFA134</b> Water-proof Junction Box, Material: Aluminum & SECC , Junction Box ,Neat & Integrated design, Product Dimension: φ90mm x 35mm	<b>9€</b>

	<b>PFA135</b> Water-proof Junction Box, Camera housing with bracket, Material: Aluminum & SECC , Junction Box ,Neat & Integrated design,	<b>10€</b>
	<b>PFA136</b> Water-proof Junction Box, Material: Aluminum, Product Dimension: $\phi 110\text{mm} \times$ 33.5mm Pipe Thread: Operating Temperature: $-40^{\circ}\text{C} \sim 60^{\circ}\text{C}$	<b>8€</b>
	<b>PFA137</b> <b>Junction Box</b> Material: aluminum	<b>NOVA</b> <b>7.5€</b>
	<b>PFA151</b> Corner Mount Bracket; Material: SECC; Aesthetic design; Material SECC Dimension(WxHxD) 243mmx170mmx138mm (9.57"x6.69"x5.43")	<b>17€</b>

## Access Control – Standalone





МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA ASA3213GL-MW Face Recognition Time &amp; Attendance</b> 4.3-inch LCD touch screen; resolution 480 × 272; With 2MP wide-angle dual lens, white LED illuminator, IR light; Support face, card and password attendance; Support 500 users, 500 face images, 500 cards, 150,000 records and work without network; Face-camera distance: 0.3 m–1.5 m; Face verification accuracy 99.5%; face comparison speed 0.3 s per person;	<b>195€</b>
	<b>DAHUA ASI2212H-DW Access Standalone</b> PC + ABS, suitable for indoor and outdoor use; 2.4" LCD screen with a resolution of 240 × 320; IP65 rated (silicone sealant is needed, see Quick Start Guide; Option to switch between reader and controller mode for added convenience; Card/remote/password/ fingerprint unlock and unlock through their combinations; Brand-new design with a slim, elegant structure;	<b>180€</b>
	<b>DAHUA ASI2212H-W - Mifare Access Standalone</b> PC + ABS, suitable for indoor and outdoor use; 2.4" LCD screen with a resolution of 240 × 320; IP65 rated (silicone sealant is needed, see Quick Start Guide; Option to switch between reader and controller mode for added convenience; Card/remote/password/ fingerprint unlock and unlock through their combinations; Brand-new design with a slim, elegant structure;	<b>180€</b>
	<b>DAHUA ASI1201E-D Water-proof RFID Standalone</b> Support 30,000 valid cards & 60,000 records; Support multiple cards (default IC card) Support card, password and combination; TCP/IP to PC; Wiegand or RS-485 interface to reader; Door time out alarm, intrusion alarm, duress alarm and tamper alarm; Anti-passback, multi-card open; Water-proof design	<b>60€</b>
	<b>DAHUA ASI1201E – Mifare Water-proof RFID Standalone</b> Support 30,000 valid cards & 60,000 records; Support multiple cards (default IC card) ; Support card, password and combination; TCP/IP to PC; Wiegand or RS-485 interface to reader; Door time out alarm, intrusion alarm, duress alarm and tamper alarm; Anti-passback, multi-card open; Water-proof design	<b>65€</b>
	<b>DAHUA ASI1201A-D Standalone Reader</b> Touch keyboard and LCD display; Support 30,000 valid cards & 150,000 records; Support multiple cards; Support card, password and combination ; TCP/IP to PC; Wiegand or RS-485 interface to reader; Door time out alarm, intrusion alarm, duress alarm and tamper alarm; Anti-passback, multi-card open	<b>88€</b>

## Access Control – Slave




МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA ASA1222G-D Time &amp; Attendance Terminal</b> Supports Mifare card/ID card reading distance 1 cm-3 cm, card swiping response time; Fingerprint verification response time ≤0.5 s, fingerprint recognition time ≤1.5 s; Operating temperature: 0°C to +55°C , operating humidity: ≤93%; Supports three attendance modes: fixed, manual/auto and forced; Support shift setting by department and person;	<b>130€</b>



## Access Control – Slave

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA ASR1101A-D RFID Reader</b> Support RS485, Wiegand34 protocol(Wiegand 26 optional); 13.56MHz(Mifare) · 125KHz(EM-ID); Red and Green LEDs; Sensitive touch keypad with blue backlight; Watch dog function ensure device free from halting; Beep Buzzer and LED indicator;Surface mounted installation	<b>30€</b>
	<b>ASR1102A-D(V2) Fingerprint RFID Reader</b> RS-485 protocol; Default IC (Mifare) card ("-D" means ID EM card); Support card, fingerprint; Up to 3000 fingerprints capacity; Blue backlight; Watch dog function ensure device free from halting; Beep and indicator; Surface mounted installation;	<b>47€</b>
	<b>DAHUA ASR1200E-D Water-proof RFID Reader</b> Wiegand34(26 optional) bits RS-485 protocol; 13.56MHz(Mifare); 125KHz(EM-ID); Water-proof design; Red, blue and green indicator LEDs; Surface mounted installation	<b>20€</b>
	<b>DAHUA ASR1201D-D Slim Water-proof RFID Reader</b> Support RS485, Wiegand34 protocol(Wiegand 26 optional); 13.56MHz(Mifare) 125KHz(EM-ID); Red and Blue LEDs; Watch dog function ensure device free from halting; Water-proof(Outdoor use); Surface/Flush mounted installation	<b>28€</b>


## Kontroleri

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DEE1010B Access Control Extension Module</b> Decent appearance; Easy connection; Access control function extension	<b>NOVO</b> <b>44€</b>
	<b>DAHUA ASC2104B-T Four Door Slave Access Control Module</b> Support 20,000 valid cards & 30,000 records; Support multiple cards; Support card, password, fingerprint and combination; Only work with ASC2204-H with CAN bus;Wiegand or RS-485 interface to readers; Door time out alarm, intrusion alarm, duress alarm and tamper alarm;	<b>100€</b>
	<b>Four Door Master Access Controller DAHUA ASC2204C-H</b>	<b>290€</b>

## IP villa outdoor station IP monitor

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DAHUA VTO2111D-P-S2</b> <b>IP Villa Door Station</b> High definition camera; WDR; Operating temperature -30°C–60°C; IP65; Supports auto IR illumination and D/N; Card/app remote/indoor monitor unlock; Supports two-way voice call; 10,000 cards; Tamper Alarm; Control two locks	<b>110€</b>
	<b>DAHUA VTO1301R-W</b> <b>Wi-Fi Villa Door Station</b> Ultra slim design; PC and ABS material make it ideal for indoor and outdoor use. Offers two-way video call with indoor monitors; Video call through app; IR illumination and auto WDR; Wi-Fi connection; IP65 rated; H.264 and H.265.	<b>€</b>
	<b>DAHUA VTO2211G-WP</b> <b>IP Villa Wi-Fi Door Station</b> Tamper alarm; Standard PoE; Control two locks; Supports wireless network; Card unlock, app unlock, and indoor monitor unlock; Two-way audio and voice call through app; Card capacity: 10,000; Thin lightweight design;	<b>155€</b>
	<b>DAHUA VTO3221E-P</b> <b>Villa Outdoor Station</b> Keyboard villa door station; Supplemental lighting with white light; 2MP CMOS camera; Mechanical button with Braille; Aluminium alloy plate, IP55, IK08; Door release via password and Mifare card	<b>270€</b>
	<b>VTO6221E-P</b> <b>Apartment Outdoor Station</b> Small size apartment door station · Supplemental lighting with white light; 2MP CMOS camera; Mechanical button with Braille; Aluminium alloy plate, IK08, IP65 Liquid sodium silicate is recommended. For details, see the quick start guide.); Door release via password and Mifare card;	<b>€</b>
	<b>DAHUA VTO6521H</b> <b>Apartment Door Station</b> 4.3 inch IPS display; screen resolution 800×480; 2MP CMOS; true WDR; Touch button; IP65; Operating temperature: -30°C to +60°C; Auto light illumination reduces light pollution; Multiple unlock modes: Password unlock, IC card unlock, and remote unlock; Support 20,000 users and 10,000 cards	<b>260€</b>
	<b>DAHUA VTO6521F</b> <b>Apartment Door Station</b> 4.3 inch IPS display; screen resolution 800×480; 2MP CMOS; true WDR; Aluminum anode surface; metal button; IP65, IK07; Operating temperature: -30°C to +60°C; Auto light illumination reduces light pollution; Multiple unlock modes: Password unlock, IC card unlock, and remote unlock; Support 20,000 users and 10,000 cards; Support full duplex; management platform, and voice call through APP; Support SIP server;	<b>285€</b>



	<p><b>DAHUA VTO3311Q-WP</b> <b>Wi-Fi Villa Door Station</b> Full metal casing design. Customizable Number of Buttons. Wi-Fi connection. 1/2.8" 2-MP HD CMOS camera.IR illumination and auto WDR. Supports two locks. Voice call and unlocking ;through app. IK08 and IP65 rated. H.264 and H.265. Unlock with IC card.PoE power supply. Included rain cover.</p>	<p><b>200€</b></p>
	<p><b>VTO3211D-P2 IP 2-button</b> <b>Villa Outdoor Station</b> 2MP HD CMOS camera; Aluminum panel, IP65,IK08; ICR Night vision &amp;Voice indication; Video &amp; Audio messaging; Remote intercom with mobile APP Surface mounted;</p>	<p><b>160€</b></p>
	<p><b>VTH2421FB-P</b> <b>IP Indoor Monitor</b> 7" TFT Capacitive touch screen, 1024 x 600; IPC surveillance; Alarm integration; High performance; Embedded 8GB SD card; Support standard PoE</p>	<p><b>135€</b></p>
	<p><b>VTH2421FW-P</b> <b>IP Indoor Monitor</b> 7" TFT Capacitive touch screen, 1024x600; IPC surveillance; Alarm integration ; High performance &amp; Cost-effective;</p>	<p><b>110€</b></p>
	<p><b>DAHUA VTH1550CH</b> <b>IP Indoor Monitor</b> 7" TFT Capacitive touch screen; IPC surveillance; Alarm integration Micro SD card optional, max 32GB; Record &amp; Snapshot(SD card needed)</p>	<p><b>100€</b></p>
	<p><b>DAHUA VTH2611L-WP</b> <b>Dahua Wi-Fi Indoor Monitor</b> 4.3" TFT capacitive touchscreen; Unlock the door; Set DND period; IPC surveillance; 4-channel alarm input and 1-channel alarm output; Supports standard PoE; Ethernet and Wi-Fi.</p>	<p><b>88€</b></p>
	<p><b>DHI-VTH2621GW-P</b> <b>IP Indoor Monitor</b> 7" TFT capacitive touch screen, 1024 x 600; 6-channel alarm input and 1-channel alarm output; Standard PoE; Outdoor station and IPC monitor; H.265 and H.264 video coding; High performance &amp; cost-effective</p>	<p><b>98€</b></p>
	<p><b>DAHUA VTH2621GW-WP</b> <b>IP Indoor Monitor</b> 7" TFT capacitive touch screen, 1024 x 600 · 6-channel alarm input and 1-channel alarm output; <b>Wi-Fi</b>; Standard PoE · Door station and IPC monitor ; H.265 and H.264 video decoding; High performance &amp; cost-effective</p>	<p><b>110€</b></p>
	<p><b>DAHUA VTH2621GW-WP</b> <b>IP &amp; Wi-Fi Indoor Monitor</b> 7" TFT capacitive touch screen, 1024 x 600; 6-channel alarm input and 1-channel alarm output; Wi-Fi; Standard PoE; Door station and IPC monitor; H.265 and H.264 video decoding; High performance &amp; cost-effective</p>	<p><b>110€</b></p>
	<p><b>VTH5421EW-H Wi-Fi</b> <b>Digital Indoor Monitor with Handset</b> 7 inch LCD, 1024 (H)×600(V); 6 alarm input ports; 1 alarm output port; 1 12V DC power output port provides power for peripheral alarm devices and sensors; 16kbps audio stream; You can answer calls hands free;</p>	<p><b>150€</b></p>

	<p><b>DAHUA VTH5321GW-W</b> <b>Android 7-inch digital indoor monitor</b> Android 8.1; More User-Friendly UI; Ethernet and Wi-Fi; 7" TFT Capacitive touch Screen,1024x600; Quick configuration for villa system;</p>	<b>160€</b>
--	---	-------------




## 2-wire Hybrid







МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<p><b>DAHUA KTX01 Video Intercom KIT</b> 2-wire Hybrid Villa Door Station; Aluminum alloy front panel; Auto IR illumination; Video messages can be left for unanswered calls. (SD card is required for VTH); Features nameplate and DWDR; Supports local lock and second lock; Offers anti-tampering alarm; IP65 and IK07 rated;</p>	<b>320€</b>

## Analogue Kit 7"



МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<p><b>DAHUA KTA02</b> <b>Video Intercom Kit</b> 7" TFT screen; Video intercom function: Unlock, voice call, video call, volume adjustment; System Capacity: 2 door stations + 3 indoor monitors; Multiple bell sound; Supports digital wide dynamic range (DWDR)</p>	<b>119€</b>
	<p><b>DHI-KTA04</b> <b>Video Intercom Kit</b> Video intercom function: Unlock, voice call, video call, volume adjustment and doorway monitoring · Multiple bell sounds · Support digital wide dynamic range (DWDR); Display 4.3" TFT</p>	<b>99€</b>

## WIRED VIDEO DOORPHONES FOR APARTMENTS


МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<p><b>DHI-VTO1210C-X</b> IP&amp;Analog Apartment Outdoor Station; 1.3MP CMOS camera, H:75° 3" STN LCD screen, phonebook; Stainless steel panel, IP54,IK07 Night vision &amp; Approaching induction; Video &amp; Audio messaging Surface &amp; Flush mounted</p>	<b>310€</b>
	<p><b>VTOB103</b> <b>Outdoor Station Back Cover</b></p>	
	<p><b>DAHUA VTOB110</b> Surface Mounted Box for VTO1210C-X; Material: Metal; Size: 147mm*410.4mm*70mm</p>	<b>64€</b>

	<b>DHI-VTH1200DS</b> 4.3" Analog Indoor Monitor; 4.3" TFT LCD screen Color video & audio intercom; Alarm intergration Sufrace & Flush mounted	<b>45€</b>
	<b>DHI-VTH2020A</b> 7" Analog Indoor Monitor; 7" TFT LCD screen Color video & audio intercom; Alarm intergration Surface mounted	<b>65€</b>
	<b>DHI-VTNA1040B</b> 4ch Analog Distributor;4ch distributor 30 cascading;Used in Analog apartment systemDC24V, Max 20W	<b>35€</b>
	<b>VTNS1060A</b> Network power supply for IP System; Decent appearance Protocol network power supply switch; Connect max 6 indoor monitors with the Cat 5e cable,	<b>35€</b>
	<b>ADS-65LSI-19-1</b> DC 24V 2.5A Power Supply Input: 100-240V ~50/60Hz Required for the VTNA 1040B Switch	<b>33€</b>
	<b>DH-PFM321D-EN</b> DC12V 1A Power Adapter _ Dahua brand, European standardInput 100~240V, 50/60Hz, 0.5A Output 12V (+7%, -3%) ---1A (2%)	<b>19€</b>

## DAHUA CABLE





МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>PFM920I-5EUN – 305m UTP CAT5E Cable</b> 305m UTP CAT5E, Max.160m long distance PoE supply, 99.99% OFC (oxygen free copper) Excelent material, Environmentally friendly PVC	<b>27ден</b>
	<b>PFM920I-6UN-C – 305m UTP CAT6E Cable</b> 305 m (1000 ft)/carton UTP CAT6, power over Ethernet, compatible with one cable; High-purity oxygen-free copper conductor	<b>40ден</b>

## CABLE

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>RG6 Coaxial</b> Braiding 80*0.12 +Bonded AL-foil+PVC 100m. White Color 100m/roll,	<b>20ден</b>



	<b>RG6 Coaxial so saja</b> Braiding 80*0.12 +Bonded AL-foil+PVC 100m. White Color 100m/roll,	<b>22ден</b>
	<b>RG59 Coaxial CCS</b> Braiding 112 +Bonded AL-foil+PVC 100/200m Black COLOR	<b>25ден</b>
	<b>RG59 Coaxial 100% COOPER</b> Braiding 112 +Bonded AL-foil+PVC 100/200m Black COLOR	<b>35ден</b>
	<b>RG59+2x0.75 COMBO</b> Braiding 112 +Bonded AL-foil+PVC + 2x0.75mm power. Black and White COLOR Jacket. 100M/Roll ; 200M/Roll ; 200M/Drum ; 300M/Drum	<b>40ден</b>
	<b>RG59+2x0.75 COMBO so saja</b> Braiding 112 +Bonded AL-foil+PVC + 2x0.75mm power. Black and White COLOR Jacket. 100M/Roll ; 200M/Roll ; 200M/Drum ; 300M/Drum	<b>ден</b>
	<b>RG59+2x0.50 COMBO COPPER</b> Braiding 112 +Bonded AL-foil+PVC + 2x0.50mm power COPPER. White Color, 200m.100M/Roll ; 200M/Roll ; 200M/Drum ; 300M/Drum	<b>55ден</b>
	<b>Power Cable PPL 2x0,75 CCA (for power supply)</b> 100m Black Color	<b>20ден</b>
	<b>FTP Cat5E - 24AWG</b> Network Cable , with aluminium foil , and transparent PET film, Conductor 0.51mm - 305m BoxGrey Color	<b>20ден</b>
	<b>FTP Cat5E - 24AWG so SAJLA</b> Network Cable , with aluminium foil , and transparent PET film, Conductor 0.51mm - 305m Box SO SAJLA <b>Grey Color</b>	<b>30ден</b>
	<b>FTP Cat5E - 24AWG so SAJLA COPPER</b> Network Cable , with aluminium foil , and transparent PET film, Conductor 0.51mm - 305m Box SO SAJLA <b>Grey Color</b>	<b>40ден</b>
	<b>FTP Cat5E 24AWG - 100% FULL COOPER</b> CU Network Cable CU (100% Copper), with aluminium foil , and transparent PET film , Conductor 0.51mm , Pass Fluke test on 100M - 305m Box Grey Color	<b>35ден</b>
	<b>FTP Cat6E 23AWG</b> Network Cable , with aluminium foil , and transparent PET film, Conductor 0.57mm - 305m Box <b>Grey Color</b>	<b>30ден</b>
	<b>FTP Cat6E 23AWG - 100% FULL COOPER</b> Network Cable CU (100% Copper) , with aluminium foil , and transparent PET film , Conductor 0.57mm - 305m Box <b>Grey Color</b> 18.6	<b>40ден</b>

	<b>ALARM CABLE</b> 6 x 0.22, shield 100m , EXTRA	<b>25ден</b>
	<b>ALARM CABLE COOPER</b> 6 x 0.22, shield 100m , COOPER EXTRA	<b>30ден</b>
	<b>SIGNAL CABLE</b> 2x0,75mm <sup>2</sup> +4x0,22mm <sup>2</sup> , 4,8±0,3mm, <b>white color</b> for Dorephone	<b>35ден</b>
	<b>Estetski Kanali (Bela Boja na kanali)</b> <b>12x12</b> <b>16x16</b> <b>25x16</b> <b>25x25</b> <b>40x25</b> <b>40x40</b> <b>60x40</b>	<b>METAR</b> <b>28 ден</b> <b>34 ден</b> <b>42 ден</b> <b>55 ден</b> <b>85 ден</b> <b>120 ден</b> <b>180 ден</b>

Цените се малопродажни препорачани од Dahua Technology и истите важат за крајни корисници. Цените се со пресметан ДДВ 5% и 18% .

Гаранција на производите е 12 – 24 месеци.

МАКСИПРИНТ го задржува правото на промена на цените без претходна најава.