





Максипринт Компјутери ЛТД ДОО  
Бул. Туристичка бр.4, Охрид  
Охридска банка Жиро сметка:  
530000100483931  
Контакт: 046-262 500 / 070-249 724 / 070-212 929  
e-mail: prodazba@maksiprint.com.mk
















## DAHUA Cable

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<b>PFM920I-5EUN – 305m UTP CAT5E Cable</b> 305m UTP CAT5E, Max.160m long distance PoE supply, 99.99% OFC (oxygen free copper) Excelent material, Environmentally friendly PVC	<b>27ден</b>
	<b>PFM920I-6UN-C – 305m UTP CAT6E Cable</b> 305 m (1000 ft)/carton UTP CAT6, power over Ethernet, compatible with one cable; High-purity oxygen-free copper conductor	<b>40ден</b>

## CABLE

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<b>Optical cable</b>	<b>15ден</b>
	<b>RG6 Coaxial</b> Braiding 80*0.12 +Bonded AL-foil+PVC 100m. White Color 100m/roll, 6 rolls/carton	<b>20ден</b>
	<b>RG6 Coaxial so sajla</b> Braiding 80*0.12 +Bonded AL-foil+PVC 100m. White Color 100m/roll, 6 rolls/carton	<b>22ден</b>
	<b>RG59 Coaxial</b> Braiding 112 +Bonded AL-foil+PVC 100/200m Black COLOR	<b>25ден</b>
	<b>RG59 Coaxial 100% COOPER</b> Braiding 112 +Bonded AL-foil+PVC 100/200m Black COLOR	<b>35ден</b>
	<b>RG59+2x0.75 COMBO</b> Braiding 112 +Bonded AL-foil+PVC + 2x0.75mm power. Black and White COLOR 100M/Roll ; 200M/Roll ; 200M/Drum ; 300M/Drum	<b>40ден</b>
	<b>RG59+2x0.50 COMBO COPPER</b> Braiding 112 +Bonded AL-foil+PVC + 2x0.50mm power COPPER. White Color, 100M/Roll ; 200M/Roll ; 200M/Drum ; 300M/Drum	<b>55ден</b>
	<b>Power Cable PPL 2x0,75 CCA (for power supply)</b> 100m Black Color	<b>20ден</b>
	<b>FTP Cat5E - 24AWG</b> Network Cable , with aluminium foil , and transparent PET film, Conductor 0.51mm - 305m BoxGrey Color	<b>20ден</b>

	<b>FTP Cat5E - 24AWG so SAJLA</b> Network Cable , with aluminium foil , and transparent PET film, Conductor 0.51mm - 305m Box SO SAJLA <b>Grey Color</b>	<b>30ден</b>
	<b>FTP Cat5E - 24AWG so SAJLA COPPER</b> Network Cable , with aluminium foil , and transparent PET film, Conductor 0.51mm - 305m Box SO SAJLA <b>Grey Color</b>	<b>40ден</b>
	<b>FTP Cat5E 24AWG - 100% FULL COOPER</b> CU Network Cable CU (100% Copper), with aluminium foil , and transparent PET film , Conductor 0.51mm , Pass Fluke test on 100M - 305m Box Grey Color	<b>35ден</b>
	<b>FTP Cat6E 23AWG</b> Network Cable , with aluminium foil , and transparent PET film, Conductor 0.57mm - 305m Box <b>Grey Color</b>	<b>30ден</b>
	<b>FTP Cat6E 23AWG - 100% FULL COOPER</b> Network Cable CU (100% Copper) , with aluminium foil , and transparent PET film , Conductor 0.57mm - 305m Box <b>Grey Color</b> 18.6	<b>40ден</b>
	<b>ALARM CABLE</b> 6 x 0.22, shield 100m , EXTRA	<b>25ден</b>
	<b>ALARM CABLE COOPER</b> 6 x 0.22, shield 100m , COOPER EXTRA	<b>30ден</b>
	<b>PP Kabel</b> 1*2*0.8 J-Y(st)Y	
	<b>PP Kabel</b> 2*2*0.8 J-H(st)H CRVEN Halogen Free	
	<b>PP kabel</b> 2x0,80mm COOPER , <b>RED color</b>	<b>35ден</b>
	<b>PP kabel- Bavno gorecki –LSZH</b> 2x2x0,80mm COOPER , LSZH, <b>RED color</b> , nezapaliva izolacija po CEI 20-22 II i IEC 323-3C standardi	<b>40ден</b>
	<b>SIGNAL CABLE</b> 2x0,75mm <sup>2</sup> +4x0,22mm <sup>2</sup> , 4,8±0,3mm, <b>white color</b> for Dorephone	<b>35ден</b>
	<b>Estetski Kanali (Bela Boja na kanali)</b> 12x12 16x16 25x16 25x25 40x25 40x40 60x40	<b>METAR</b> <b>28 ден</b> <b>34 ден</b> <b>42 ден</b> <b>55 ден</b> <b>85 ден</b> <b>120 ден</b> <b>180 ден</b>

## ADAPTERS















МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<b>12V DC, 1A</b>	<b>€</b>
	<b>12V DC, 1.5A BEST QUALITY EU</b>	<b>4€</b>
	<b>12V DC, 2A BEST QUALITY EU</b>	<b>4.8€</b>
	<b>DAHUA PFM320 12 VDC 2A Power Adapter</b>	<b>5.5€</b>
	<b>12V DC, 5A</b> Power supply 12V DC regulated 6A desktop type	<b>9.7€</b>
	<b>Cable Power Splitter, 1-4</b>	<b>2.4€</b>
	<b>Cable Power Splitter, 1-8</b>	<b>3.2€</b>
	<b>Adapter 24V 3A</b>	<b>14€</b>
	<b>48V DC, 5A, 60W</b> for POE Switc Power supply 48V DC regulated 5A desktop type	<b>25€</b>
	<b>48V DC, 10A, 120W</b> for POE Switc Power supply 48V DC regulated 5A desktop type	<b>27€</b>
	<b>Adapter 53V 1,8A</b> for POE Switc Power supply 53V DC regulated 1.8A desktop type	<b>27€</b>
	<b>Power Cable 220V, 1.8m, Extra quality Cooper</b>	<b>2€</b>



<b>POWER SUPPLY</b>		
<b>МОДЕЛ</b>	<b>КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ</b>	<b>ЦЕНА СО ДДВ</b>
	<b>DC12V2A Power Adapter DAHUA PFM300</b> Easy installation and wall mount, structural water-proof; Support -30 °C ~+70 °C wide-range temperature operation, and the full load efficiency of the power; supply can be up to 100% at these temperatures; With junction function for camera wiring or can place video balun with HDCVI/AHD/TVI/CVBS cameras;	<b>8.8€</b>
	<b>POWER SUPPLY 5A / 12V DC for CCTV Camera BIG</b> Input voltage 165 – 250 V; DC power 60W; Miniature size, high power density; ;Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection	<b>14€</b>
	<b>POWER SUPPLY 10A / 12V DC for CCTV Camera BIG</b> Input voltage 165 – 250 V; DC power 120W; Miniature size, high power density;Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;	<b>16€</b>
	<b>POWER SUPPLY 15A / 12V DC for CCTV Camera BIG</b> Input voltage 165 – 250 V; DC power 180W;Miniature size, high power density; Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;	<b>18€</b>
	<b>POWER SUPPLY 20A / 12V DC for CCTV Camera BIG</b> Input voltage 165 – 250 V; DC power 240W; High Miniature size, high power density;Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;	<b>22€</b>
	<b>POWER SUPPLY 30A / 12V DC for CCTV Camera BIG</b> Input voltage 165 – 250 V; DC power 360W; Miniature size, high power density; Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;	<b>35€</b>
	<b>DC12V4A 5-ch - CCTV Distributed Power Box DAHUA PFM340-5CH</b> 5 Channel security camera power supply distribution box with individual LED output indicator and metal case by lock key to prevent unauthorized access. Wide voltage input: AC90~264Vac, meet the requirements in different parts for electric	<b>60€</b>
	<b>DC12V5A 9-ch - CCTV Distributed Power Box DAHUA PFM341-9CH</b> 9 Channel security camera power supply distribution box with individual LED output indicator and metal case by lock key to prevent unauthorized access; · Wide voltage input: AC90~264Vac, meet the requirements in different parts for electric	<b>75€</b>
	<b>DAHUA PFM343-19CH - CCTV Distributed Power Supply Box</b> 19 Channel security camera power supply distribution box with individual LED output indicator and metal case by lock key to prevent unauthorized access; · Wide voltage input: AC90~264Vac, meet the requirements in different parts for electric	<b>135€</b>
	<b>4C5A</b> 220V AC input, 3A - 4 channel, 12VDC output, input voltage 165 – 250 V	<b>32€</b>
	<b>9C10A</b> 220V AC input, 5A - 9 channel, 12VDC output, input voltage 165 – 250 V	<b>54€</b>
	<b>18CH20A</b> 220V AC input, 20A - 18 channel, 12VDC output, input voltage 165 – 250V	<b>64€</b>

## BNC CONECTORS

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<b>BNC06-1</b>	<b>30ден</b>
	<b>BNC06</b>	<b>30ден</b>
	<b>3 PART CRIMP</b>	<b>30ден</b>
	<b>RG58</b>	<b>16ден</b>
	<b>BNC RG59 TX-CJ5</b>	<b>45ден</b>
	<b>ACA-BNC-1A-2</b>	<b>35ден</b>
	<b>Compression BNC</b>	<b>40ден</b>
	<b>BNC Male to RCA Female Adaptor</b>	<b>50ден</b>
	<b>BNC Male to BNC Male Adaptor</b>	<b>50ден</b>
	<b>RCA Male to RCA Male Adaptor</b>	<b>50ден</b>
	<b>BNC Female to BNC Female</b>	<b>50ден</b>
	<b>BNC Female to RCA Male</b>	<b>50ден</b>
	<b>POWER CONECTOR (male) so kabel 6.5 cm</b>	<b>30ден</b>
	<b>POWER CONECTOR (male) so strafce</b>	<b>30ден</b>

	<b>Conector Rj45 CAT5 , Blue , Yellow ,White</b>	<b>10ден</b>
	<b>Conector Rj45 CAT6</b>	<b>10ден</b>
	<b>Conector Rj45 CAT5 Shild</b>	<b>20ден</b>
	<b>Conector Rj45 CAT6 Shild</b>	<b>20ден</b>
	<b>Conector Rj45 CAT6A Shild</b>	<b>120ден</b>
	<b>Conector Rj45 Cat6 EZ</b>	<b>20ден</b>
	<b>Conector Rj45 CAT6A Jack Keystone Compress</b>	<b>160ден</b>
	<b>Conector Rj45 CAT7 Shild</b>	<b>120ден</b>
	<b>CAT5 , RJ45 Network Cable Extender</b>	<b>150ден</b>
	<b>Cable HDMI 1.5m</b>	<b>250ден</b>
	<b>Cable HDMI 3m</b>	<b>300ден</b>
	<b>Cable HDMI 5m</b>	<b>450ден</b>
	<b>Cable HDMI 10m</b>	<b>750ден</b>
	<b>Cable HDMI 15m</b>	<b>1000ден</b>

	<b>Cable HDMI 20m</b>	<b>1600ден</b>
	<b>Microphone M501C so konektor</b>	<b>300ден</b>
	<b>Microphone M501G</b>	<b>350ден</b>
	<b>RJ45 and RJ11 Network Cable tester</b>	<b>400ден</b>
	<b>Wire Tracker – Trace telephone wire/LAN cable</b>	<b>1200ден</b>
	<b>Stripping Tool</b>	<b>500ден</b>
	<b>Stripping Tool</b>	<b>400ден</b>
	<b>Network FTP tool - 01</b>	<b>800ден</b>
	<b>Network FTP tool - 02</b>	<b>1300ден</b>
	<b>Network FTP tool – 03</b>	<b>1600ден</b>
	<b>Network FTP tool - 04</b>	<b>1500ден</b>
	<b>Network FTP tool - 05</b>	<b>1800ден</b>
	<b>UV-T01 RG59 Crimper</b>	<b>1650ден</b>











## Brackets and Racks







МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	Bracket for monitor DAHUA DH TV 19"-32"	9.5€
	Bracket for monitor DAHUA DH TV 42"-55"	7.7€
	Bracket for monitor M-B01/14-42"	4.7€
	Bracket for monitor M-B02/26-55"	6€
	Rack Cabinet Racksis 30cm x 55cm x 6U, So vklucena polica	57€
	Rack Cabinet Racksis 60cm x 55cm x 9U, So vklucena polica	65€
	Rack Cabinet Racksis 53cm x 40cm x 60cm 12U, So vklucena polica	90€

## ACCESSORIES

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>DH-PFM906 Integrated Mount Tester</b> Supports IPC, HDCVI, AHD, HDTV, CVBS and SDI monitor video display; HDMI input and output; 12 VDC 2A and USB 5V 2A output; 7-in 1080p HD full-angle retina capacitive IPS touchscreen;	
	<b>VB-B503 Balun 4K- 8MP</b> 8MP , AHD , TVI , CVI , Analog 2MP 3MP 4MP 5MP 1080P HD-CVI TVI AHD Compatible with DaHua HD-CVI signal.HD-TVISignal,AHD Signal Pushin Terminal Block for UTP Cable. HD-CVI720P: <b>Max.:450M/ HDCVI1080P:</b>	5.3€
	<b>3x1 HDMI Switch 4K</b> 3x1 HDMI Switcher; 3 input 1 output; Splitter HDMI Port for HDTV 1080P Video; Supports highest video resolution 1080p/60Hz; Supports single high definition display for multiple sources; Supports HDMI 1.4b; Maintain high resolution video, sharp HDTV resolution up to 1080p, 2K,	25€
	<b>2x1 HDMI Switch 4</b> 1x2 HDMI Switcher Cable Black 16cm ; 1 input 2 output; Splitter HDMI Port for HDTV 1080P Video; Supports highest video resolution 1080p/60Hz; Maintain high resolution video, sharp HDTV resolution up to 1080p, 2K, 1440p graphics and computer resolutions up to 4Kx2K are easily equipment	47€
	<b>PSE904 -10/100 +2port WAN</b> 4 port , 4 port 10/100+2port WAN 10/100 , switc with 4 port PoE , RJ45 x8 , 10/100Mbps Auto-Negotiation and AUTO MDIX Fast Ethernet RJ45Port , Bulit in 8 PoE Ports , Data transmission up to 100m , Total power :120 Watts	45€

	<b>PSE908-10/100/1000 +2port WAN</b> 8 port , 8 port 10/100+2port WAN 10/100 , switc with 8 port PoE , RJ45 x8 , 10/100Mbps Auto-Negotiation and AUTO MDIX Fast Ethernet RJ45Port , Bulit in 8 PoE Ports , Data transmission up to 100m , Total power :120 Watts	<b>60€</b>
	<b>10/100/1000Mbps Fiber optic single mode simplex media converter</b> Standard-Definition Digital Video Optic Transmission System;Fiber: Over 1 fiber; Fiber type: SMF & MMF;	<b>38€</b>
	<b>Patch Cable Cat5 0.5m</b>	<b>2€</b>
	<b>Patch Cable Cat5 1m</b>	<b>2€</b>
	<b>Patch Cable Cat6 0.5m</b>	<b>2€</b>
	<b>Patch Cable Cat6 1m</b>	<b>2€</b>
	<b>OPTICAL CABLE SM SC - SC DX 5M</b>	<b>6€</b>
	<b>OPTICAL CABLE SM SC - SC DX 10M</b>	<b>12€</b>

## ACCESSORIES

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	<b>J-BOX01SA</b> UNIVERSAL Junction Plasic Box 22 x 28 x 8 Camera housing with bracket, Material: Aluminum, Operating Temperature: -40°C ~60°C	<b>7.5€</b>
	<b>Plastic Flush</b> UNIVERSAL Junction Box for DOME CAMERA, Camera housing with bracket, PLASTIC	<b>2€</b>
	<b>J-BOX01DS</b> UNIVERSAL Water-proof Junction Box for BULLET CAMERA OUTDORE, Camera housing with bracket, Material: Aluminum, Operating Temperature: -40°C ~60°C	<b>7.5€</b>
	<b>J-BOX01SA</b> UNIVERSAL Junction Box for DOME CAMERA, Camera housing with bracket, Material: Aluminum, Operating Temperature: -40°C ~60°C	<b>7.5€</b>
	<b>J-BOX04PL – Bracket Plastic</b>	<b>2€</b>
	<b>J-BOX05PL – Bracket Plastic</b>	<b>3€</b>

	<b>J-BOX06PL – Bracket Plastic</b>	<b>4€</b>
	<b>J-BOX07PL – Bracket Plastic</b>	<b>4€</b>
	<b>J-BOX08PL – Dome Bracket Plastic</b>	<b>5€</b>
	<b>PFB204W</b>	<b>15€</b>
	<b>PFA122 Water-proof Junction Box</b>	<b>16€</b>
	<b>DAHUA PFA130-E Water-proof Junction Box</b>	<b>€</b>
	<b>PFA13A</b> Water-proof Junction Box, Material: Aluminum & SECC , Junction Box ,Neat & Integrated design, Product Dimension: $\phi 96.8\text{mm} \times 33.5\text{mm}$	<b>8€</b>
	<b>PFA134-B</b> Water-proof Junction Box, Material: Aluminum & SECC , Junction Box ,Neat & Integrated design, Product Dimension: $\phi 90\text{mm} \times 35\text{mm}$	<b>8.5€</b>
	<b>PFA134</b> Water-proof Junction Box, Material: Aluminum & SECC , Junction Box ,Neat & Integrated design, Product Dimension: $\phi 90\text{mm} \times 35\text{mm}$	<b>10€</b>
	<b>PFA135</b> Water-proof Junction Box, Camera housing with bracket, Material: Aluminum & SECC , Junction Box ,Neat & Integrated design,	<b>10€</b>
	<b>PFA136</b> Water-proof Junction Box, Material: Aluminum, Product Dimension: $\phi 110\text{mm} \times 33.5\text{mm}$ Pipe Thread: Operating Temperature: $-40^{\circ}\text{C} \sim 60^{\circ}\text{C}$	<b>8€</b>
	<b>PFA137 Junction Box</b> Material: aluminum	<b>7.5€</b>
	<b>PFA151</b> Corner Mount Bracket; Material: SECC; Aesthetic design; Material SECC Dimension(WxHxD) $243\text{mm} \times 170\text{mm} \times 138\text{mm}$ (9.57" x 6.69" x 5.43")	<b>17€</b>

**Цените се END USER и истите важат за крајни корисници.**

**Цените се претставени со пресметан ДДВ 18% .**

**Гаранција на производите е од 1-12 месеци.**

**МАКСИПРИНТ го задржува правото на про`мена на цените без претходна најава.**