



ЛИЦЕНЦИРАНА  
КОМПАНИЈА ЗА  
ТЕХНИЧКО  
ОБЕЗБЕДУВАЊЕ

МАКСИПРИНТ

CERTIFIED

**dahua**  
TECHNOLOGY







DISTRIBUTOR

**dahua**  
TECHNOLOGY

Максипринт Компјутери ЛТД ДОО  
Бул. Туристичка бр.4, Охрид  
Охридска банка Жиро сметка: 530000100483931  
Контакт: 046-262 500 / 070-249 724 / 070-212 929  
e-mail: prodazba@maksiprint.com.mk










## Analogue Kit 7"



МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<p><b>VDO11 (COLOR)</b> Multi-Video Door Phone for Villa Can support 2, 3, 4, 5 indoor monitors 2 indoor monitor connection, Unit weight:0.76kg; Box size: 14*5*28.5cm; 3 indoor monitor connection, Unit weight:0.77kg; Box size: 14*5*28.5cm; 4 indoor monitor connection, Unit weight:0.77kg; Box size: 14*5*28.5cm;</p>	<p><b>52€</b> <b>61€</b> <b>71€</b></p>
	<p><b>M-VDO1-2ID - Support ID card Function</b> 2 indoor monitor connection +ID Villa Door Phone Outdoor Station with <b>Support ID card Function</b> 700TVL CMOS Camera, <b>3.6mm Lens</b>; 5 IR LEDs, night <b>IR distance: 2m</b>;</p>	<b>105€</b>
	<p><b>M-- Support ID card Function</b> 4 indoor monitor connection +ID Villa Door Phone Outdoor Station with <b>Support ID card Function</b> 700TVL CMOS Camera, <b>3.6mm Lens</b>; 5 IR LEDs, night <b>IR distance: 2m</b>;</p>	<b>132€</b>
	<p><b>M-VDI32</b> <b>7" Color TFT LCD Indoor Touch Key Monitor</b> Note: Extra Indoor monitors for Models: VD906C, VD972C, VD973C1, VDO1 series and VDO2 series;</p>	<b>89€</b>
	<p><b>M-VDI33T</b> <b>7" Color TFT LCD Indoor Monitor with Touch Key with Adapter</b>, Material: Plastic Note: Extra Indoor monitors for Models: PST-VDO1 series, PST-VDO2 series</p>	<b>105€</b>
	<p><b>MDC313A</b> Multi-Door Controller It is needed when you order two outdoor stations for one indoor monitor;</p>	<b>31€</b>










## WIRED VIDEO DOORPHONES FOR BUILDINGS



МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<p><b>M-ADO500</b> 2 Wire Audio Door Phone Outdoor Station</p> <ul style="list-style-type: none"> <li>- Support Unlocking</li> <li>- Support Intercom</li> <li>- Material: Metal</li> <li>- Shell size: 273*130*50mm - <b>ID card function</b></li> </ul>	<b>121€</b>
	<p><b>M-ADI02</b> 2 wire Audio Indoor phone</p> <ul style="list-style-type: none"> <li>- Support Unlocking - Support Intercom</li> <li>- Material: Plastic- Shell size: 203*89*63mm</li> </ul>	<b>15€</b>
	<p><b>M-ADI03</b> 2 wire Handsfree Audio Indoor phone</p> <ul style="list-style-type: none"> <li>- Support Unlocking - Shell size: 110*86*23mm</li> <li>- Must work with decoder PST-ADD04 together</li> </ul>	<b>14€</b>
	<p><b>M-ADD04</b> 4CH Audio Indoor phone Decoder - Support 4pcs indoor phone - Material: Plastic - Shell size: 86*86*30mm</p>	<b>19€</b>
	<p><b>M-ADP12</b> Power Supply - DC12V - Material: Metal - Shell size: 200*180*70mm One system only need buy one power supply for the outdoorstation + allindoor phones;</p>	<b>43€</b>
	<p><b>2VD58L</b></p> <ul style="list-style-type: none"> <li>- Digital Non-Video DoorPhone Outdoor Station</li> <li>- It is suitable for 1-9 floors buildings;</li> <li>- In total it supports 1-64PCS VD504N-M indoor phone;</li> </ul>	<b>160€</b>
	<p><b>VD401 (Power Supply)</b></p> <ul style="list-style-type: none"> <li>- Output Voltage: DC12V - Output Max. Currunt: 1500mA</li> <li>- Working voltage: Option - Environmental temperature: -30°C-55°C</li> <li>- Dimension: 205*165*75mm</li> </ul>	<b>24€</b>

## FARFISA








МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<p><b>FARFISA KIT 4V</b> <b>Позив со 4 дугмиња</b> Kit For Multy-Way audio systems</p> <ul style="list-style-type: none"> <li>-RP series push-button panel; -PT524SW intercom</li> <li>-Power supply PRS220; Input: 127 or 220-230VAC</li> </ul>	<b>95€</b>
	<p><b>FARFISA KIT 2V</b> <b>Позив со 2 дугмиња</b> Kit For Multy-Way audio systems</p> <ul style="list-style-type: none"> <li>-RP series push-button panel; -PT524SW intercom</li> <li>-Power supply PRS220; Input: 127 or 220-230VAC</li> </ul>	<b>85€</b>

## WIRED VIDEO DOORPHONES FOR BUILDINGS

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<p><b>VD5E</b> <b>Color Video Outdoor Phone</b></p> <ul style="list-style-type: none"> <li>- ID card function- Can connect in total 999 users; - <b>Need 1 power supply</b></li> <li>- Aluminium alloy- Color CCD IR night view- LED display</li> <li>- Unlock with password or ID/IC card. - Embedded in wall or door.</li> <li>- Video intercom with indoor phone,management center</li> </ul>	<b>272€</b>
	<p><b>IDM04</b> <b>4" Color Handfree Indoor Phone</b></p> <ul style="list-style-type: none"> <li>- Plastic plate, mini-appearance - 4-inch TFT.</li> <li>- Environment temprature: -10~+70°C - 16-chord ring, 30seconds for ringing.</li> <li>- Wall-mount installation - <b>Per 16 pcs. need 1 power supply</b></li> </ul>	<b>63€</b>
	<p><b>IDM07T</b> <b>7" Touch-Button Color Handfree Indoor Phone</b></p> <ul style="list-style-type: none"> <li>- Acrylic Panel- 7-inch TFT- Touch-button</li> <li>- 16-chord ring, 30seconds for ringing</li> <li>- Function: video intercom, long-distance unlocking and surveillance</li> <li>- <b>Per 16 pcs. need 1 power supply</b></li> </ul>	<b>111€</b>
	<p><b>ID5EN</b></p> <ul style="list-style-type: none"> <li>- Indoor Phone</li> <li>- Per 16 pcs. need 1 power supply</li> </ul>	<b>14€</b>
	<p><b>VDPS3</b> Power Supply</p> <ul style="list-style-type: none"> <li>- Output: DC35V/1.4A - Input: AC180~270V 50~60HZ</li> <li>- Environmental temperature: -25°C+70°C. - Environmental humidity: 10%~95%.</li> </ul>	<b>53€</b>
	<p><b>VDDA4 -Decodering Amplifier</b></p> <ul style="list-style-type: none"> <li>- Max capacity:4 indoor phones Random coding based on room numbers.</li> <li>- Working voltage:30--35V - Static state current:≤15mA</li> <li>- Signal decoded and video amplification are unified.</li> </ul>	<b>31€</b>
	<p><b>VDDA8- Decodering Amplifier</b></p> <ul style="list-style-type: none"> <li>- Max capacity:8 indoor phones Random coding based on room numbers.</li> <li>-Working voltage:30--35V - Static state current:≤15mA</li> <li>- Signal decoded and video amplification are unified.</li> </ul>	<b>43€</b>
	<p><b>VD603B (B&amp;W)</b></p> <ul style="list-style-type: none"> <li>- Digital ID card B/W video Outdoor Station: - Waterproof and aluminum alloy</li> <li>- Room NO. display - Intercommunication is available</li> <li>- Monitor the outside for property and safety</li> <li>- Password can release the door - External dimension: 358*123mm</li> </ul>	<b>81€</b>
	<p><b>VD603C (COLOR)</b></p> <ul style="list-style-type: none"> <li>- Digital ID card B/W video Outdoor Station: - Waterproof and aluminum alloy</li> <li>- Room NO. display - Intercommunication is available</li> <li>- Monitor the outside for property and safety</li> <li>- Password can release the door - External dimension: 358*123mm</li> </ul>	<b>105€</b>

	<p><b>VD201 (Decoding Amplifier)</b></p> <ul style="list-style-type: none"> <li>- Signal decoding and video amplification are unified</li> <li>- Max capacity: 4 indoor phones - Supply voltage: DC12V/18V</li> <li>- Static current: 30Ma - External dimension: 86*170*40mm</li> </ul>	<b>14€</b>
	<p><b>VD402 (Power Supply)</b></p> <ul style="list-style-type: none"> <li>- Output Voltage: DC18V - Output Max. Currunt: 3500mA</li> <li>- Working voltage: Option - Environmental temperature: -30°C-55°C</li> <li>- Dimension: 250*167*87mm</li> </ul>	<b>24€</b>

## Accessories - ID Card and Tag 125KHz

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<p><b>IDC01</b> ID Card 125KHz Clamshell Thick</p>	<b>1.1€</b>
	<p><b>IDC03</b> ID Card 125KHz Clamshell Thick MANGO</p>	<b>1.1€</b>
	<p><b>IDC04</b> ID Card 125KHz Printable Thin</p>	<b>1.1€</b>
	<p><b>IDC07</b> ID Card 125KHz Blue Empty</p>	<b>2.4€</b>
	<p><b>IDC02</b> ID TAG 125KHz EM Proximity TAG . Color Optional: <b>Blue , Black , Grey</b></p>	<b>1.4€</b>
	<p><b>IDC10</b> ID Tag 125KHz Blue Empty</p>	<b>3.2€</b>
	<p><b>IDC09</b> ID 125KHZ EM Silikon Wristband <b>waterproof</b></p>	<b>4€</b>

## IC-Mifare Cards and Tags (13.56MHz)












МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<b>ICC05</b> IC Card Mifare 13.56MHz	<b>1.4€</b>
	<b>IC-C50 Dahua</b> IC card MIFARE Card (13.56MHz) High data transmission speed: 106 k bit/sData integrity protection: 16 bit CRC, odd-	<b>1.6€</b>
	<b>MF11CS50 Dahua</b> IC card MIFARE Card (13.56MHz)	<b>3.2€</b>
	<b>ICC08</b> IC Card Mifare 13.56MHz Empty	<b>3.5€</b>
	<b>ICC06</b> IC Tag Mifare 13.56MHz	<b>1.4€</b>
	<b>ICC09</b> IC Mifare 1K Silikon Wristband waterproff	<b>4€</b>
	<b>ICC09/1</b> IC Mifare silicon Wristband waterproof	<b>4€</b>

## IC-Mifare Cards and Tags (13.56MHz)









МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<b>Energy sawing ID Switch 125KHz with Flush</b> Read Format: ID Switc 125KHz , Voltage: AC180V~240V ; Max load: 6600w ; Power delay time: 15s ; Working Environment: -10°C ~ +70°C ; Working Humidity: ≤95%	<b>31€</b>
	<b>Energy sawing IC Mifare Switch 13.56MHz</b> Read Format: 13.56MHz (Mifare card); Voltage: AC180V~240V ; Max load: 6600w ; Power delay time: 15s ; Working Environment: -10°C ~ +70°C ; Working Humidity: ≤95%	<b>37€</b>
	<b>Push Button NT86</b> No touch Door Release Exit Sensor	<b>14€</b>
	<b>Touch Button T50</b>	<b>14€</b>

	<b>Touch Button T86</b>	<b>14€</b>
	<b>DEB02</b> Wired Door Exit Push Button HOT & NEW!	<b>8€</b>
	<b>Taster Z30 - Metalen</b> Door exit push trigger switch for access control; Switching output: NO / COM contacts; Standard Structure: aluminum panels, metal button	<b>10€</b>
	<b>EP-BM30 Door Retractor</b>	<b>56€</b>
	<b>CL132N Long type Electric Strike safety door lock</b> Current:400mA; Voltage:12/24VDC; Certification:CE/MA; Lock; Status: NO/NC/COM/+/-; Lock Size: Magnet( LxWx H):110x25x31mm; Suitable For:Wooden Door,Glass Door,Metal Door,Glass Door; Induction Distance:8mm	<b>30€</b>
	<b>ACM-Y180M EM lock (180kgs/300lbs) (so drzaci)</b> Lock size: 170x40x21mm Holding force: 180KG; Working voltage: 12V DC Working current: 400mA	<b>35€</b>
	<b>Single Door EM Lock (180kg/300lbs)</b>	<b>35€</b>
	<b>EM Lock , LED Indicator, Timer Function (280kg/600lbs)</b>	<b>41€</b>
	<b>M-203 EM Lock , BOLT LOCK</b> Zinc alloy body case,Full metal mechanical structure Bolt:SUS304 solid stainless steel bolt , Voltage: DC12V-DC24V , Induction distance:8mm , Force holding:1000 Kg , 2 lines time delay:0,3,6,9 sec	<b>27€</b>
	<b>L Bracket for 180 and 280kgs EM Lock</b>	<b>19€</b>
	<b>Z Bracket for 180 and 280kgs EM Lock</b>	<b>19€</b>



## Accessories - COMMAX DOORPHONES

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<b>INTERFON WI-4C-set</b> bežičen interfonski kit so dva 4-kanalni bežičani interfoni so komunikacija sekoj so sekogo preku ista faza na naponskata 220V mreža	<b>85€</b>
	<b>DR-201AG</b> domofonski poziv so 2 odvoeni pozivi, mikrofoni i zvučnik, full duplex, aluminumska maska, raboti so domofoni DP-2S	<b>40€</b>
	<b>DR-2KM</b> pozivna edinica so full-duplex govor i 2 pozivi	<b>82€</b>
	<b>DR-4KM</b> pozivna edinica so full-duplex govor i 4 pozivi	<b>95€</b>
	<b>DR-2UM</b> pozivna edinica so 4 pozivi, full-duplex, aluminumska maska	<b>82€</b>
	<b>DR-4UM</b> pozivna edinica so 4 pozivi, full-duplex, aluminumska maska	<b>95€</b>
	<b>DR-6KM</b> pozivna edinica so full-duplex govor i 6 pozivi	<b>92€</b>
	<b>DR-8KM</b> pozivna edinica so full-duplex govor i 8 pozivi	<b>97€</b>
	<b>DR-12KL</b> <i>prosiruvanje so 12 poziv</i>	<b>64€</b>
	<b>DP-2S</b> domofon so slušalka i kopče za otvaranje vrata, full-duplex komunikacija, 230VAC	<b>40€</b>
	<b>DP-SS</b> domofon so slusalka i kopce za otvaranje vrata,full-duplex komunikacija, raboti so pozivi DR- AM, KM i UM serija	<b>20€</b>












	<b>DP-KSS</b> Domofon so slusalka so full-duplex komunikacija, kopce za otvaranje vrata DR-nAM i DR-nKM	<b>35€</b>
	<b>DP-2HPR COMMAX Audio</b> Audio / Video: Audio , Listening in protection: Yes , Control of electromagnetic lock: Yes , Function buttons: Two Button , Dimensions: : 107 × 195 × 38 mm , Number of wires: 2 . Napajanje: 230 V (AC)	<b>64€</b>
	<b>WL-02NLFC</b> Audio / Video: Audio , Listening in protection: Yes , Control of electromagnetic lock: Yes , Function buttons: Two Button , Dimensions: 201 x 80 x 67 mm , Number of wires: 2 .	<b>40€</b>
	<b>RF-1A</b> napojvanje 220AC/12DC-1A	<b>45€</b>
	<b>Adapter switcing stabilizirano napojvanje</b> 220VAC/12VDC-1A	<b>6€</b>
	<b>Adapter switcing stabilizirano napojvanje</b> 220VAC/12VDC-2A	<b>8€</b>
	<b>Adapter switcing stabilizirano napojvanje</b> 220VAC/12VDC-5A	<b>14€</b>
	<b>TR220/16.5V - 20VA</b> transformator 220VAC/16.5V-20VA za napojvanje na elektricna brava, so zastiten osiguruvac, zalien vo plastika	<b>15€</b>

## DAHUA CABLE

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<b>PFM920I-5EUN – 305m UTP CAT5E Cable</b> 305m UTP CAT5E, Max.160m long distance PoE supply, 99.99% OFC (oxygen free copper) Excelent material, Environmentally friendly PVC	<b>27ден</b>
	<b>PFM920I-6UN-C – 305m UTP CAT6 Cable</b> 305 m (1000 ft)/carton UTP CAT6, power over Ethernet, compatible with one cable; High-purity oxygen-free copper conductor	<b>40ден</b>

## CABLE

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА СО ДДВ
	<b>Power Cable PPL 2x0,75 CCA (for power supply)</b> 100m Black Color	<b>20ден</b>
	<b>FTP Cat5E - 24AWG</b> Network Cable , with aluminium foil , and transparent PET film, Conductor 0.51mm - 305m Box Grey Color	<b>20ден</b>
	<b>FTP Cat5E - 24AWG so SAJLA</b> Network Cable , with aluminium foil , and transparent PET film, Conductor 0.51mm - 305m Box SO SAJLA Grey Color	<b>30ден</b>
	<b>FTP Cat5E - 24AWG so SAJLA COPPER</b> Network Cable , with aluminium foil , and transparent PET film, Conductor 0.51mm - 305m Box SO SAJLA Grey Color	<b>40ден</b>
	<b>FTP Cat5E 24AWG - 100% FULL COOPER</b> CU Network Cable CU (100% Copper), with aluminium foil , and transparent PET film , Conductor 0.51mm , Pass Fluke test on 100M - 305m Box Grey Color	<b>35ден</b>
	<b>FTP Cat6E 23AWG</b> Network Cable , with aluminium foil , and transparent PET film, Conductor 0.57mm - 305m Box Grey Color	<b>30ден</b>
	<b>FTP Cat6E 23AWG - 100% FULL COOPER</b> Network Cable CU (100% Copper) , with aluminium foil , and transparent PET film , Conductor 0.57mm - 305m Box Grey Color 18.6	<b>40ден</b>
	<b>SIGNAL CABLE</b> 2x0,75mm <sup>2</sup> +4x0,22mm <sup>2</sup> , 4,8±0,3mm, white color for Dorephone	<b>35ден</b>
	<b>Estetski Kanali (Bela Boja na kanali)</b> 12x12 16x16 25x16 25x25 40x25 40x40 60x40	<b>МЕТАР</b> <b>28 ден</b> <b>34 ден</b> <b>42 ден</b> <b>55 ден</b> <b>85 ден</b> <b>120 ден</b> <b>180 ден</b>