



Максипринт Компјутери ЛТД ДОО
Бул. Туристичка бр.4, Охрид
Охридска банка Жиро сметка: 530000100483931
Контакт: 046-262 500 / 070-249 724 / 070-212 929
e-mail: prodazba@maksiprint.com.mk



Turnstile Tripods

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	Bridge Type Tripod Turnstile Power supply voltage: AC24V; Channel width: 550–600mm; Material: 304SUS; Thickness: cover 1.2 body 0.8; Size: L1200×W260×H980mm;	35.000ден
	Vertical Tripod Turnstile Power supply voltage: AC24V; Channel width: 550–600mm; Material: 304; Thickness: cover 1.2 body 0.8; Size (MM): L420×W330×H980mm;	35.000ден

Time Attendance Terminal

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	M-SC405 ID card capacity: 30,000; Transaction capacity: 80,000 / 100,000 (For 64M); Communication: TCP/IP, RS485*, USB-Host; Interfaces for access control: 3rd party electric lock, door sensor, exit button, alarm, doorbell; Auxiliary interface: 1ea for linkage function; Wiegand signal: Output & Input, SRB Standard functions: ID Card, Automatic Status Switch, Self-Service Query, DST, 9 Digit User ID, Scheduled Bell, Anti-passback; Optional functions: IC Card, Print Function;	13.000ден

Access Control –Standalone

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	ACM-210H Tuya-WiFi Access Control (IC) , IP68 Outdoor Touch Screen DoorBell; Access Control; Card type: IC; User Capacity:1000; Operating Voltage:DC 12V; Waterproof: IP68; Dimensions:L148 x W43.5 x H22 (mm)	4.350ден
	M-CH1 Tuya WiFi Waterproof Touch Keypad Access Control Power: DC12V; Unlock by: ID card, Password, APP; Support 1000 Users; Waterproof IP66; With dingdong call button;	4.500ден
	M-CF1 Tuya WiFi Waterproof Touch Keypad Access Control Power: DC12V; Unlock by: ID card, Password, APP; Support 1000 Users; Waterproof IP66; With dingdong call button; With fingerprint function	5.000ден
	M-CHD1 Tuya WiFi Waterproof Touch Keypad OLED Access Control Power: DC12V; Unlock by: ID card or IC card, Password, APP; Card type:125KHz or 125KHz+ 13. 56MHz; Support 1000 Users; Waterproof IP66; With dingdong call button; Support Lock and Exit button	5.200ден

	M-CFD3 Tuya Smart WiFi Waterproof OLED Display Access Control Full-view OLED, touch keypad; User management in App: Add/delete users by app; IP66 Waterproof grade; plastic material;	5.500ден
	X6 ZKTeco Fingerprint 500 users; Fingerprint capacity: 500; Other functions: a variety of verification methods, simple access control, wired doorbell; Service temperature: 0°C ~ 45°C; Use humidity: 20% ~ 80%; Power supply specification: DC 12V 3A; Size: 87 × 87 × 25 mm;	3.100ден
Standalone & Network Contactless Readers and Encoders		
МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	ACM-223K Keypad RFID Access Place of origin: Guangdong, China; Brand name: ACM; Wiegand: WG26 / 34 Input and output port; Product Name: Touch Screen PIN Keypad RFID Access Control	1.990ден
	ACM-223 Keypad RFID Access Control Communication port: TCP/IP, RS485, USB Host; Communication: WEIGAND; Fingerprint Capacity: 1000; Card Capacity: 4,000 Cards; Log Capacity: 10,000 Transactions; RFID Card: EM(standard)/MF(optional); Authentication: Finger/PIN/Card	1.990ден
	M-M26 Access Control Card Reader; Frequency: 125KHz / 13.56MHz; Dimensions: 25 × 22 mm; Output: Wiegand 26 / 34; Material: ABS Plastic + Metal;	2.900ден
	M-KR102E 125KHz Proximity Card Reader or PIN; Read Range: Up to 10CM(125KHz) Output format; PIN: 8 bit for PIN output format; External LED Control; External Buzzer Control; Indoor / Outdoor Operation; Reverse Polarity Protection	2.200ден
	M-K5AD Housing: ABS plastic; Power supply: DC 12V; User capacity: 800 users; Authentication methods: RFID card or PIN code; Card compatibility: Supports ID/IC/NFC;	3.100ден
	RT381E-ID Status Indicator; RFID Smart card swiping area; Door bell button; Photoresistor can trigger disassembly alarm; DIP Switch;	3.500ден
	RT381E-IC Status Indicator; RFID Smart card swiping area; Door bell button; Photoresistor can trigger disassembly alarm; DIP Switch;	3.500ден
	M-7612 METAL KEY PAD Nezavisen (so vgraden kontroler) citac na bezkontaktni karticki vo metalno kukiste so svetlecka tastatura za kontrola na pristap so PIN, karticka i PIN+karticka, vnatrewna upotreba, 2.000 korisnici, 1 vlez, 2 relejni izlezi, porta za povrzuvawe na slave citac	ден

	ACM-208C-EMW Outdoor Waterproof access control	3.200ден
	ACM208B-EMW -Outdoor, Outdoor Waterproof Access controller	3.200ден
Accessories		
МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	M-UHF5 Pro Access Control Card Reader; Operating frequency: 860–960MHz; Dimensions: 180 × 180 × 60 mm; Interface: USB, Bluetooth, RS485, Wiegand; Material: Acrylic panel;	440€
	M-DK001 UHF QR Code Access Control Card Reader; Frequency: 125KHz / 13.56MHz; Dimensions: 86 × 86 × 7 mm; Output: Wiegand 26/34, RS232, USB; Material: ABS material, tempered glass panel;	124€
	UHF CARD	3€
	UHF LABEL	3€

Controllers

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	ZKT M-C3-200 Two-door Two-way Controller , Card:30,000 , Event Buffer:100,000; Reader Port:2ea(26/34bits wiegand, 8bits burst for PIN) ,Communication: RS485	9.000ден
	ZKT M-C3-400 Four-door One-way Controller , Card:30,000 , Event Buffer:100,000; Reader Port:4ea(26/34bits wiegand, 8bits burst for PIN) , Communication: RS485	13.000ден
	Four Door Two Way Access Controller DAHUA ASC1204C-D	20.300ден
	Four Door Master Access Controller DAHUA ASC2204C-H	25.800ден

Dual Card ID 125KHz + IC 13.5MHz

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	IDCICC01 Dual Card ID + IC	150ден






ID Card, Tag and Bracelet 125KHz

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	IDC01 ID Card 125KHz Clamshell Thick	60ден
	IDC03 ID Card 125KHz Clamshell Thick MANGO	80ден
	IDC04 ID Card 125KHz Printable Thin	70ден
	IDC07 ID Card 125KHz Blue Empty	150ден
	IDC02 ID TAG 125KHz EM Proximity TAG . Color Optional: Blue , Black , Grey	80ден
	IDC10 ID Tag 125KHz Blue Empty	150ден

	IDC09 ID 125KHZ EM Silikon Wristband <i>waterproof</i>	ден
IC-Mifare Cards, Tags and Bracelets (13.56MHz)		
МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	ICC05 IC Card Mifare 13.56MHz	ден
	MF11CS50 Phillips IC card MIFARE Card (13.56MHz)	250ден
	ICC08 IC Card Mifare 13.56MHz Empty	220ден
	ICC06 IC Tag Mifare 13.56MHz	85ден
	ICC09 IC Mifare 1K Silicon Wristband waterproff	250ден
	ICC09/1 IC Mifare silicon Wristband waterproof	250ден
Energy Saver – Tasteri – Touch buttons – Bravi		
МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	Energy saving ID Switch 125KHz with Flush Read Format: ID Switc 125KHz , Voltage: AC180V~240V ; Max load: 6600w ; Power delay time: 15s ; Working Environment: -10°C ~ +70°C ; Working Humidity: ≤95%	1.920ден
	Energy saving IC Mifare Switch 13.56MHz Read Format: 13.56MHz (Mifare card); Voltage: AC180V~240V ; Max load: 6600w ; Power delay time: 15s ; Working Environment: -10°C ~ +70°C ; Working Humidity: ≤95%	2.295ден
	Push Button NT86 No touch Door Release Exit Sensor	900ден
	Touch Button T50	850ден

	Touch Button T86	850ден
	DEB02 Wired Door Exit Push Button HOT & NEW!	500ден
	Taster Z30 - Metalen Door exit push trigger switch for access control; Switching output: NO / COM contacts; Standard Structure: aluminum panels, metal button	600ден
	Door Loop	900ден
	EP-BM30 Door Retractor	3.450ден
	CL132N Long type Electric Strike safety door lock Current:400mA; Voltage:12/24VDC; Certification:CE/MA; Lock; Status:NO/NC/COM/+/-; Lock Size: Magnet(LxWx H):110x25x31mm; Suitable For:Wooden Door,Glass Door,Metal Door,Glass Door; Induction Distance:8mm	1.800ден
	ACM-Y180M EM lock180kg with bracket Lock size:170x40x21mm; Holding force: 180KG; Working voltage:12V DC; Working current:400mA	2.150ден
	Single Door EM Lock 180kg	2.150ден
	EM Lock , LED Indicator, Timer Function (280kg/600lbs)	2.540ден
	M-203 EM Lock , BOLT LOCK Zinc alloy body case,Full metal mechanical structure Bolt:SUS304 solid stainless steel bolt , Voltage: DC12V-DC24V , Induction distance:8mm , Force holding:1000 Kg , 2 lines time delay:0,3,6,9 sec	1.670ден
	L Bracket for 180 and 280kgs EM Lock	1.150ден
	Z Bracket for 180 and 280kgs EM Lock	1.150ден

Software

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	PC softver za evidencija na rabotno vreme za eden terminal M-SCR103, na eden PC * za sekoj nareden terminal i/ili PC vo mreza se doplaka po 30,00 €	18.000ден
	PC softver za evidencija na rabotno vreme za eden terminal RTA-600, HTA-852PEF, Bio Eagle na eden PC * za sekoj nareden terminal i/ili PC vo mreza se doplaka po 30,00 USD	18.000ден
	PC software za evidencija na rabotno vreme za eden terminal HTA-820 ili HTA-830 na eden PC * za sekoj nareden terminal i/ili PC vo mreza se doplaka po 30,00 USD	18.000ден
	PC software za evidencija na rabotno vreme za eden terminal RAC-340 ili RAC-940 na eden PC * za sekoj nareden terminal i/ili PC vo mreza se doplaka po 30,00 USD	18.000ден
	PC software za kontrola i evidencija na pristap za eden "stand alone" citac tip RAC-520, RAC-340, RAC-940,... na eden PC * za sekoj nareden citac i/ili PC vo mreza se doplaka po 10,00 USD	18.000ден

Цените се END USER и истите важат за крајни корисници.

Цените се претставени со пресметан ДДВ 18% .

Гаранција на производите е од 1-12 месеци.

МАКСИПРИНТ го задржува правото на промена на цените без претходна најава.