



Максипринт Компјутери ЛТД ДОО
Бул. Туристичка бр.4, Охрид
Охридска банка Жиро сметка:
530000100483931
Контакт: 046-262 500 / 070-249 724 / 070-212 929
e-mail: prodazba@maksiprint.com.mk






DAHUA Cable

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	PFM920I-5EUN – 305m UTP CAT5E Cable 305m UTP CAT5E, Max.160m long distance PoE supply, 99.99% OFC (oxygen free copper) Excelent material, Environmentally friendly PVC	37ден
	PFM920I-6UN-C – 305m UTP CAT6E Cable 305 m (1000 ft)/carton UTP CAT6, power over Ethernet, compatible with one cable; High-purity oxygen-free copper conductor	40ден

CABLE

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	Optical cable	15ден
	RG6 Coaxial Braiding 80*0.12 +Bonded AL-foil+PVC 100m. White Color 100m/roll, 6 rolls/carton	20ден
	RG6 Coaxial so sajla Braiding 80*0.12 +Bonded AL-foil+PVC 100m. White Color 100m/roll, 6 rolls/carton	22ден
	RG59 Coaxial Braiding 112 +Bonded AL-foil+PVC 100/200m Black COLOR	25ден
	RG59 Coaxial 100% COOPER Braiding 112 +Bonded AL-foil+PVC 100/200m Black COLOR	35ден
	RG59+2x0.75 COMBO Braiding 112 +Bonded AL-foil+PVC + 2x0.75mm power. Black and White COLOR 100M/Roll ; 200M/Roll ; 200M/Drum ; 300M/Drum	40ден
	RG59+2x0.50 COMBO COPPER Braiding 112 +Bonded AL-foil+PVC + 2x0.50mm power COPPER. White Color, 100M/Roll ; 200M/Roll ; 200M/Drum ; 300M/Drum	55ден
	Power Cable PPL 2x0,75 CCA (for power supply) 100m Black Color	20ден
	FTP Cat5E - 24AWG Network Cable , with aluminium foil , and transparent PET film, Conductor 0.51mm - 305m BoxGrey Color	20ден

	FTP Cat5E - 24AWG so SAJLA Network Cable , with aluminium foil , and transparent PET film, Conductor 0.51mm - 305m Box SO SAJLA Grey Color	30ден
	FTP Cat5E - 24AWG so SAJLA COPPER Network Cable , with aluminium foil , and transparent PET film, Conductor 0.51mm - 305m Box SO SAJLA Grey Color	40ден
	FTP Cat5E 24AWG - 100% FULL COOPER CU Network Cable CU (100% Copper), with aluminium foil , and transparent PET film , Conductor 0.51mm , Pass Fluke test on 100M - 305m Box Grey Color	35ден
	FTP Cat6E 23AWG Network Cable , with aluminium foil , and transparent PET film, Conductor 0.57mm - 305m Box Grey Color	30ден
	FTP Cat6E 23AWG - 100% FULL COOPER Network Cable CU (100% Copper) , with aluminium foil , and transparent PET film , Conductor 0.57mm - 305m Box Grey Color 18.6	40ден
	FTP Cat 6A F/FTP LSOH ISDN; 4/6 Mbps Token Ring (IEEE 802.5); 100 Mbps CDDI; 250 Mbps ATM Power over Ethernet (PoE); 10 BASE-T Ethernet (IEEE 802.3j); 100 BASE-VG AnyLAN (IEEE 802.12); 1000 BASE-T 1 Gigabit Ethernet (IEEE 802.3 ab); 10 GBASE-T 10 Gigabit Ethernet (IEEE 802.3 an);	50ден
	FTP Cat 6A S/FTP LSOH ISDN; 4/6 Mbps Token Ring (IEEE 802.5); 100 Mbps CDDI; 250 Mbps ATM Power over Ethernet (PoE); 10 BASE-T Ethernet (IEEE 802.3j); 100 BASE-VG AnyLAN (IEEE 802.12); 1000 BASE-T 1 Gigabit Ethernet (IEEE 802.3 ab); 10 GBASE-T 10 Gigabit Ethernet (IEEE 802.3 an);	66ден
	ALARM CABLE 6 x 0.22, shield 100m , EXTRA	25ден
	ALARM CABLE COOPER 6 x 0.22, shield 100m , COOPER EXTRA	30ден
	PP kabel 2x0,80mm COOPER , RED color	35ден
	PP kabel- Bavno gorecki –LSZH 2x2x0,80mm COOPER , LSZH, RED color , nezapaliva izolacija po CEI 20-22 II i IEC 323-3C standardi	40ден
	PP Kabel – Fire Alarm Cable J-H (ST)H 2*2*0,6 MM+0,5MM (TINNED)	29ден
	PP Kabel – Fire Alarm Cable J-H (ST)H 2*2*0,8MM+0,5MM	45ден
	PP Kabel – Fire Resistant Cable JE-H(St)H Bd (FE180 / E90 / PH120)	60ден
	Signal Cable – Power Cable LITCY 3*0,5 MM	42ден

	Estetski Kanali (Bela Boja na kanali) 12x12 16x16 25x16 25x25 40x25 40x40 60x40	28ден 34ден 42ден 55ден 85ден 120ден 180ден
--	---	---

Adapters

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	Adapter 12V/DC 1.5A EU	250ден
	Adapter 12V/DC 2A EU	300ден
	Adapter Dahua PFM320 12V/DC 2A	340ден
	Adapter 12V/DC 5A Power supply 12V DC regulated 6A desktop type	600ден
	Adapter 24V/DC 3A EU	999ден
	Adapter 24V/DC 5A EU	1.200ден
	Adapter 48V/DC 2A 120W for POE Switc Power supply 48V DC regulated 5A desktop type	650ден
	Cable Power Splitter, 1-4	150ден
	Cable Power Splitter, 1-8	200ден
	Adapter 7.5V/DC 1.5A for POE Switc Power supply 48V DC regulated 5A desktop type	850ден
	Power Cable 220V , 1.8m , Extra quality Cooper	120ден

Power Supply

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DC12V2A Power Adapter DAHUA PFM300 Easy installation and wall mount, structural water-proof; Support -30 °C ~+70 °C wide-range temperature operation, and the full load efficiency of the power; supply can be up to 100% at these temperatures; With junction function for camera wiring or can place video balun with HDCVI/AHD/TVI/CVBS cameras;	75ден
	POWER SUPPLY 5A / 12V DC for CCTV Camera BIG Input voltage 165 – 250 V; DC power 60W; Miniature size, high power density; ;Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection	800ден
	POWER SUPPLY 10A / 12V DC for CCTV Camera BIG Input voltage 165 – 250 V; DC power 120W; Miniature size, high power density;Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;	900ден
	POWER SUPPLY 15A / 12V DC for CCTV Camera BIG Input voltage 165 – 250 V; DC power 180W;Miniature size, high power density; Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;	1.050ден
	POWER SUPPLY 20A / 12V DC for CCTV Camera BIG Input voltage 165 – 250 V; DC power 240W; High Miniature size, high power density;Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;	1.200ден
	POWER SUPPLY 30A / 12V DC for CCTV Camera BIG Input voltage 165 – 250 V; DC power 360W; Miniature size, high power density; Adjustable output voltage for single output types, 10.8 - 13.2V at 12V; Short circuit, overload and over voltage protection;	2.000ден
	DAHUA PFM340 5CH - CCTV Distributed Power Box 5 Channel security camera power supply distribution box with individual LED output indicator and metal case by lock key to prevent unauthorized access. Wide voltage input: AC90~264Vac, meet the requirements in different parts for electric	3.500ден
	DAHUA PFM341 9CH - CCTV Distributed Power Box 9 Channel security camera power supply distribution box with individual LED output indicator and metal case by lock key to prevent unauthorized access; · Wide voltage input: AC90~264Vac, meet the requirements in different parts for electric	4.400ден
	DAHUA PFM343-19CH - CCTV Distributed Power Supply Box 19 Channel security camera power supply distribution box with individual LED output indicator and metal case by lock key to prevent unauthorized access; · Wide voltage input: AC90~264Vac, meet the requirements in different parts for electric	8.200ден
	Power Box 5CH/5A 220V AC input, 3A - 4 channel, 12VDC output, input voltage 165 – 250 V	1.600ден
	Power Box 9CH/10A 220V AC input, 5A - 9 channel, 12VDC output, input voltage 165 – 250 V	2.200ден
	Power Box 18CH/20A 220V AC input, 20A - 18 channel, 12VDC output, input voltage 165 – 250V	3.100ден

Connectors

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	BNC06-1 (With screws)	30ден
	BNC06	30ден
	3 PART CRIMP	30ден
	RG58	16ден
	BNC RG59 TX-CJ5	45ден
	Compression BNC	40ден
	BNC Male to RCA Female Adaptor	50ден
	BNC Male to BNC Male Adaptor	50ден
	RCA Male to RCA Male Adaptor	50ден
	BNC Female to BNC Female	50ден
	BNC Female to RCA Male	50ден
	POWER CONECTOR (male) so kabel 6.5 cm	30ден
	POWER CONECTOR (male) so strafce	30ден
	Conector Rj45 CAT5 , Blue , Yellow ,White	10ден

	Conector Rj45 CAT6	10ден
	Conector Rj45 CAT5 Shild	20ден
	Conector Rj45 CAT6 Shild	20ден
	Conector Rj45 CAT6A Shild	120ден
	Conector Rj45 Cat6 EZ	20ден
	Conector Rj45 CAT6A Jack Keystone Compress	160ден
	Conector Rj45 CAT7 Shild	120ден
	Cable HDMI 1.5m	250ден
	Cable HDMI 3m	300ден
	Cable HDMI 5m	450ден
	Cable HDMI 10m	750ден
	Cable HDMI 15m	1.000ден
	Cable HDMI 20m	1.600ден

	Microphone M501C so konektor	300ден
	Microphone M501G	350ден
	Stripping Tool	500ден
	Stripping Tool	400ден
	Network FTP tool - 01	800ден
	Network FTP tool - 02	1.300ден
	Network FTP tool – 03	1.600ден
	Network FTP tool - 04	1.500ден
	UV-T01 RG59 Crimper	1.650ден

Brackets and Racks

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	Bracket for monitor TV 14"- 42"	850ден
	Bracket for monitor TV 26"- 63"	950ден
	Bracket for monitor TV 26"- 63"	1.850ден

Accessories

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	DH-PFM906 Integrated Mount Tester Supports IPC, HDCVI, AHD, HDTVI, CVBS and SDI monitor video display; HDMI input and output; 12 VDC 2A and USB 5V 2A output; 7-in 1080p HD full-angle retina capacitive IPS touchscreen;	
	VB-B503 Balun 4K- 8MP 8MP , AHD , TVI , CVI , Analog 2MP 3MP 4MP 5MP 1080P HD-CVI TVI AHD Compatible with DaHua HD-CVI signal.HD-TVISignal,AHD Signal Pushin Terminal Block for UTP Cable. HD-CVI720P: Max.:450M/ HDCVI1080P:	350ден
	VGA to HDMI Converter	650ден
	HDMI to VGA Converter	600ден
	HDMI 1-2 Splitter	350ден
	PSE908-10/100/1000 +2port WAN 8 port , 8 port 10/100+2port WAN 10/100 , switc with 8 port PoE , RJ45 x8 , 10/100Mbps Auto-Negotiation and AUTO MDIX Fast Ethernet RJ45Port , Bulit in 8 PoE Ports , Data transmission up to 100m , Total power :120 Watts	3.720ден

	MV-1010B Port: 8 POE * 100Mbps + 2 RJ45 * 100Mbps; Power Supply Protocol: IEEE802.3AF/AT, maximum output 30W per port; Backplane Bandwidth: 2.0Gbps; Total Power: 52V 120W; Power Pins: 12+, 36-; Operating Mode: Supports 250-meter long-distance transmission and one-key VLAN function.	4.900ден
	MV-1011GB Port: 8 POE * 100Mbps + 2RJ45*1000Mbps +1*1000Mbps-SFP; Power Supply Protocol: IEEE802.3AF/AT, maximum output of 30W per port; Backplane Bandwidth: 7.6Gbps; Total Power: 52V 120W; Power Pins: 12+, 36-; Operating Mode: Supports 250-meter long-distance transmission and one-key VLAN.	7.300ден
	MV-16F22GB Port: 16 POE * 100Mbps + 2RJ45*1000Mbps +2*1000Mbps-SFP; Power Supply Protocol: IEEE802.3AF/AT, maximum output of 30W per port; Backplane Bandwidth: 11.2Gbps; Total Power: 52V 250W; Power Pins: 12+, 36-; Operating Mode: Supports 250-meter long-distance transmission and one-key VLAN.	12.500ден
	MV-24F22GB Port: 24 POE * 100Mbps + 2RJ45*1000Mbps +2*1000Mbps-SFP; Power Supply Protocol: IEEE802.3AF/AT, maximum output of 30W per port; Backplane Bandwidth: 12.8Gbps; Total Power: 52V 320W; Power Pins: 12+, 36-; Operating Mode: Supports 250-meter long-distance transmission and one-key VLAN.	15.700ден
	Patch Cable Cat5 0.5m	120ден
	Patch Cable Cat5 1m	120ден
	Patch Cable Cat6 0.5m	120ден
	Patch Cable Cat6 1m	120ден
	OPTICAL CABLE SM SC - SC DX 5M	370ден
	OPTICAL CABLE SM SC - SC DX 10M	745ден

Accessories

МОДЕЛ	КАРАКТЕРИСТИКИ И СПЕЦИФИКАЦИИ	ЦЕНА
	Plastic Flush UNIVERSAL Junction Box for DOME CAMERA, Camera housing with bracket, PLASTIC	120ден
	J-BOX01DS UNIVERSAL Water-proof Junction Box for BULLET CAMERA OUTDORE, Camera housing with bracket, Material: Aluminum, Operating Temperature: -40°C ~60°C	545ден
	J-BOX04PL – Bracket Plastic	125ден
	J-BOX05PL – Bracket Plastic	150ден
	J-BOX06PL – Bracket Plastic	180ден
	J-BOX07PL – Bracket Plastic	372ден
	J-BOX08PL – Dome Bracket Plastic	300ден
	PFB204W	950ден
	PFA122 Water-proof Junction Box	999ден
	DAHUA PFA130-E Water-proof Junction Box	850ден
	PFA13A Water-proof Junction Box, Material: Aluminum & SECC , Junction Box ,Neat & Integrated design, Product Dimension: $\phi 96.8\text{mm} \times 33.5\text{mm}$	580ден
	PFA134-B Water-proof Junction Box, Material: Aluminum & SECC , Junction Box ,Neat & Integrated design, Product Dimension: $\phi 90\text{mm} \times 35\text{mm}$	580ден
	PFA134 Water-proof Junction Box, Material: Aluminum & SECC , Junction Box ,Neat & Integrated design, Product Dimension: $\phi 90\text{mm} \times 35\text{mm}$	580ден
	PFA135 Water-proof Junction Box, Camera housing with bracket, Material: Aluminum & SECC , Junction Box ,Neat & Integrated design,	620ден
	PFA136 Water-proof Junction Box, Material: Aluminum, Product Dimension: $\phi 110\text{mm} \times 33.5\text{mm}$ Pipe Thread: Operating Temperature: -40°C ~60°C	580ден

	PFA137 Junction Box Material: aluminum	580ден
	PFA151 Corner Mount Bracket; Material: SECC; Aesthetic design; Material SECC Dimension(WxHxD) 243mmx170mmx138mm (9.57"x6.69"x5.43")	1.240ден
	Camera Bracket 110*250mm	2.150ден
	Camera Bracket 60cm	1.500ден
	J-BOX100B 200mm*155mm*80mm	600ден
	J-BOX800B 260mm*230mm*80mm	800ден
	J-BOX800C 280mm*230mm*80mm	900ден

Цените се крајни и истите важат за крајни корисници.

Цените се претставени со пресметан ДДВ.

Гаранција на производите е од 1-12 месеци.

МАКСИПРИНТ го задржува правото на промена на цените без претходна најава.